NAPLEX (NORTH AMERICAN PHARMACIST LICENSURE EXAMINATION) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://naplex.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following are centrally acting opioid antagonists?**

   A. Codeine and Fentanyl

   B. Naloxone and Naltrexone

   C. Morphine and Methadone

   D. Hydromorphone and Oxycodone

2. **What is NOT recommended to use with zinc for cold treatment due to risk of loss of smell?**

   A. Zinc tablets

   B. Zinc lozenges

   C. Zinc nasal swab or nasal spray

   D. Zinc supplements

3. **What describes an isograft transplant?**

   A. Between twins

   B. From a parent to a child

   C. Between non-relatives

   D. Between different species

4. **What is the target resting heart rate for beta-blocker therapy in SIHD?**

   A. 50-55 BPM

   B. 55-60 BPM

   C. 60-65 BPM

   D. 65-70 BPM

5. **For what condition is DOACs NOT the preferred medication over Warfarin?**

   A. Stroke prevention

   B. VTE treatment

   C. Moderate-to-severe mitral valve stenosis

   D. CAD

6. **What is a black box warning for Lomitapide?**

   A. Constipation

   B. Hepatotoxicity

   C. Myopathy

   D. Increased blood pressure

SAMPLE

7. What is a specified risk when using the treatment for Cytomegalovirus (CMV) in severely immunocompromised states?

A. Hyperglycemia

B. Myelosuppression

C. Hepatotoxicity

D. Cardiotoxicity

8. What bacteria does cefotetan and cefoxitin specifically cover?

A. GNR

B. B. fragilis

C. MSSA

D. MRSA

9. Lamotrigine is recommended for acute treatment of:

A. Manic episodes

B. Depressive episodes

C. Neuroleptic Malignant Syndrome

D. Tardive Dyskinesia

10. Which is a common cause of macrocytic anemia?

A. Hemolysis

B. Vitamin B12 deficiency

C. Iron deficiency

D. Aplastic anemia

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. B
5. C
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following are centrally acting opioid antagonists?

A. Codeine and Fentanyl

B. Naloxone and Naltrexone

C. Morphine and Methadone

D. Hydromorphone and Oxycodone

Centrally acting opioid antagonists work in the central nervous system to block or reverse the effects of opioids. Naloxone and Naltrexone are both centrally acting opioid antagonists. Naloxone is commonly used as an emergency treatment for opioid overdose, as it can quickly reverse the effects of opioids and restore normal respiration. Naltrexone is used for the treatment of opioid and alcohol dependence by reducing cravings and blocking the effects of opioids. The other options listed are not centrally acting opioid antagonists: - Codeine, Fentanyl, Morphine, Methadone, Hydromorphone, and Oxycodone are opioids themselves and do not have antagonist properties; they are agonists that bind to opioid receptors in the central nervous system to produce analgesia or other effects.

2. What is NOT recommended to use with zinc for cold treatment due to risk of loss of smell?

A. Zinc tablets

B. Zinc lozenges

C. Zinc nasal swab or nasal spray

D. Zinc supplements

Zinc has been found to be effective in reducing the duration and severity of cold symptoms, but using it through the nasal route may cause loss of smell (anosmia) as a side effect. As such, the use of zinc nasal swabs or nasal sprays is not recommended for cold treatment. Zinc tablets, lozenges, and supplements are all acceptable alternatives, but it is important to follow recommended dosages and not exceed the daily limit. Other options such as zinc nasal washes or gels may also be effective without the risk of anosmia. Ultimately, it is best to consult with a healthcare professional before using any form of zinc for cold treatment.

3. What describes an isograft transplant?

A. Between twins

B. From a parent to a child

C. Between non-relatives

D. Between different species

An isograft transplant refers to a transplantation between identical twins. In this case, the twins share the same genetic makeup, leading to a reduced risk of rejection due to histocompatibility. Therefore, the correct answer is A. Options B, C, and D are incorrect: B. From a parent to a child - This type of transplant is known as a parent-to-child transplant or a living-related transplant, not an isograft. C. Between non-relatives - Transplants between non-relatives are referred to as allografts, not isografts. D. Between different species - Transplants between different species are termed xenografts, not isografts.

SAMPLE

4. What is the target resting heart rate for beta-blocker therapy in SIHD?

A. 50-55 BPM

B. 55-60 BPM

C. 60-65 BPM

D. 65-70 BPM

Beta-blocker therapy is a common treatment for stable ischemic heart disease (SIHD). The target resting heart rate for beta-blocker therapy in SIHD is typically between 55-60 beats per minute (BPM). This heart rate range is recommended because it helps to slow the heart rate and decrease the workload on the heart, which can be beneficial for patients with SIHD. Options A, C, and D all fall outside of this target range and may not provide the same benefits as the recommended heart rate range. A heart rate lower than 55 BPM may indicate an overdose of beta-blocker medication, while a heart rate higher than 60 BPM may not effectively reduce the workload on the heart. Therefore, option B is the most suitable and correct answer.

5. For what condition is DOACs NOT the preferred medication over Warfarin?

A. Stroke prevention

B. VTE treatment

C. Moderate-to-severe mitral valve stenosis

D. CAD

DOACs, or direct oral anticoagulants, are a newer class of medications used for blood thinning and preventing blood clots. They are often preferred over Warfarin because they have fewer interactions with other medications and do not require frequent lab monitoring. However, in patients with moderate-to-severe mitral valve stenosis, DOACs should not be used as they may increase the risk of blood clots forming in the heart due to the uneven blood flow caused by the stenosis. Warfarin, with its ability to maintain a stable level of thinning in the blood, may be a better option in this case. Therefore, for this specific condition, DOACs are not the preferred medication.

6. What is a black box warning for Lomitapide?

A. Constipation

B. Hepatotoxicity

C. Myopathy

D. Increased blood pressure

Lomitapide carries a black box warning for hepatotoxicity. This warning is included because the drug has the potential to cause liver damage, which can be severe and even life-threatening. Monitoring liver function tests regularly is crucial when prescribing lomitapide to reduce the risk of hepatotoxicity. Constipation, myopathy, and increased blood pressure are not the primary concerns associated with lomitapide that warrant a black box warning.

SAMPLE

7. What is a specified risk when using the treatment for Cytomegalovirus (CMV) in severely immunocompromised states?

A. Hyperglycemia

B. Myelosuppression

C. Hepatotoxicity

D. Cardiotoxicity

A While hyperglycemia is a possible side effect of the treatment for CMV, it is not considered a specified risk. It may occur in patients with pre-existing diabetes or in patients with glucose intolerance. B: Myelosuppression, a decrease in the production of blood cells, is a specified risk when using the treatment for CMV in severely immunocompromised states. This can lead to an increased risk of infection, anemia, and bleeding. C: Hepatotoxicity, or liver damage, can occur as a result of the treatment for CMV, but it is not considered a specified risk. It may be more common in patients with underlying liver disease. D: Cardiotoxicity, or damage to the heart muscle, is a potential side effect of the treatment for CMV, but it is not considered a specified risk. It may occur in patients with pre-existing heart conditions.

8. What bacteria does cefotetan and cefoxitin specifically cover?

A. GNR

B. B. fragilis

C. MSSA

D. MRSA

Cefotetan and cefoxitin are cephamycin antibiotics that have increased activity against anaerobic bacteria, specifically Bacteroides fragilis. This makes choice B the correct answer. Choice A (GNR) stands for Gram-Negative Rods, which is a broad category and not specific to the bacteria covered by cefotetan and cefoxitin. Choices C (MSSA) and D (MRSA) refer to Methicillin-Susceptible Staphylococcus Aureus and Methicillin-Resistant Staphylococcus Aureus, respectively. Cefotetan and cefoxitin are not primarily indicated for the treatment of Staphylococcus aureus infections.

9. Lamotrigine is recommended for acute treatment of:

A. Manic episodes

B. Depressive episodes

C. Neuroleptic Malignant Syndrome

D. Tardive Dyskinesia

Lamotrigine is recommended for the acute treatment of depressive episodes. It is a mood stabilizer that is commonly used in the treatment of bipolar disorder to help manage depressive symptoms. The drug is not typically indicated for manic episodes, neuroleptic malignant syndrome, or tardive dyskinesia.

SAMPLE

10. Which is a common cause of macrocytic anemia?

A. Hemolysis

B. Vitamin B12 deficiency

C. Iron deficiency

D. Aplastic anemia

A Hemolysis is not a common cause of macrocytic anemia because it causes the red blood cells to break down prematurely, leading to a decrease in the number of red blood cells. This type of anemia is referred to as hemolytic anemia. C: Iron deficiency is not a common cause of macrocytic anemia because it causes a decrease in the production of hemoglobin, the protein responsible for carrying oxygen in red blood cells. This type of anemia is referred to as microcytic anemia. D: Aplastic anemia is not a common cause of macrocytic anemia because it is a rare disorder characterized by the failure of the bone marrow to produce enough new blood cells. This leads to a decrease in both red blood cells and other blood cells, resulting in a condition known as pancytopenia. The most common cause of macrocytic anemia is a deficiency in vitamin B12. This can occur due to a lack of absorption of vitamin B12 in the digestive system, or a decrease in dietary intake of foods containing vitamin B12. Without enough vitamin B12, the body is unable to produce enough healthy red blood cells, resulting in macrocytic

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://naplex.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE