# NATERA PANORAMA PRACTICE EXAM (SAMPLE)

## STUDY GUIDE




## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://naterapanorama.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1
Table of Contents ..... 2
Introduction ..... 3
How to Use This Guide ..... 4
Questions ..... 5
Answers ..... 8
Explanations ..... 10
Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What core result categories may Panorama report?**

A. Low risk

B. High risk

C. No result/no call (with occasional inconclusive notes for some findings)

D. Inconclusive for all findings

**2. Is Panorama a diagnostic test or a screening test?**

A. Diagnostic confirmation of fetal aneuploidy

B. Screening results indicating risk for selected chromosomal abnormalities

C. It measures fetal enzymes

D. It determines maternal blood type

**3. For Down syndrome, which statement best compares the PPV of maternal serum screening to Panorama?**

A. 50% vs 50%

B. 95% vs 3.4%

C. 3.4% vs 95%

D. 1% vs 99%

**4. What type of biological sample is required for Panorama testing?**

A. Amniotic fluid

B. Maternal blood for cell-free DNA analysis collected in cfDNA stabilization tubes with plasma separated

C. Fetal cord blood

D. Placental tissue

**5. What actions are recommended if Panorama indicates high risk for a chromosomal abnormality?**

A. Rely on ultrasound findings alone.

B. Repeat Panorama test to confirm.

C. Do nothing.

D. Diagnostic confirmation via CVS or amniocentesis, plus comprehensive genetic counseling and ultrasounds as indicated.

SAMPLE

**6. Vanishing twin detection may influence interpretation of cfDNA results in pregnancy.**

A. True

B. False

C. Not known

D. Partially

**7. NIPT is not recommended for vanishing twin pregnancies.**

A. True

B. Not applicable

C. Sometimes

D. False

**8. Which chromosomal condition is listed as a factor affecting fetal fraction?**

A. Aneuploidy

B. Trisomy 21

C. Monosomy X

D. Turner syndrome

**9. Chorionic villi sampling is typically done toward the end of the _____ trimester.**

A. Second

B. Fourth

C. First

D. Third

**10. NIPT like Panorama screens for certain aneuploidies by analyzing SNP patterns on chromosome fragments from which tissue?**

A. Placenta

B. Fetal blood

C. Amniotic fluid

D. Umbilical cord tissue

SAMPLE

# Answers

SAMPLE

1. C
2. B
3. C
4. B
5. D
6. A
7. A
8. A
9. C
10. A

SAMPLE

# Explanations

SAMPLE

## 1. What core result categories may Panorama report?

A. Low risk

B. High risk

C. No result/no call (with occasional inconclusive notes for some findings)

D. Inconclusive for all findings

*Panorama reports results in three main categories: low risk, high risk, and no result/no call. The no result category occurs when there isn't enough fetal DNA or there are technical issues that prevent a definitive assessment. In some cases, there may be inconclusive notes for specific findings, indicating that further testing or follow-up is needed. So the option that describes no result/no call, with occasional inconclusive notes for some findings, best matches how Panorama communicates results. The other options reflect only a single outcome or misstate the reporting scope.*

## 2. Is Panorama a diagnostic test or a screening test?

A. Diagnostic confirmation of fetal aneuploidy

B. Screening results indicating risk for selected chromosomal abnormalities

C. It measures fetal enzymes

D. It determines maternal blood type

*Panorama is a noninvasive prenatal screening test that analyzes fetal cell-free DNA in the mother's blood to estimate the probability that the fetus has certain chromosomal abnormalities. It provides risk assessments, not a definitive diagnosis. A high-risk result typically leads to diagnostic testing with invasive procedures like amniocentesis or chorionic villus sampling to confirm the fetal status. It does not measure fetal enzymes or determine maternal blood type. So the test is best understood as a screening tool that indicates risk for selected chromosomal abnormalities.*

## 3. For Down syndrome, which statement best compares the PPV of maternal serum screening to Panorama?

A. 50% vs 50%

B. 95% vs 3.4%

C. 3.4% vs 95%

D. 1% vs 99%

*The key idea is how likely a positive result actually means the fetus has Down syndrome, which is the positive predictive value (PPV). Traditional maternal serum screening has to balance sensitivity and specificity across a general population, so its PPV for Down syndrome is relatively low—around a few percent. Panorama, a noninvasive prenatal test that analyzes fetal cell-free DNA, has much higher accuracy for this condition, giving a PPV in the high teens to mid-90s percent, depending on risk factors and population. So the best way to compare is that maternal serum screening is about 3–4% PPV, while Panorama is about 95% PPV for Down syndrome. The other options imply the tests have similar PPVs or that Panorama is far lower, which doesn't match how these tests perform in practice.*

SAMPLE

## 4. What type of biological sample is required for Panorama testing?

A. Amniotic fluid

B. Maternal blood for cell-free DNA analysis collected in cfDNA stabilization tubes with plasma separated

C. Fetal cord blood

D. Placental tissue

*Panorama uses a noninvasive approach that analyzes fetal DNA fragments circulating in the mother's blood. A maternal blood sample is drawn into cfDNA stabilization tubes, and the plasma is separated to isolate these cell-free DNA fragments, which largely originate from the placenta and reflect the fetal genome. This is why the required sample is maternal blood for cfDNA analysis. Other sample types like amniotic fluid, fetal cord blood, or placental tissue involve invasive procedures and are used for diagnostic testing, not for this screening method.*

## 5. What actions are recommended if Panorama indicates high risk for a chromosomal abnormality?

A. Rely on ultrasound findings alone.

B. Repeat Panorama test to confirm.

C. Do nothing.

D. Diagnostic confirmation via CVS or amniocentesis, plus comprehensive genetic counseling and ultrasounds as indicated.

*Panorama is a screening test that analyzes cell-free fetal DNA in maternal blood to estimate risk for fetal chromosomal abnormalities. A high-risk result means there is an increased probability, but it is not a definitive diagnosis. The appropriate next step is diagnostic confirmation using invasive testing—chorionic villus sampling or amniocentesis—to obtain fetal cells for definitive genetic analysis (such as a karyotype and/or chromosomal microarray). This provides a precise result and helps guide management. Alongside diagnostic testing, comprehensive genetic counseling is important to discuss what the result means, the limitations of screening (including possibilities like false positives or confined placental mosaicism), and the residual risk after testing. Ultrasound examination is performed as indicated to assess fetal anatomy and identify any structural findings that might influence the interpretation or plan. Timing matters: CVS is typically done in the first trimester, while amniocentesis is usually performed in the second trimester. So the recommended approach combines diagnostic confirmation with counseling and targeted imaging to obtain clear, actionable information.*

## 6. Vanishing twin detection may influence interpretation of cfDNA results in pregnancy.

A. True

B. False

C. Not known

D. Partially

*Vanishing twin can influence cfDNA interpretation because maternal plasma cfDNA comes from all fetuses contributing to the pregnancy. If one twin vanishes, DNA from that fetus can linger in the circulation and mimic or confound signals from the ongoing fetus, potentially creating false positives or discordant results on NIPT. This means a positive or unusual NIPT result may not reflect the current fetus's true chromosomal status, and clinicians may consider repeating testing later or pursuing diagnostic testing to clarify. Recognizing the possibility of a vanishing twin helps explain unexpected results and guides appropriate follow-up. Therefore, the statement is true.*

SAMPLE

## 7. NIPT is not recommended for vanishing twin pregnancies.

A. True

B. Not applicable

C. Sometimes

D. False

*NIPT relies on analyzing fetal DNA circulating in the mother's blood. In a vanishing twin pregnancy, DNA from the initially present fetus can linger after one twin demises, which can skew the test signals and lead to discordant or misleading results for common aneuploidies. This makes interpretation unreliable, so practitioners generally do not rely on NIPT in vanishing twin scenarios and may pursue diagnostic testing if there is concern. The other options don't fit because the situation is not simply not applicable, occasionally applicable, or false—the standard guidance is to avoid depending on NIPT in these pregnancies due to potential confounding DNA.*

## 8. Which chromosomal condition is listed as a factor affecting fetal fraction?

A. Aneuploidy

B. Trisomy 21

C. Monosomy X

D. Turner syndrome

*Fetal fraction is the portion of cell-free fetal DNA in maternal blood, and it can be influenced by chromosomal abnormalities that affect how much fetal DNA is shed by the placenta. Aneuploidy refers to an abnormal number of chromosomes and is listed as a factor because such chromosomal irregularities can alter placental biology and the amount of fetal DNA circulating in maternal plasma. While specific conditions like Trisomy 21 or monosomy X are examples of aneuploidy, the factor called out is the broader category itself, which is why this option is the best match. In practice, the presence of aneuploidy can contribute to variability in fetal fraction, potentially impacting test performance and prompting follow-up steps if the fraction is low.*

## 9. Chorionic villi sampling is typically done toward the end of the _____ trimester.

A. Second

B. Fourth

C. First

D. Third

*Chorionic villus sampling is done in the first trimester, typically around 10–12 weeks gestation. The chorionic villi are placental tissue that carries fetal genetic material, so sampling them early allows rapid genetic testing and diagnosis. This timing is chosen because amniocentesis, which analyzes fetal cells from amniotic fluid, is performed later in the second trimester, making CVS the preferred option when early results are desired. Therefore, the test is done toward the end of the first trimester rather than in later trimesters.*

SAMPLE

**10. NIPT like Panorama screens for certain aneuploidies by analyzing SNP patterns on chromosome fragments from which tissue?**

A. Placenta

B. Fetal blood

C. Amniotic fluid

D. Umbilical cord tissue

*Panorama and similar noninvasive prenatal tests analyze cell-free fetal DNA that circulates in the mother's blood. This cfDNA mainly comes from placental trophoblasts, so the SNP patterns detected reflect fetal DNA that originates from the placenta rather than directly from fetal tissues. That makes the placenta the tissue source for the chromosome fragments used in the test. Amniotic fluid, fetal blood, or umbilical cord tissue would require invasive sampling to obtain fetal DNA and are not the source of cfDNA analyzed in this screening.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://naterapanorama.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE