NATIONAL ASSOCIATION OF NUTRITIONAL PROFESSIONALS (NANP) DOMAIN IV PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nanpdomain4.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the normal basal body temperature range in Fahrenheit?

A. 95.0 to 96.0

B. 97.6 to 98.2

C. 98.6 to 99.6

D. 100.0 to 101.0

2. Which of the following is a listed therapeutic food for ulcers?

A. Cabbage

B. Rice

C. Beef

D. Cheese

3. Which term can be used interchangeably with 'client intake form'?

A. Client interview

B. Health history form

C. Referral form

D. Client questionnaire

4. Hashimoto's thyroiditis is the autoimmune form of which thyroid condition?

A. Goiter

B. Hypothyroidism

C. Hyperthyroidism

D. Thyroid cancer

5. Which concept supports the idea that nutrition should be personalized rather than one-size-fits-all?

A. The cumulative burden of stressors on the body at any given time

B. Addison's disease

C. Calcium supplementation

D. Biochemical individuality

SAMPLE

6. Which statement about basal body temperature is true?

A. The normal range is 97.6 to 98.2°F.

B. The normal range is 95.0 to 96.0°F.

C. The normal range is 99.0 to 100.0°F.

D. Basal body temperature is not used in clinical assessment.

7. Which vitamin is listed as part of Diabetes Type 2 nutritional supports?

A. Vitamin C

B. Vitamin D

C. Vitamin A

D. Vitamin K

8. Which is the key distinguishing feature between Crohn's disease and ulcerative colitis?

A. Crohn's affects entire bowel wall thickness; ulcerative colitis is limited to the colon lining

B. Crohn's is limited to the colon; ulcerative colitis affects the entire bowel wall

C. Crohn's only affects the small intestine; ulcerative colitis affects the colon

D. They both affect only the mucosa

9. Candidiasis — what inhibits Candida overgrowth?

A. HCl, pancreatic enzymes, and bile

B. Antibiotics

C. Sugar

D. Alcohol

10. Absorption site for vitamin B12?

A. Duodenum

B. Jejunum

C. Ileum

D. Colon

SAMPLE

Answers

SAMPLE

1. B
2. A
3. D
4. B
5. D
6. A
7. A
8. A
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What is the normal basal body temperature range in Fahrenheit?

A. 95.0 to 96.0

B. 97.6 to 98.2

C. 98.6 to 99.6

D. 100.0 to 101.0

Basal body temperature is the body's resting temperature measured first thing in the morning before any activity. Before ovulation, it falls in a narrow range around the upper 97s to about 98.2°F, and the value 97.6 to 98.2°F is the commonly cited normal range for this resting measurement. After ovulation, progesterone causes a slight rise of about 0.5–1.0°F, so temperatures typically move into the high 98s to low 99s. Values far outside this range often reflect measurement conditions or illness rather than normal BBT. So the 97.6–98.2°F range best fits the expected baseline BBT.

2. Which of the following is a listed therapeutic food for ulcers?

A. Cabbage

B. Rice

C. Beef

D. Cheese

Therapeutic foods for ulcers focus on nourishing and protecting the stomach lining to support healing. Cabbage fits this goal because it provides nutrients known to support mucosal repair and protection. It has vitamin C, which is important for collagen formation and tissue repair, and it contains compounds like glutamine that serve as fuel for the cells lining the gastrointestinal tract, helping maintain and restore the mucosal barrier. Historically, cabbage juice has been noted for its potential to aid healing of peptic ulcers due to these mucosal-supporting components. bland staples like rice are easy to digest and can soothe the stomach, but they don't supply the specific healing nutrients that cabbage offers. Beef and cheese can be harder to digest for many people and may irritate an ulcer, so they're not chosen as therapeutic foods for ulcer healing.

3. Which term can be used interchangeably with 'client intake form'?

A. Client interview

B. Health history form

C. Referral form

D. Client questionnaire

At its essence, an intake tool is used to gather essential information from a client at the start of engagement. A client questionnaire fits that role because it's a structured set of questions designed to collect the same basic data—contact details, reason for visit, medical history, current concerns, medications, allergies, and consent information—so the practitioner has what is needed to start working. Why this choice works best: a questionnaire is typically delivered as a form to be filled out, mirroring the function of an intake form, whereas a client interview is an ongoing conversation rather than a completed document. A health history form is similar in content it may cover, but it's more narrowly focused on medical history rather than the broader intake needs. A referral form serves to direct someone to another service, not to gather initial client information. So, a client questionnaire is the term that can be used interchangeably with a client intake form because both are tools for collecting the same core information at the outset.

SAMPLE

4. Hashimoto's thyroiditis is the autoimmune form of which thyroid condition?

A. Goiter

B. Hypothyroidism

C. Hyperthyroidism

D. Thyroid cancer

Hashimoto's thyroiditis is an autoimmune destruction of the thyroid that leads to reduced production of thyroid hormones. Because the functional outcome is low thyroid hormone, this condition is best described as the autoimmune form of hypothyroidism. While the gland may become enlarged from inflammation, the defining impact is hypothyroidism. In contrast, Graves' disease is the autoimmune form of hyperthyroidism.

5. Which concept supports the idea that nutrition should be personalized rather than one-size-fits-all?

A. The cumulative burden of stressors on the body at any given time

B. Addison's disease

C. Calcium supplementation

D. Biochemical individuality

Biochemical individuality explains why nutrition should be individualized rather than a universal plan. People differ in genetics, enzyme activity, gut microbiota, absorption, health status, and environmental factors, all of which shape how we metabolize and respond to nutrients. Because of these differences, the same diet can support some people beautifully while not meeting others' needs. This idea leads to tailoring nutrition to an individual's biochemistry and circumstances—for example, genetic variants that affect folate metabolism or lactose tolerance, microbiome differences that influence nutrient availability, or how medications and disease alter nutrient requirements. The other options don't capture this principle: one describes how accumulated stress influences health but not personalized nutrient needs; a specific disease; or a single supplement intervention.

6. Which statement about basal body temperature is true?

A. The normal range is 97.6 to 98.2°F.

B. The normal range is 95.0 to 96.0°F.

C. The normal range is 99.0 to 100.0°F.

D. Basal body temperature is not used in clinical assessment.

Basal body temperature reflects your resting body temperature first thing in the morning. Around ovulation, progesterone causes a small rise in this temperature, typically about 0.4–0.8°F, and it stays higher until your next period. The range around 97.6–98.2°F lines up with what many people experience after ovulation in a normal cycle, so saying this is the normal range is accurate. To observe this pattern, you measure your BBT with a basal thermometer first thing after waking, every day, before any activity, and track the shifts across the cycle. This tool is mainly used for fertility tracking rather than broad clinical diagnosis.

SAMPLE

7. Which vitamin is listed as part of Diabetes Type 2 nutritional supports?

A. Vitamin C

B. Vitamin D

C. Vitamin A

D. Vitamin K

Focusing on nutrition for Type 2 diabetes often includes supporting antioxidant status because high sugar levels can increase oxidative stress. Vitamin C is highlighted for its antioxidant properties, helping to neutralize free radicals formed during hyperglycemia. It also supports immune function and wound healing, which can be especially relevant for people with diabetes who may experience slower healing. Since Vitamin C is commonly consumed in the diet and required daily, it's frequently listed as part of diabetes nutritional supports as a straightforward, broadly beneficial add-on. The other vitamins have important roles in health, but they're not as typically singled out in diabetes-specific nutrition plans. Vitamin D is important for bone health and has links to insulin sensitivity in research, but it's not as universally described as a standard diabetes-specific nutritional support. Vitamins A and K are essential for vision, immunity, and blood coagulation, respectively, but they're not central to the common diabetes nutritional support focus.

8. Which is the key distinguishing feature between Crohn's disease and ulcerative colitis?

A. Crohn's affects entire bowel wall thickness; ulcerative colitis is limited to the colon lining

B. Crohn's is limited to the colon; ulcerative colitis affects the entire bowel wall

C. Crohn's only affects the small intestine; ulcerative colitis affects the colon

D. They both affect only the mucosa

The main point is how deeply the inflammation involves the bowel wall. Crohn's disease features transmural inflammation, meaning the entire thickness of the bowel wall can be affected, and it can occur anywhere along the GI tract with patchy involvement and potential fistulas or strictures. Ulcerative colitis, by contrast, is limited to the mucosa (and submucosa) of the colon, starting at the rectum and spreading in a continuous fashion. This depth difference is why the description of full-thickness involvement in Crohn's and mucosal lining involvement in ulcerative colitis best captures the key distinction.

9. Candidiasis — what inhibits Candida overgrowth?

A. HCl, pancreatic enzymes, and bile

B. Antibiotics

C. Sugar

D. Alcohol

Digestive defenses keep Candida in check. Adequate stomach acid (HCl) lowers gastric pH, creating an environment that inhibits yeast growth and helps activate digestive enzymes. Pancreatic enzymes continue breaking down proteins and carbohydrates, limiting nutrients Candida can use and supporting a balanced gut flora. Bile acids released during fat digestion also have antimicrobial effects that help suppress Candida overgrowth. When these digestive components function well, the gut environment is less favorable for Candida to proliferate. Antibiotics disrupt the bacterial communities that normally compete with Candida, allowing overgrowth. Sugar provides readily available fuel for Candida, and alcohol can irritate and disrupt the gut environment, further promoting overgrowth.

SAMPLE

10. Absorption site for vitamin B12?

A. Duodenum

B. Jejunum

C. Ileum

D. Colon

Vitamin B12 absorption relies on intrinsic factor and occurs in the distal ileum. After B12 is released from dietary proteins in the stomach, it binds intrinsic factor. The IF–B12 complex travels to the ileum, where enterocytes have receptors that specifically recognize this complex and transport it into the cells, with calcium playing a role in the uptake process. The duodenum and jejunum handle most other nutrient absorption, but they lack the specialized mechanism for IF–B12 uptake. The colon does not actively absorb B12. Therefore, the site of absorption for vitamin B12 is the ileum, specifically the distal ileum.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nanpdomain4.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE