
NATIONAL BOARD DENTAL HYGIENE EXAMINATION (NBDHE) DENTAL HYGIENIST PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://dentalhygienist-nbdhe.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What condition can make it difficult for individuals to acquire new skills, potentially related to ADHD?**

   A. Anxiety

   B. Hyperactivity

   C. Impulsivity

   D. Restlessness

2. **For what purpose is the Chi square test primarily used?**

   A. To compare means

   B. To correlate variables

   C. To determine associations between categorical variables

   D. To assess variance

3. **While reviewing brushing techniques, the patient exhibits the method that she uses. She brushes with the bristles aimed toward the gingival margin and then rolls the brush toward the occlusal surface. What method is this?**

   A. Fones

   B. Roll

   C. Leonard

   D. Charters

4. **For which age group is 1.0mg fluoride dosage recommended?**

   A. Under 6 years

   B. 6-16 years

   C. 17-21 years

   D. Adults

5. **Which of the following is one of the main reasons for a root canal?**

   A. Tooth is cracked

   B. The pulp can't be fixed

   C. Gums are bleeding

   D. A cavity is present

SAMPLE

6. Which type of need comes after physiological needs according to Maslow's hierarchy?

A. Social Needs

B. Self Esteem

C. Safety and Security

D. Actualization

7. What impact does root hypersensitivity have on dental procedures?

A. It indicates a need for antimicrobial treatment

B. It signals the potential for tooth loss

C. It may preclude certain treatments like air polishing

D. It enhances the effectiveness of fluoride treatments

8. Which signs are indicators of chronic gingival inflammation?

A. Tough, fibrous gingiva and blunted interdental papilla

B. Soft, spongy gingiva and swollen interdental papilla

C. Shallow pockets and tooth mobility

D. Ulcerations and bleeding upon probing

9. What occurs when the globular process fails to fuse with the maxillary process during the first trimester of pregnancy?

A. Down syndrome

B. Cleft palate

C. Cleft lip

D. Spina bifida

10. Which condition can be a result of an allergic reaction?

A. Pemphigus vulgaris

B. Necrotizing ulcerative gingivitis

C. Aggressive periodontitis

D. Desquamative gingivitis

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. B
5. B
6. C
7. C
8. A
9. C
10. D

SAMPLE

Explanations

SAMPLE

1. What condition can make it difficult for individuals to acquire new skills, potentially related to ADHD?

A. Anxiety

B. Hyperactivity

C. Impulsivity

D. Restlessness

The condition that can make it difficult for individuals to acquire new skills, particularly in relation to ADHD, is linked to impulsivity. Impulsivity in ADHD manifests as a tendency to act without thinking or to make hasty decisions without considering the consequences. This can significantly affect the learning process because acquiring new skills usually requires patience, practice, and the ability to focus on tasks over a sustained period. Impulsive individuals may jump from one task to another without fully committing to learning each new skill, leading to gaps in knowledge and performance. While anxiety, hyperactivity, and restlessness can also affect learning and skill acquisition, impulsivity directly impacts learning by disrupting the continuity and depth of engagement with tasks. Anxiety can lead to avoidance of situations where new skills must be acquired, hyperactivity may cause difficulty remaining still and focused, and restlessness can make it challenging to stay engaged long enough to learn effectively. Thus, impulsivity emerges as a particularly impactful barrier in the context of ADHD and skill acquisition.

2. For what purpose is the Chi square test primarily used?

A. To compare means

B. To correlate variables

C. To determine associations between categorical variables

D. To assess variance

The Chi square test is primarily used to determine associations between categorical variables. This statistical test evaluates whether there is a significant association between two nominal or categorical variables. By analyzing frequency counts in different categories, the Chi square test helps researchers understand if the distribution of cases across these categories is different from what would be expected by chance. This is particularly useful in studies where the goal is to explore relationships between groups or to assess the effectiveness of a treatment based on categorical outcomes. For instance, a dental hygienist might use the Chi square test to analyze the relationship between smoking status (a categorical variable) and the incidence of gum disease (another categorical variable), helping to identify potential risk factors or correlational data. In contrast, the other statistical methods listed serve different purposes; for example, comparing means involves numerical data and uses tests like t-tests or ANOVA, while assessing variance relates to the spread of numerical data, and correlating variables is concerned with the relationship between continuous variables. The focus on categorical variables makes the Chi square test uniquely suited for exploring associations in a wide range of research contexts.

SAMPLE

3. While reviewing brushing techniques, the patient exhibits the method that she uses. She brushes with the bristles aimed toward the gingival margin and then rolls the brush toward the occlusal surface. What method is this?

A. Fones

B. Roll

C. Leonard

D. Charters

The method described in the scenario is known as the Roll technique. This technique involves positioning the toothbrush bristles towards the gingival margin and then rolling or sweeping the brush toward the occlusal surface. The rolling motion is designed to effectively remove plaque and debris from both the gingival margin and the occlusal surfaces of the teeth. Using this technique can be particularly beneficial for patients who may struggle with more complex brushing methods, as it is relatively easy to understand and implement. Additionally, it encourages patients to maintain a thorough cleaning of the gingival area, which is critical in preventing gingival disease. The other methods mentioned serve different functions: Fones is typically recommended for children and involves a circular motion; Leonard emphasizes a straight, up-and-down motion; and Charters is particularly effective for cleaning around braces or in patients with periodontal disease. Each method has its specific application, but in this case, the emphasis on rolling the brush from the gingival margin to the occlusal surface clearly indicates the Roll technique.

4. For which age group is 1.0mg fluoride dosage recommended?

A. Under 6 years

B. 6-16 years

C. 17-21 years

D. Adults

The recommended fluoride dosage of 1.0 mg is specifically aimed at the age group of 6 to 16 years. During this developmental stage, children and adolescents are forming permanent teeth, and adequate fluoride exposure is crucial for the remineralization of tooth enamel and prevention of dental caries. This age group is particularly sensitive to the benefits of fluoride, as it aids in both the formation of stronger teeth and the prevention of cavities. Fluoride helps by making the tooth enamel more resistant to acid attacks from bacteria in plaque, and it also contributes to the overall dental health by reducing the incidence of decay. The dosage is carefully calibrated to ensure maximum benefit while minimizing the risk of dental fluorosis, which can occur if fluoride is ingested in excessive amounts during the years when teeth are developing. For those under 6 years, lower dosages are typically recommended due to the risk of fluorosis and the fact that their primary teeth are already well into development. Adults and those in the age group of 17 to 21 typically do not require as high of a dosage since their permanent teeth are already formed, and their dental care focuses more on maintenance and the prevention of disease rather than developmental considerations.

SAMPLE

5. Which of the following is one of the main reasons for a root canal?

A. Tooth is cracked

B. The pulp can't be fixed

C. Gums are bleeding

D. A cavity is present

The main reason for needing a root canal procedure is that the pulp of the tooth cannot be repaired. The pulp is the innermost part of the tooth that contains nerves and blood vessels, and when it becomes inflamed or infected due to various factors, it often cannot heal on its own. This inflammation or infection may arise from deep decay, repeated dental procedures on the tooth, or even a crack or chip in the tooth. When the pulp is irreparably damaged, a root canal becomes necessary to remove the infected or inflamed pulp tissue, which alleviates pain and prevents further infection from spreading to surrounding tissues. After the pulp is removed, the tooth is cleaned and sealed to protect it from future issues, allowing the patient to retain the natural tooth rather than resorting to extraction. While options such as a cracked tooth, bleeding gums, or the presence of a cavity may indicate dental problems, those conditions do not necessarily warrant a root canal unless they compromise the health of the pulp specifically. A cracked tooth, for instance, may lead to pulp damage, but it would depend on whether the pulp is also affected. Bleeding gums typically relate to periodontal disease rather than pulp issues, and cavities would only require a root canal if they progress to

6. Which type of need comes after physiological needs according to Maslow's hierarchy?

A. Social Needs

B. Self Esteem

C. Safety and Security

D. Actualization

In Maslow's hierarchy of needs, after physiological needs, the next level is safety and security. This level emphasizes the importance of feeling safe from physical and emotional harm, as well as the stability and predictability of one's environment. Safety needs can encompass various aspects such as personal security, health, financial security, and well-being. Individuals must satisfy these safety needs before they can focus on higher-level needs. For instance, once basic survival needs, such as food and shelter, are met, individuals will seek safety in their environment to ensure they are not living in fear or anxiety. Understanding this progression is crucial in fields such as dental hygiene, where a patient's anxiety and fears can affect their willingness to seek care and maintain oral health.

SAMPLE

7. What impact does root hypersensitivity have on dental procedures?

A. It indicates a need for antimicrobial treatment

B. It signals the potential for tooth loss

C. It may preclude certain treatments like air polishing

D. It enhances the effectiveness of fluoride treatments

Root hypersensitivity is a common condition that occurs when the dentin becomes exposed due to the recession of the gums or erosion of enamel. This exposure leads to a heightened response to stimuli such as hot, cold, sweet, or acidic substances. When considering dental procedures, the presence of root hypersensitivity is significant because it can affect the patient's comfort and the choice of procedures performed. In the context of dental treatments, certain procedures may need to be modified or avoided altogether if a patient is experiencing root hypersensitivity. For example, air polishing techniques can exacerbate discomfort due to the powerful jets of air and abrasive particles used, which can elicit sharp sensations in sensitive areas. Therefore, the potential for discomfort during these procedures mandates caution and may lead to the decision to preclude their use in affected individuals. This understanding highlights the importance of assessing a patient's sensitivity levels before proceeding with various dental treatments, ensuring that the patient's experience is as comfortable as possible while still providing effective care.

8. Which signs are indicators of chronic gingival inflammation?

A. Tough, fibrous gingiva and blunted interdental papilla

B. Soft, spongy gingiva and swollen interdental papilla

C. Shallow pockets and tooth mobility

D. Ulcerations and bleeding upon probing

Tough, fibrous gingiva and blunted interdental papilla are classic indicators of chronic gingival inflammation. In cases of chronic gingivitis, the body reacts to ongoing inflammation by remodeling the gingival tissue, which often results in a firmer, more fibrous texture. This is a protective response of the body to the persistent irritation typically caused by plaque accumulation. The interdental papilla may appear blunted because of the loss of papillary tissue—this is a common morphological change due to chronic conditions. In contrast, other signs such as soft, spongy gingiva and swollen interdental papilla are more commonly associated with acute inflammation rather than chronic. Shallow pockets and tooth mobility may indicate periodontal disease rather than gingivitis specifically, while ulcerations and bleeding upon probing can occur in various forms of gingivitis but are usually associated with acute lesions or active disease processes rather than a chronic state. These differences highlight the characteristics of chronic gingival inflammation as primarily indicated by the tough texture and morphological changes seen in the gingiva.

SAMPLE

9. What occurs when the globular process fails to fuse with the maxillary process during the first trimester of pregnancy?

A. Down syndrome

B. Cleft palate

C. Cleft lip

D. Spina bifida

When the globular process fails to fuse with the maxillary process during the first trimester of pregnancy, it results in a cleft lip. The globular process is a key structure in the embryonic development of the face, specifically in the formation of the upper lip. The maxillary processes are paired structures that contribute to the sides of the upper lip and the hard palate. If these structures do not properly fuse, it creates a gap, which is clinically recognized as a cleft lip. Cleft lip can manifest as a complete or incomplete fissure that may extend from the lip to the nose, impacting both cosmetic appearance and potentially feeding or speech development later in life. This condition typically occurs during the critical period of facial development, which is why the timing in the first trimester is crucial for this differentiation. In contrast, conditions such as Down syndrome, cleft palate, and spina bifida have different embryological causes and developmental mechanisms. For instance, cleft palate involves the failure of palatine processes of the maxilla to fuse, which is distinct from the fusion issues responsible for cleft lip. Understanding these nuances is vital for dental hygienists and healthcare professionals working with affected populations.

10. Which condition can be a result of an allergic reaction?

A. Pemphigus vulgaris

B. Necrotizing ulcerative gingivitis

C. Aggressive periodontitis

D. Desquamative gingivitis

Desquamative gingivitis is a condition that can indeed be associated with allergic reactions. This condition is characterized by the inflammation and peeling of the gingival tissue, which can be triggered by various factors, including allergens. Allergic reactions can cause the mucous membranes to become irritated and inflamed, leading to the symptoms observed in desquamative gingivitis. On the other hand, pemphigus vulgaris is an autoimmune condition rather than a strictly allergic one, characterized by blistering of the skin and mucous membranes, which does not primarily originate from an allergic response. Necrotizing ulcerative gingivitis, often linked to infections and stress rather than allergies, involves the death of gum tissue and is typically associated with poor oral hygiene and certain systemic conditions. Aggressive periodontitis is a severe form of periodontal disease that has a distinct bacterial etiology and is not classified as a result of an allergic response. In summary, the link between allergic reactions and desquamative gingivitis highlights the importance of recognizing allergic components when assessing inflammatory conditions of the oral mucosa.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://dentalhygienist-nbdhe.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE