
NATIONAL DENTAL HYGIENE CERTIFICATION EXAM (NDHCE) PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://natldentalhygiene.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What concentration of alcohol is considered effective for disinfection?

A. 50%

B. 60%

C. 75%

D. 90%

2. Which food is considered a good source of potassium?

A. Spinach

B. Yams and bananas

C. Rice

D. Apricots

3. What defines a Class I caries lesion?

A. Extends more than halfway through the thickness of enamel

B. Located in the nasopalatine canal

C. Extends less than halfway through the thickness of enamel

D. Involves the dentin-enamel junction

4. What is the Trendelenburg position?

A. Head level with the feet

B. Head is lower than feet

C. Feet elevated above the head

D. Head elevated above the heart

5. How far above the hairline are the occipital nodes located?

A. One inch below

B. One inch above

C. Two inches above

D. Directly at the hairline

6. What complication is commonly associated with cyclosporine use after an organ transplant?

A. Acute kidney failure

B. Gingival hyperplasia

C. Diarrhea

D. Weight loss

SAMPLE

7. Which of the following is NOT a common sign of gingivitis?

A. Contour changes

B. Consistency alterations

C. Color changes

D. Absence of pain

8. Where are the subclavicular nodes located?

A. Just above the clavicle

B. Just below the clavicle

C. Along the spinal column

D. Near the axillary region

9. Which oral health issue is more likely to occur during the age of 15-30 months?

A. Dental caries

B. Fluorosis

C. Gingivitis

D. Periodontitis

10. Which nutrient is recommended for patients with poor wound healing?

A. Vitamin A

B. Vitamin C

C. Vitamin D

D. Vitamin E

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. B
6. B
7. D
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What concentration of alcohol is considered effective for disinfection?

A. 50%

B. 60%

C. 75%

D. 90%

The concentration of alcohol considered effective for disinfection is 75%. This is due to the fact that at this concentration, alcohol has optimal antimicrobial properties. A 75% alcohol solution can quickly denature proteins and disrupt the cell membranes of bacteria and viruses, leading to effective microbial kill. Concentrations that are too low, such as 50%, do not provide sufficient efficacy for disinfection, as they may not fully denature proteins or penetrate the cell wall of microorganisms effectively. Higher concentrations, like 90%, can be less effective because they evaporate too quickly and may not remain in contact with the microbes long enough to achieve their disinfectant action. Additionally, pure alcohol can lead to the formation of a protective layer on the microorganisms, which could hinder the disinfection process. Therefore, 75% alcohol strikes the right balance between efficacy and contact time, making it the preferred concentration for disinfection purposes.

2. Which food is considered a good source of potassium?

A. Spinach

B. Yams and bananas

C. Rice

D. Apricots

Yams and bananas are considered excellent sources of potassium due to their high potassium content, which plays a crucial role in various body functions, including muscle contraction, nerve function, and maintaining fluid balance. These foods are specifically known for their impressive amounts of potassium per serving. In the case of bananas, it's often highlighted as a go-to potassium-rich food, making it well-recognized in dietary recommendations. While spinach, rice, and apricots contain potassium, they do not offer the same level of concentration as yams and bananas. This distinction reinforces why the latter combination is the best choice for someone looking to increase their potassium intake effectively.

3. What defines a Class I caries lesion?

A. Extends more than halfway through the thickness of enamel

B. Located in the nasopalatine canal

C. Extends less than halfway through the thickness of enamel

D. Involves the dentin-enamel junction

A Class I caries lesion is characterized by its location and depth in relation to the enamel. Specifically, it is defined as a lesion that extends less than halfway through the thickness of the enamel. This classification typically applies to carious lesions found in the pits and fissures of the teeth, such as those on the occlusal surfaces of molars and premolars, as well as on the buccal or lingual surfaces of incisors and canines. The depth distinction in Class I lesions is critical, as it informs treatment options and the urgency of intervention. Lesions that have not yet penetrated more than halfway through the enamel may be treated conservatively, with preventive measures or minimally invasive restorations. This knowledge helps in determining the most appropriate clinical approach for maintaining tooth structure and restoring function. Understanding the specifics of Class I lesions is essential for dental professionals to accurately diagnose and treat dental caries effectively, aiming to minimize both disease progression and extensive dental treatments in the future.

SAMPLE

4. What is the Trendelenburg position?

A. Head level with the feet

B. Head is lower than feet

C. Feet elevated above the head

D. Head elevated above the heart

The Trendelenburg position is characterized by the head being lower than the feet. This position is often utilized in medical settings to help increase venous return to the heart and improve blood circulation to vital organs, particularly in cases of hypovolemic shock or severe hypotension. By positioning the patient this way, gravity assists in directing blood flow towards the upper body, which can be crucial in emergency situations. In contrast, the other options describe different positions that are not associated with the Trendelenburg technique. For example, having the head level with the feet refers to a neutral position, while feet elevation above the head is typically associated with purposes such as reducing swelling in the lower extremities or improving venous drainage. Elevating the head above the heart is used in various clinical situations to promote breathing, ease discomfort in cardiac patients, or facilitate patient monitoring. Each of these involves a distinctive patient positioning strategy that serves different physiological objectives.

5. How far above the hairline are the occipital nodes located?

A. One inch below

B. One inch above

C. Two inches above

D. Directly at the hairline

The occipital lymph nodes are located at the base of the skull, specifically just above the hairline at the back of the head. Being one inch above the hairline is a specific anatomical reference that helps identify the location of these nodes during clinical examinations or procedures. This positioning is crucial for healthcare professionals, as it assists in the assessment of potential lymphatic drainage issues or infections. Knowing the precise location of the occipital nodes in relation to the hairline allows for better evaluation of head and neck conditions when palpating lymph nodes during a physical examination.

6. What complication is commonly associated with cyclosporine use after an organ transplant?

A. Acute kidney failure

B. Gingival hyperplasia

C. Diarrhea

D. Weight loss

Gingival hyperplasia is a well-documented complication associated with the use of cyclosporine, particularly in post-organ transplant patients. Cyclosporine is an immunosuppressive medication that is commonly prescribed to prevent organ rejection after transplantation. While it is effective in this role, it also has several side effects due to its influence on metabolic processes and immune response. Gingival hyperplasia occurs because cyclosporine causes an increase in fibroblast proliferation and collagen synthesis in the gingival tissues. This leads to an overgrowth of the gums, which can cause discomfort, aesthetic concerns, and difficulties with oral hygiene. Managing this side effect is essential for maintaining oral health and preventing further complications, such as periodontal disease. Other options present potential complications related to organ transplant medications or conditions, but they are not as directly linked to cyclosporine use as gingival hyperplasia is. Understanding the specific side effects associated with cyclosporine helps clinicians provide better patient care, including counseling on oral hygiene practices and monitoring for signs of gingival overgrowth.

SAMPLE

7. Which of the following is NOT a common sign of gingivitis?

A. Contour changes

B. Consistency alterations

C. Color changes

D. Absence of pain

In the context of gingivitis, common signs include contour changes, consistency alterations, and color changes in the gum tissue. Contour changes refer to the swelling or rounding of the gums that occurs as a response to inflammation. Consistency alterations involve the gums becoming softer or more friable due to the inflammatory process and the presence of bacteria. Color changes are also prominent, as healthy gums are typically a light pink and, in gingivitis, they may appear red or darker due to increased blood flow and inflammation. The absence of pain is notable in the context of gingivitis because many individuals may not experience pain even when they have the condition. Unlike periodontitis, which can lead to more severe symptoms, gingivitis can often exist without noticeable discomfort. This fact allows the condition to remain undetected, making it crucial for regular dental check-ups for detection and treatment. Therefore, not experiencing pain is indeed characteristic of gingivitis.

8. Where are the subclavicular nodes located?

A. Just above the clavicle

B. Just below the clavicle

C. Along the spinal column

D. Near the axillary region

The subclavicular nodes, also known as supraclavicular lymph nodes, are located just above the clavicle. This positioning is significant because the subclavicular nodes serve as important collectors for lymphatic drainage from various regions of the body, including the head, neck, and upper limbs. Their location makes them pivotal in assessing the spread of infections or malignancies, particularly in relation to the lungs and breast tissues. Understanding the anatomy and function of these nodes can help in identifying potential health issues during physical examinations and in planning treatment strategies.

9. Which oral health issue is more likely to occur during the age of 15-30 months?

A. Dental caries

B. Fluorosis

C. Gingivitis

D. Periodontitis

Fluorosis is indeed more likely to occur during the age of 15-30 months, primarily due to the developmental stage of teeth during this period. During these months, children are usually in the teething phase, and their primary teeth are developing. If excessive fluoride is ingested while these teeth are forming, it can lead to dental fluorosis, which causes changes in the appearance of the enamel, such as white spots or streaks. The age range of 15-30 months is critical since children at this stage are often beginning to brush their teeth with fluoride toothpaste and may also be exposed to fluoride from other sources like drinking water or supplements. This makes them particularly vulnerable to the effects of excess fluoride intake. Understanding this helps dental hygienists and caregivers monitor fluoride exposure and ensure that it remains within appropriate limits to prevent fluorosis while still offering the protective benefits of fluoride against dental caries. Other oral health issues like dental caries typically emerge later as children's diets become more varied and sugary foods are introduced, while gingivitis and periodontitis are more associated with older children and adolescents when they start experiencing more plaque accumulation and changes in oral hygiene habits.

SAMPLE

10. Which nutrient is recommended for patients with poor wound healing?

A. Vitamin A

B. Vitamin C

C. Vitamin D

D. Vitamin E

Vitamin C is a vital nutrient recommended for patients with poor wound healing due to its essential role in collagen synthesis, a key component in the wound healing process. Collagen is crucial for the structural integrity and strength of the skin and other tissues. Vitamin C also acts as a powerful antioxidant, helping to protect cells from oxidative stress and supporting the immune system, which plays an important role in the body's ability to heal wounds efficiently. Additionally, vitamin C is involved in the formation of new blood vessels (angiogenesis), which is necessary for delivering nutrients and oxygen to healing tissues. Without adequate levels of vitamin C, the body may struggle to effectively repair itself, leading to compromised healing. Other nutrients like Vitamin A, Vitamin D, and Vitamin E also have roles in supporting health, but their specific contributions to wound healing do not outweigh the critical function that Vitamin C plays in facilitating collagen formation and overall tissue repair.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://natldentalhygiene.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE