NAUI NITROX DIVER PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nauinitroxdiver.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. In a membrane separation process, which gas is primarily allowed to flow through the membrane?

A. Nitrogen

B. Carbon dioxide

C. Helium

D. Oxygen

2. What is the effect of breathing Nitrox at shallower depths?

A. Reduces carbon dioxide absorption

B. Reduces nitrogen absorption but requires monitoring oxygen exposure limits

C. Increases the risk of oxygen toxicity

D. Has no significant impact on gaseous exchange

3. What is the typical oxygen percentage in standard Air?

A. 32%

B. 36%

C. 21%

D. 25%

4. Which method involves a semi-permeable membrane that allows oxygen to pass through more easily than nitrogen?

A. Pressure swing absorption

B. Membrane separation

C. Adsorption cooling

D. Thermal diffusion

5. What can prolonged exposure to high PPO2 lead to in divers?

A. Improved underwater vision

B. Seizures or other central nervous system effects

C. Enhanced physical strength

D. Skin decompression effects

SAMPLE

6. How high can NAUI RGBM sea level dive tables be used for altitudes?

A. 500 meters (1640 feet)

B. 410 meters (1345 feet)

C. 610 meters (2000 feet)

D. 320 meters (1050 feet)

7. In the term EANx, what does the "x" represent?

A. The temperature of the gas

B. The pressure of the mixture

C. The percentage of oxygen in the mix

D. The total volume of gas

8. Is Nitrox safe for all divers regardless of experience?

A. Yes, it can be used by any diver

B. No, only for trained and certified divers who understand Nitrox use

C. Only for advanced divers with extensive training

D. Yes, but it is recommended to take a safety course

9. When analyzing a nitrox blend, what must remain the same as when the unit was calibrated with air?

A. Temperature

B. Pressure

C. Flow rate

D. Humidity

10. What is the relationship between depth in water and pressure experienced while diving?

A. Pressure increases with depth

B. Pressure decreases with depth

C. Pressure remains constant at all depths

D. Pressure fluctuates randomly

SAMPLE

Answers

SAMPLE

1. D
2. B
3. C
4. B
5. B
6. C
7. C
8. B
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. In a membrane separation process, which gas is primarily allowed to flow through the membrane?

A. Nitrogen

B. Carbon dioxide

C. Helium

D. Oxygen

In a membrane separation process, the primary gas that is allowed to flow through the membrane is typically oxygen. This is due to the design of the membranes, which are often engineered to selectively allow certain molecules or gases to pass based on their size, solubility, or affinity for the membrane material. Oxygen has a smaller molecular size compared to some other gases and often has a higher permeability through the membrane. This selectivity is particularly useful in applications such as gas enrichment processes, where increasing the concentration of oxygen is desired without allowing larger molecules or less permeable gases, such as nitrogen, to pass through as readily. In contrast, gases like nitrogen or carbon dioxide may be restricted by the membrane's characteristics or the specific design aimed at maximizing the flow of oxygen. Helium, while small and often used in some specific applications, is not typically the primary focus of oxygen separation processes.

2. What is the effect of breathing Nitrox at shallower depths?

A. Reduces carbon dioxide absorption

B. Reduces nitrogen absorption but requires monitoring oxygen exposure limits

C. Increases the risk of oxygen toxicity

D. Has no significant impact on gaseous exchange

Breathing Nitrox at shallower depths significantly reduces nitrogen absorption, which is one of the primary advantages of using this gas mixture in scuba diving. Because Nitrox has a higher concentration of oxygen and a lower concentration of nitrogen compared to air, divers experience slower nitrogen uptake at shallower depths. This not only helps in reducing the risk of decompression sickness but also allows for longer no-decompression limits, enhancing dive times. However, it is crucial to monitor oxygen exposure limits when using Nitrox. As divers go deeper, the partial pressure of oxygen increases, which can lead to oxygen toxicity if it exceeds safe levels. Therefore, while the reduction of nitrogen absorption is beneficial, divers must be mindful of their depth and the associated risks of elevated oxygen partial pressures. This balance is critical for safe diving practices when using Nitrox.

3. What is the typical oxygen percentage in standard Air?

A. 32%

B. 36%

C. 21%

D. 25%

The typical oxygen percentage in standard air is 21%. Standard air is composed of approximately 78% nitrogen, 21% oxygen, and trace amounts of other gases, such as carbon dioxide and argon. Understanding the composition of air is crucial for divers, especially when using different gas mixtures, such as nitrox, which have higher percentages of oxygen compared to standard air. This knowledge helps divers manage their oxygen exposure, especially when planning dives and considering potential effects such as oxygen toxicity at deeper depths. Therefore, recognizing that the oxygen content in the air we typically breathe is 21% is foundational for divers in their training and dive planning.

EXAMPLE

4. Which method involves a semi-permeable membrane that allows oxygen to pass through more easily than nitrogen?

A. Pressure swing absorption

B. Membrane separation

C. Adsorption cooling

D. Thermal diffusion

The method involving a semi-permeable membrane that allows oxygen to pass through more easily than nitrogen is membrane separation. This technique utilizes membranes designed with specific properties that preferentially allow certain gases to permeate while restricting others. In the context of oxygen and nitrogen, the semi-permeable membrane is structured so that oxygen molecules are smaller or more readily able to diffuse through the material than nitrogen molecules. This results in a higher concentration of oxygen on one side of the membrane compared to the other, effectively separating the two gases. Membrane separation is widely used in various industrial processes, particularly in applications like producing nitrox gas mixes for diving, where specific concentrations of oxygen and nitrogen are necessary for safety and efficiency. This process not only enhances the purity of the desired gas but also optimizes the overall production of gas mixtures tailored for varying oxygen needs in diving situations.

5. What can prolonged exposure to high PPO2 lead to in divers?

A. Improved underwater vision

B. Seizures or other central nervous system effects

C. Enhanced physical strength

D. Skin decompression effects

Prolonged exposure to high partial pressure of oxygen (PPO2) can lead to seizures or other central nervous system effects primarily due to the toxicity of oxygen at elevated pressures. As divers descend deeper, the pressure increases, causing the PPO2 to rise as well, especially when using Nitrox, which contains a higher percentage of oxygen than normal air. When the PPO2 exceeds certain safe levels (typically above 1.4 ata for recreational diving), it can have neurotoxic effects, leading to symptoms such as visual disturbances, twitching, and in severe cases, seizures. This is known as oxygen toxicity, which can be particularly dangerous for divers, as a seizure underwater can result in drowning or other serious incidents. Understanding the risks associated with high PPO2 is crucial for divers using Nitrox and for managing diving operations safely, ensuring that divers stay within safe exposure limits to prevent these severe central nervous system complications.

6. How high can NAUI RGBM sea level dive tables be used for altitudes?

A. 500 meters (1640 feet)

B. 410 meters (1345 feet)

C. 610 meters (2000 feet)

D. 320 meters (1050 feet)

NAUI RGBM (Reduced Gradient Bubble Model) sea level dive tables can be used effectively for dives at altitudes of up to 610 meters (2000 feet). This is important for divers because altitude can significantly impact dive planning and the physiological effects experienced during and after a dive. At higher altitudes, the atmospheric pressure decreases, which alters the way nitrogen is absorbed and released by the body during dives. The NAUI RGBM tables take these factors into account, allowing divers to make calculated dives while minimizing the risk of decompression sickness. The correct answer reflects the model's adaptation to altitude, recognizing that at elevations of 610 meters or lower, divers can safely use sea-level tables with appropriate adjustments. Diving beyond this altitude would require using specific tables or dive computers designed for higher elevations, as they account for the different gas laws at lower pressures.

EXAMPLE

7. In the term EANx, what does the "x" represent?

A. The temperature of the gas

B. The pressure of the mixture

C. The percentage of oxygen in the mix

D. The total volume of gas

In the term EANx, the "x" specifically indicates the percentage of oxygen in the gas mixture. EAN stands for Enriched Air Nitrox, which is a breathing gas containing a higher percentage of oxygen than regular air, typically greater than 21%. The exact composition is denoted by the "x"; for instance, if the mixture is 32% oxygen, it would be referred to as EAN32. This distinction is crucial for divers who use Nitrox, as it influences their dive profiles, maximum operating depths, and decompression obligations. Understanding this terminology helps divers effectively plan their dives to optimize safety and resource management.

8. Is Nitrox safe for all divers regardless of experience?

A. Yes, it can be used by any diver

B. No, only for trained and certified divers who understand Nitrox use

C. Only for advanced divers with extensive training

D. Yes, but it is recommended to take a safety course

The correct answer is that Nitrox is only for trained and certified divers who understand its use. This is due to the specific knowledge and skills required to safely dive with Nitrox, which has a higher oxygen content than normal air. Diving with Nitrox involves understanding how increased oxygen levels can affect a diver's physiology, particularly in relation to oxygen toxicity and managing the potentially different no-decompression limits. Even experienced divers who are accustomed to diving with air must undergo specialized training to understand the implications of increased oxygen exposure and how to properly manage dive profiles with Nitrox. Additionally, divers need to know how to analyze their gas mixtures and adjust their dive plans accordingly. This specialized training ensures that divers are equipped to handle the unique challenges and considerations that come with using Nitrox, thereby enhancing their safety and enjoyment of diving. While it might seem that all divers could benefit from using Nitrox due to its advantages such as extended bottom time and reduced nitrogen absorption, the need for proper training is crucial. Therefore, only those who have completed the appropriate certification can dive safely with Nitrox.

9. When analyzing a nitrox blend, what must remain the same as when the unit was calibrated with air?

A. Temperature

B. Pressure

C. Flow rate

D. Humidity

When analyzing a nitrox blend, it is crucial that the flow rate remains the same as when the unit was calibrated with air. This is because the calibration of the analyzing device is determined based on a specific flow rate of the gas passing through it. If the flow rate changes, it can affect the measurements taken by the analyzer, leading to inaccurate readings of the oxygen content in the nitrox blend. Maintaining a consistent flow rate ensures that the analyzer operates within the parameters it was designed for, allowing for precise and reliable readings. If the flow rate is altered, even if all other conditions, such as temperature, pressure, and humidity, stay the same, the analyzer may not function correctly and may yield erroneous results regarding the gas mixture being analyzed.

SAMPLE

10. What is the relationship between depth in water and pressure experienced while diving?

A. Pressure increases with depth

B. Pressure decreases with depth

C. Pressure remains constant at all depths

D. Pressure fluctuates randomly

The relationship between depth in water and pressure is well-established in physics and is a fundamental principle for divers. As a diver descends, the weight of the water above them increases, leading to a proportional increase in pressure. For every 10 meters (or approximately 33 feet) of seawater, the pressure increases by about one atmosphere (atm). This means that at a depth of 10 meters, a diver is subject to 2 atmospheres of pressure: one atmosphere from the weight of the air above the surface and one from the water itself. Understanding this relationship is crucial for divers, as it affects various factors, including gas absorption in the body, buoyancy, and the use of nitrox mixtures. The increasing pressure can also influence the onset of nitrogen narcosis and the risk of decompression sickness when ascending. Therefore, the correct assertion that pressure increases with depth is a vital concept for safe and effective diving practices.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nauinitroxdiver.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE