NAVY TACTICAL COMBAT CASUALTY CARE (TCCC) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://navytccc.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. For which condition should Naloxone not be administered?

A. Non-opioid drug respiratory depression

B. Acute pain from injury

C. Alcohol intoxication

D. Opiate overdose

2. Combat gauze is defined as what type of material?

A. A 3-inch by 4-yard roll of sterile gauze

B. Gauze treated with adhesive

C. A cloth bandage

D. A roll of non-sterile cotton

3. What must be assessed in a casualty with penetrating wounds of the abdomen if they are stable?

A. Potential for late shock

B. Likelihood of broken bones

C. Presence of external bleeding

D. Their pain tolerance level

4. In the assessment of respiration, what kind of dressings should be applied to sucking chest wounds?

A. Sterile gauze dressings

B. Occlusive dressings

C. Adhesive bandages

D. Elastic bandages

5. What is the onset time for IV administration of Ketamine?

A. 1-2 minutes

B. 3-4 minutes

C. 30 seconds

D. 10 minutes

SAMPLE

6. Injury to a major vessel is most likely to lead to what condition?

A. Severe pain

B. Shock and death

C. Consciousness disturbance

D. Infection

7. During the steps for Respirations, what is the first action to take with the patient?

A. Seek medical assistance

B. Perform a secondary sweep

C. Remove all gear and fully expose PT

D. Check pulse

8. What is one of the three key approaches to Tactical Combat Casualty Care (TCCC)?

A. Ignore preventive measures

B. Identify causes of preventable death on the battlefield

C. Prioritize evacuation over care

D. Use outdated medical procedures

9. Which of the following statements about shock is true?

A. It only occurs in severe blood loss.

B. It can lead to cellular dysfunction.

C. It is typically temporary and resolves quickly.

D. It has no severe consequences.

10. What is a contraindication for Tranexamic acid?

A. Hypertension

B. Subarachnoid hemorrhage

C. Diabetes

D. Hemophilia

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. C
6. B
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. For which condition should Naloxone not be administered?

A. Non-opioid drug respiratory depression

B. Acute pain from injury

C. Alcohol intoxication

D. Opiate overdose

Naloxone is an opioid antagonist that reverses the effects of opioids, primarily their respiratory depressant effects. When considering the administration of Naloxone, it is critical to determine whether the patient is experiencing respiratory depression specifically due to an opioid overdose. In the case of non-opioid drug respiratory depression, Naloxone would not be effective. This is because Naloxone specifically targets opioid receptors, and therefore does not reverse the effects of other classes of drugs causing respiratory depression, such as benzodiazepines or alcohol. Administering Naloxone in these situations could lead to a lack of appropriate care since it would not address the underlying cause of the respiratory depression, potentially delaying necessary treatment. Each of the other options involves a scenario where Naloxone could be appropriate or is commonly considered. In cases of acute pain from an injury, while Naloxone is generally not indicated solely for pain management, it does not inhibit the potential need for opioids to treat injury-related pain, making it irrelevant for Naloxone administration. Alcohol intoxication does not involve opioids directly, thus Naloxone again would not be the appropriate treatment. Opiate overdose is the primary and most accepted condition for Naloxone administration,

2. Combat gauze is defined as what type of material?

A. A 3-inch by 4-yard roll of sterile gauze

B. Gauze treated with adhesive

C. A cloth bandage

D. A roll of non-sterile cotton

Combat gauze is specifically a 3-inch by 4-yard roll of sterile gauze that has been treated with a hemostatic agent designed to promote rapid clotting. This unique feature makes it particularly effective in controlling bleeding in traumatic injuries, which is critical in tactical combat situations. The sterile nature of the material helps to prevent infection during application, ensuring that the casualty receives the best possible care. It's designed for use in high-pressure environments where traditional bandaging methods may not be sufficient to address severe hemorrhaging. Other types of gauze or bandages do not offer this combination of sterile conditions and hemostatic properties, making combat gauze an essential tool for medics on the battlefield.

3. What must be assessed in a casualty with penetrating wounds of the abdomen if they are stable?

A. Potential for late shock

B. Likelihood of broken bones

C. Presence of external bleeding

D. Their pain tolerance level

In a casualty with penetrating wounds of the abdomen who is stable, assessing the potential for late shock is crucial. This is because abdominal injuries, even if the patient appears stable initially, can lead to internal bleeding or injury to vital organs that may not become immediately apparent. Late shock can develop due to blood loss that may not be externally visible, as internal bleeding can occur without significant outward signs. Monitoring for late shock allows for timely intervention before the patient's condition deteriorates. It is essential to look for signs such as a drop in blood pressure, increased heart rate, or change in mental status, which can indicate that the casualty is starting to compensate for internal injuries. The other options, while they may be considerations in a more comprehensive assessment, do not address the immediate concern of monitoring for deterioration in a stable patient with penetrating abdominal wounds.

SAMPLE

4. In the assessment of respiration, what kind of dressings should be applied to sucking chest wounds?

A. Sterile gauze dressings

B. Occlusive dressings

C. Adhesive bandages

D. Elastic bandages

In the assessment of respiration, occlusive dressings are specifically designed for use on sucking chest wounds to create an airtight seal. This is crucial because a sucking chest wound can result in the collapse of the lung on the affected side due to air entering the pleural space. By applying an occlusive dressing, you prevent additional air from entering through the wound while also allowing trapped air within the chest cavity to escape during expiration. This helps to stabilize the patient's respiratory status and minimizes the risk of tension pneumothorax, which is a life-threatening condition that can occur if air accumulates in the pleural space and pressure rises. Occlusive dressings typically are made from materials such as plastic or specialized adhesive film that adhere well to the skin and prevent air exchange. Their role is critical in emergency management, and they are a standard component of trauma first aid for penetrating chest injuries.

5. What is the onset time for IV administration of Ketamine?

A. 1-2 minutes

B. 3-4 minutes

C. 30 seconds

D. 10 minutes

The onset time for IV administration of Ketamine is approximately 30 seconds. When administered intravenously, Ketamine quickly enters the bloodstream and reaches the central nervous system, leading to its rapid analgesic and anesthetic effects. This quick action is particularly beneficial in tactical situations where the immediate control of pain or sedation is required. The other onset times listed are slower than the actual onset of Ketamine when delivered intravenously, which could delay necessary treatment in situations that require prompt pain management. The swift effect of Ketamine makes it a valuable tool in tactical combat casualty care.

6. Injury to a major vessel is most likely to lead to what condition?

A. Severe pain

B. Shock and death

C. Consciousness disturbance

D. Infection

Injury to a major vessel significantly increases the risk of severe hemorrhage, which can lead to shock and ultimately death if not promptly managed. When a major blood vessel is compromised, the body loses a large volume of blood rapidly, which can result in inadequate perfusion of vital organs, leading to hypovolemic shock. This state is characterized by low blood pressure, rapid heartbeat, and eventually, if untreated, can culminate in organ failure and death. While severe pain is a common symptom associated with serious injuries, it is not as immediate or pervasive as the threat posed by shock. Consciousness disturbances may occur as a result of inadequate blood flow to the brain due to shock, but they are secondary to the primary condition of shock itself. Infection is a potential complication in any injury but is not an immediate consequence of a major vessel injury and may occur later if the wound is not properly managed. Thus, the foremost risk associated with a major vessel injury is shock and the extensive physiological consequences that can follow, leading to life-threatening situations.

SAMPLE

7. During the steps for Respirations, what is the first action to take with the patient?

A. Seek medical assistance

B. Perform a secondary sweep

C. Remove all gear and fully expose PT

D. Check pulse

The first action to take with the patient regarding respirations is to fully expose the patient by removing all gear. This step is crucial because it allows the first responder to perform a thorough examination of the patient's chest and airway. Visualizing the torso is essential to assess for any potential injuries that may impair breathing, such as penetrating wounds, broken ribs, or obstruction of the airway. By fully exposing the patient, you also create an opportunity to gather important assessment information, which will guide subsequent medical interventions. This exposure is especially important in combat environments where clothing and gear may hide critical signs of injury that can affect the patient's breathing status. In the context of the options provided, while seeking medical assistance, performing a secondary sweep, and checking pulse are important components of a comprehensive assessment, they are not the first immediate actions needed for evaluating respirations. Ensuring the airway and chest are visible takes precedence to rapidly identify and treat any immediate life threats related to respiratory distress.

8. What is one of the three key approaches to Tactical Combat Casualty Care (TCCC)?

A. Ignore preventive measures

B. Identify causes of preventable death on the battlefield

C. Prioritize evacuation over care

D. Use outdated medical procedures

One of the three key approaches to Tactical Combat Casualty Care (TCCC) is to identify causes of preventable death on the battlefield. This focus is critical because TCCC aims to reduce mortality among injured personnel by addressing the leading causes of preventable death, which commonly include severe hemorrhage, airway obstruction, and tension pneumothorax. Understanding and identifying these causes allow medical personnel to implement appropriate interventions and prioritize care effectively in a tactical environment. This approach not only enhances the survival rate of casualties but also allows for the application of timely and effective medical interventions before evacuation, ultimately ensuring better outcomes for injured service members. This emphasis on prevention and early intervention is foundational to the principles of TCCC and reflects a proactive mindset in combat medicine.

SAMPLE

9. Which of the following statements about shock is true?

A. It only occurs in severe blood loss.

B. It can lead to cellular dysfunction.

C. It is typically temporary and resolves quickly.

D. It has no severe consequences.

The statement that shock can lead to cellular dysfunction is accurate because shock represents a critical condition where there is inadequate blood flow to the tissues, resulting in insufficient oxygen and nutrient delivery. This lack of perfusion can cause cells to begin to malfunction due to hypoxia (lack of oxygen) and the accumulation of metabolic waste products. If not addressed promptly, this cellular dysfunction can progress to more severe complications including organ failure and even death. Understanding shock's implications on cellular health emphasizes the importance of rapid identification and intervention to restore adequate circulation and oxygenation. Recognizing that shock has serious consequences is vital for effective management in the context of Tactical Combat Casualty Care, where timely actions can be lifesaving.

10. What is a contraindication for Tranexamic acid?

A. Hypertension

B. Subarachnoid hemorrhage

C. Diabetes

D. Hemophilia

Tranexamic acid (TXA) is an antifibrinolytic medication used to help control bleeding in trauma patients and is particularly effective in managing hemorrhage. However, it is essential to understand the contraindications associated with its use. Subarachnoid hemorrhage is a condition where bleeding occurs in the space between the brain and the tissues covering it. The use of TXA in this scenario is contraindicated because it could potentially worsen the situation. The mechanism of action of TXA involves stabilizing blood clots. In the case of subarachnoid hemorrhage, blood clotting mechanisms could lead to thrombus formation, which may exacerbate complications such as vasospasm or other neurovascular issues. Hence, administering TXA in such a scenario is considered unsafe. In contrast, conditions like hypertension, diabetes, and hemophilia may carry risks associated with TXA use, but they do not outright contraindicate its use in the same way that subarachnoid hemorrhage does. For instance, while treating patients with hemophilia needs caution regarding clotting, it doesn't mean TXA is universally contraindicated in those patients; rather, careful consideration is necessary regarding its use in managing bleeding episodes. Therefore, the clear problem associated with TX

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://navytccc.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE