
NBEO GENERAL PHYSIOLOGY PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nbeogenphysiology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which receptors are known to increase IP3, thus increasing intracellular Ca2+ levels?

A. Alpha 1

B. Alpha 2

C. Beta 1

D. Beta 2

2. What is the volume of air inhaled during maximal inspiration called?

A. Inspiratory capacity

B. Vital capacity

C. Functional residual capacity

D. Expiratory reserve volume

3. Which condition is primarily caused by vomiting?

A. Respiratory Acidosis

B. Respiratory Alkalosis

C. Metabolic acidosis

D. Metabolic alkalosis

4. What binds to Troponin in skeletal muscles to facilitate myosin's readiness for ATP binding?

A. Mg2+

B. Na+

C. Ca2+

D. K+

5. What is calculated by subtracting Expiratory Reserve Volume (ER) from Functional Residual Capacity (FRC)?

A. Residual Volume (RV)

B. Total Lung Capacity (TLC)

C. Forced Vital Capacity (FVC)

D. Vital capacity

SAMPLE

6. During heavy exercise, which process do muscles primarily utilize to produce ATP?

A. Oxidative phosphorylation

B. Aerobic respiration

C. Anaerobic glycolysis

D. Fatty acid oxidation

7. How does increased afterload generally affect stroke volume?

A. Increases stroke volume

B. Has no effect on stroke volume

C. Decreases stroke volume

D. Increases heart rate

8. Stimulating which receptors would most likely increase aqueous humor production?

A. Alpha 1

B. Alpha 2

C. Beta 1

D. Beta 2

9. Which muscle primarily aids in inhalation at rest?

A. Transversus abdominis

B. Diaphragm

C. Rectus abdominis

D. External obliques

10. Which of the following is NOT a common cause of stomach ulcers?

A. H. pylori

B. Acetaminophen

C. Aspirin

D. NSAIDs

SAMPLE

Answers

SAMPLE

1. A
2. A
3. D
4. C
5. A
6. C
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which receptors are known to increase IP3, thus increasing intracellular Ca2+ levels?

A. Alpha 1

B. Alpha 2

C. Beta 1

D. Beta 2

The receptors that are known to increase inositol trisphosphate (IP3), leading to an increase in intracellular calcium levels, are the alpha-1 adrenergic receptors. These receptors are coupled primarily through Gq proteins, which activate phospholipase C (PLC). When PLC is activated, it catalyzes the breakdown of phosphatidylinositol 4,5-bisphosphate (PIP2) into IP3 and diacylglycerol (DAG). IP3 then diffuses through the cytoplasm and binds to IP3 receptors located on the endoplasmic reticulum, which triggers the release of calcium ions into the cytosol. The increase in intracellular calcium can lead to various cellular responses, including muscle contraction and neurotransmitter release. In contrast, the other receptor types (alpha-2, beta-1, and beta-2) have different signaling pathways and do not primarily lead to increased levels of IP3 or intracellular calcium in the same way that alpha-1 receptors do. Alpha-2 adrenergic receptors are generally inhibitory and tend to decrease cyclic AMP (cAMP) levels, while beta-1 and beta-2 adrenergic receptors primarily act through Gs proteins, leading

2. What is the volume of air inhaled during maximal inspiration called?

A. Inspiratory capacity

B. Vital capacity

C. Functional residual capacity

D. Expiratory reserve volume

The volume of air inhaled during maximal inspiration is referred to as inspiratory capacity. Inspiratory capacity is specifically defined as the maximum amount of air that can be inhaled after a normal tidal expiration. It encompasses two components: the tidal volume, which is the normal amount of air inhaled or exhaled in one breath, and the inspiratory reserve volume, which is the additional air that can be inhaled with maximum effort beyond the tidal volume. In contrast, vital capacity refers to the total amount of air that can be exhaled after a maximum inhalation, which includes inspiratory reserve volume, tidal volume, and expiratory reserve volume. Functional residual capacity encompasses the volume of air remaining in the lungs after a normal tidal expiration and consists of the expiratory reserve volume and residual volume. Lastly, expiratory reserve volume is the amount of air that can still be exhaled forcibly after the end of a normal expiration, which does not pertain to the volume of inhaled air. By distinguishing these definitions, it is clear that inspiratory capacity accurately describes the volume of air that can be inhaled during maximal inspiration.

SAMPLE

3. Which condition is primarily caused by vomiting?

A. Respiratory Acidosis

B. Respiratory Alkalosis

C. Metabolic acidosis

D. Metabolic alkalosis

Vomiting leads to a loss of hydrochloric acid (HCl) from the stomach, which is primarily composed of gastric juice. This loss of acid can increase the pH of the blood, leading to metabolic alkalosis. Essentially, when the stomach contents are expelled, the bicarbonate levels in the body can increase relative to the amount of acid lost, resulting in a higher pH, which is characteristic of metabolic alkalosis. In normal physiological conditions, the body maintains a delicate balance between acids and bases. The vomiting process disrupts this balance by removing gastric acid, thereby creating a relative surplus of bicarbonates that contribute to alkalinity. Metabolic acidosis, on the other hand, results from an accumulation of acids or a loss of bicarbonate in the body, which is not primarily related to the act of vomiting. Similarly, alterations in respiration, such as hyperventilation, can lead to respiratory alkalosis, but this is typically associated with changes in carbon dioxide levels rather than vomiting itself. Understanding these concepts highlights how the mechanisms of acid-base balance in the body are affected by conditions like vomiting, reinforcing the relationship between gastrointestinal function and systemic pH levels.

4. What binds to Troponin in skeletal muscles to facilitate myosin's readiness for ATP binding?

A. Mg2+

B. Na+

C. Ca2+

D. K+

In skeletal muscles, calcium ions (Ca2+) play a crucial role in the contraction process by binding to troponin, which is a regulatory protein associated with actin filaments. When muscle fibers are stimulated to contract, calcium is released from the sarcoplasmic reticulum into the cytosol of the muscle cell. This increase in calcium concentration allows Ca2+ to bind to troponin. The binding of calcium to troponin causes a conformational change in the troponin-tropomyosin complex, which ultimately exposes the myosin-binding sites on the actin filaments. This exposure is vital for muscle contraction, as it enables myosin heads to attach to actin. Once the myosin heads bind to actin, they go through a series of movements that utilize ATP, leading to muscle contraction. This mechanism is fundamental to the sliding filament theory of muscle contraction, where the interaction between actin and myosin is key to muscle functionality. Therefore, Ca2+ is essential for triggering the events that lead to myosin's readiness for ATP binding and, consequently, muscle contraction.

SAMPLE

5. What is calculated by subtracting Expiratory Reserve Volume (ER) from Functional Residual Capacity (FRC)?

A. Residual Volume (RV)

B. Total Lung Capacity (TLC)

C. Forced Vital Capacity (FVC)

D. Vital capacity

Functional Residual Capacity (FRC) is defined as the volume of air remaining in the lungs after a normal tidal expiration. It consists of both the Expiratory Reserve Volume (ER) and the Residual Volume (RV). When you subtract the Expiratory Reserve Volume from the Functional Residual Capacity, you are isolating the Residual Volume itself. By this calculation, you are essentially determining how much air remains in the lungs after all the air that can be forcefully exhaled (which is the Expiratory Reserve Volume) has been expelled. Therefore, the Residual Volume represents the air that cannot be expelled and remains in the lungs, which plays a critical role in maintaining gas exchange and preventing lung collapse. The other choices represent different lung volume metrics that do not directly result from this subtraction: Total Lung Capacity (TLC) includes all lung volumes, Forced Vital Capacity (FVC) refers to the maximum amount of air that can be forced out after taking a deep breath, and Vital Capacity measures the air volume that can be exhaled following a maximum inhalation. Each of these concepts involves different principles and calculations, effectively distinguishing them from the straightforward relationship between FRC and RV.

6. During heavy exercise, which process do muscles primarily utilize to produce ATP?

A. Oxidative phosphorylation

B. Aerobic respiration

C. Anaerobic glycolysis

D. Fatty acid oxidation

During heavy exercise, muscles rely predominantly on anaerobic glycolysis to produce ATP due to the high intensity and demand for energy. In this state, the oxygen supply is not sufficient to meet the energy needs of the muscles through aerobic pathways. Anaerobic glycolysis allows for rapid ATP production, as it can occur quickly and does not require oxygen. This process involves the breakdown of glucose to lactate, releasing energy that is used to regenerate ATP. While it is much less efficient in terms of ATP yield compared to oxidative phosphorylation and aerobic respiration, the rapid generation of energy is crucial during periods of intense physical activity. In contrast, oxidative phosphorylation and aerobic respiration require sufficient oxygen supply, which is typically inadequate during heavy exercise, particularly in the early minutes when the body is transitioning to increased activity levels. Fatty acid oxidation also relies on aerobic metabolism and is not a primary source of energy during high-intensity efforts, as it is slower and less accessible for immediate energy needs.

SAMPLE

7. How does increased afterload generally affect stroke volume?

A. Increases stroke volume

B. Has no effect on stroke volume

C. Decreases stroke volume

D. Increases heart rate

Increased afterload refers to the pressure that the heart must work against to eject blood during systole. When afterload rises, the heart faces greater resistance in the arterial system. This increased workload can lead to a reduction in stroke volume, which is the amount of blood the heart pumps with each beat. The heart compensates for this increased afterload by contracting more forcefully, but if the afterload is excessively high, the heart may not be able to generate enough force to overcome this resistance. Consequently, the volume of blood ejected during each heartbeat decreases, resulting in a lower stroke volume. This physiological response is significant because it illustrates the relationship between cardiac function and vascular resistance. Higher afterload can be a consequence of conditions such as hypertension or aortic stenosis, which can lead to decreased overall cardiac output if not compensated adequately.

8. Stimulating which receptors would most likely increase aqueous humor production?

A. Alpha 1

B. Alpha 2

C. Beta 1

D. Beta 2

Increasing aqueous humor production is primarily associated with the stimulation of beta receptors, particularly the beta 2 adrenergic receptors. When beta 2 receptors in the ciliary body of the eye are activated, they promote the secretion of aqueous humor, leading to an increase in intraocular pressure. This process is important in the regulation of fluid dynamics within the anterior chamber of the eye. Beta 1 receptors are primarily associated with the heart and do not have a significant role in the stimulation of aqueous humor production, though they are involved in other physiological processes. Understanding the role of receptor types in ocular physiology is crucial, especially in the context of treating conditions like glaucoma, where enhancing aqueous humor outflow or decreasing production can help manage intraocular pressure effectively.

9. Which muscle primarily aids in inhalation at rest?

A. Transversus abdominis

B. Diaphragm

C. Rectus abdominis

D. External obliques

The diaphragm is the primary muscle responsible for inhalation at rest. During inhalation, the diaphragm contracts and moves downward, increasing the volume of the thoracic cavity. This results in a decrease in intrathoracic pressure, causing air to flow into the lungs. The diaphragm operates as a dome-shaped muscle, and its contraction creates the necessary pressure gradient for efficient breathing. Its pivotal role in normal, restful breathing makes it essential for maintaining proper gas exchange and respiratory function in the body. The other muscles listed typically contribute to different aspects of respiration or movements and are not the primary drivers of quiet inhalation. For example, the transversus abdominis and rectus abdominis are primarily involved in exhalation or forceful breathing, while the external obliques assist with trunk rotation and lateral movements rather than being the main muscles for inhaling air into the lungs.

SAMPLE

10. Which of the following is NOT a common cause of stomach ulcers?

A. H. pylori

B. Acetaminophen

C. Aspirin

D. NSAIDs

Stomach ulcers, also known as peptic ulcers, are primarily associated with specific factors that irritate the stomach lining. H. pylori, a type of bacteria, is well-known for its role in causing ulcers as it can damage the protective mucosal layer, allowing stomach acid to harm the tissue underneath. Nonsteroidal anti-inflammatory drugs (NSAIDs), which include medications like aspirin, can also lead to ulcers by disrupting the production of prostaglandins that normally help protect the stomach lining from acid. Acetaminophen, however, is not commonly associated with the development of stomach ulcers. It primarily acts as a pain reliever and fever reducer and does not have the same gastrointestinal side effects as NSAIDs. While any medication can have potential side effects, acetaminophen is generally considered safer for the stomach when compared to nonsteroidal anti-inflammatory drugs and does not contribute to ulcer formation in the same way that H. pylori, aspirin, and NSAIDs do. This distinction underscores the role of specific medications and pathogens in ulcer causation and highlights why acetaminophen is not typically identified as a common cause of stomach ulcers.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nbeogenphysiology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE