NBEO HUMAN DEVELOPMENT PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nbeohumandev.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 9
Explanations 11
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which gaze direction is typically most difficult for elderly patients?

A. Upgaze

B. Downgaze

C. Right gaze

D. Left gaze

2. Outline the sequence of lens formation starting from surface ectoderm to the final lens fibers.

A. Surface ectoderm thickens to form the lens placode; placode invaginates to form the lens vesicle; anterior lens epithelium forms the lens epithelium and secondary lens fibers postnatally; posterior cells of the lens vesicle elongate to form primary lens fibers.

B. Surface ectoderm thickens to form the lens placode; placode invaginates to form the lens vesicle; posterior cells of the lens vesicle elongate to form primary lens fibers; anterior lens epithelium forms the lens epithelium and secondary lens fibers postnatally.

C. Surface ectoderm thickens to form the lens placode; placode invaginates to form the lens vesicle; anterior cells elongate to form primary lens fibers; posterior lens epithelium forms the lens epithelium.

D. Surface ectoderm forms the cornea; lens placode forms; lens vesicle degenerates.

3. Which is the most common subjective method used to measure visual acuity in infants?

A. Preferred Retinal Locust

B. Pattern VEP

C. Forced Choice Preferential Looking

D. PASS

4. Which term describes the integration of visual information with motor responses?

A. Visual information processing

B. Visual motor integration

C. Visual perception

D. Visual attention

SAMPLE

5. If embryonic fissure closure fails completely in the eye, which anomaly can result?

A. Coloboma involving iris, retina, choroid, or optic nerve

B. Microphthalmia

C. Aniridia

D. Anophthalmos

6. CHARGE syndrome is commonly associated with which ocular finding?

A. Cataract

B. Coloboma

C. Aniridia

D. Retinitis Pigmentosa

7. Which option most accurately summarizes the two main causes of decreased dark adaptation in older adults?

A. Cataracts and decreased rhodopsin formation

B. Cataracts and decreased iodopsin formation

C. Glaucoma and cataracts

D. Decreased rhodopsin and iodopsin formation

8. Color vision is usually adult like in infants by approximately which age?

A. 1-2 months old

B. 3-4 months old

C. 6-8 months old

D. 12 months old

9. Which development factor is crucial for retinal vascularization?

A. Platelet-derived growth factor

B. Fibroblast growth factor

C. Transforming growth factor beta

D. Vascular Endothelial Growth Factor (VEGF)

SAMPLE

10. Which congenital infection is classically associated with cataracts?

A. Rubella

B. Cytomegalovirus

C. Toxoplasmosis

D. Herpes simplex

SAMPLE

Answers

SAMPLE

1. A
2. B
3. C
4. B
5. A
6. B
7. A
8. B
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. Which gaze direction is typically most difficult for elderly patients?

A. Upgaze

B. Downgaze

C. Right gaze

D. Left gaze

In aging, the control of vertical eye movements tends to degrade more noticeably than horizontal movements, so tasks that require looking upward are more challenging. Upward gaze relies on precise, coordinated action of multiple muscles (notably the superior rectus and inferior oblique) and on the brainstem and midbrain networks that drive vertical gaze. With age, there's a gradual decline in neuronal function and motor reserve in these pathways, plus some stiffening or subtle weakness in the muscles involved. This makes initiating and sustaining upward movement harder, especially compared with looking straight ahead, down, or to the sides, which are typically less affected. So, looking upward is usually the most difficult gaze direction for elderly patients.

2. Outline the sequence of lens formation starting from surface ectoderm to the final lens fibers.

A. Surface ectoderm thickens to form the lens placode; placode invaginates to form the lens vesicle; anterior lens epithelium forms the lens epithelium and secondary lens fibers postnatally; posterior cells of the lens vesicle elongate to form primary lens fibers.

B. Surface ectoderm thickens to form the lens placode; placode invaginates to form the lens vesicle; posterior cells of the lens vesicle elongate to form primary lens fibers; anterior lens epithelium forms the lens epithelium and secondary lens fibers postnatally.

C. Surface ectoderm thickens to form the lens placode; placode invaginates to form the lens vesicle; anterior cells elongate to form primary lens fibers; posterior lens epithelium forms the lens epithelium.

D. Surface ectoderm forms the cornea; lens placode forms; lens vesicle degenerates.

Lens development starts with surface ectoderm thickening to form the lens placode, which then invaginates to become the lens vesicle. The cells at the back of the vesicle elongate to form the primary lens fibers, filling the vesicle lumen, while the front becomes the lens epithelium. After birth, cells of the anterior lens epithelium in the equatorial region differentiate and grow into secondary lens fibers, adding to the lens mass. This sequence—posterior vesicle cells making primary fibers, and the anterior epithelium giving rise to secondary fibers postnatally—matches the described option. The other choices misstate which cells form the primary fibers or the fate of the vesicle/epithelium, or include incorrect, degenerative steps.

SAMPLE

3. Which is the most common subjective method used to measure visual acuity in infants?

A. Preferred Retinal Locust

B. Pattern VEP

C. Forced Choice Preferential Looking

D. PASS

Measuring what an infant can see relies on how they naturally look at the world. The most common subjective method uses forced-choice preferential looking. In this approach, two displays are shown: one with a high-contrast striped pattern and one that is a uniform field. The observer judges which location the infant is looking toward, effectively forcing the infant to reveal their preference by looking at the pattern if they can detect it. By varying the stripe width (the spatial frequency) and recording when the infant no longer shows a consistent preference for the patterned side, you estimate the finest pattern the infant can resolve, i.e., their visual acuity. This method is favored because it leverages normal infant behavior and provides a clear, repeatable decision rule for the observer, making it practical for routine use in young children who cannot verbally report what they see. Other options involve physiological measurements or less standardized techniques that don't rely on the infant's looking behavior in the same way, so they aren't the typical subjective method used for acuity in infants.

4. Which term describes the integration of visual information with motor responses?

A. Visual information processing

B. Visual motor integration

C. Visual perception

D. Visual attention

Visual motor integration describes the coordination of visual input with motor output, such as using sight to guide hand movements. It specifically captures how what we see is used to plan and execute actions, like reaching for, grabbing, or tracing an object while our eyes track and align with the hand. This makes it the best fit for the idea of integrating vision with movement. Other terms describe related but broader or different processes. Visual information processing refers to how visual data are interpreted and organized in the brain, not necessarily how that information guides movement. Visual perception is about recognizing and understanding visual stimuli, such as shapes and depth, rather than coordinating movement. Visual attention is about selectively focusing on certain visual stimuli, not about coupling vision to action.

5. If embryonic fissure closure fails completely in the eye, which anomaly can result?

A. Coloboma involving iris, retina, choroid, or optic nerve

B. Microphthalmia

C. Aniridia

D. Anophthalmos

Failure of the ventral closure of the embryonic (optic) fissure leaves a persistent gap along the developing eye. This gap is called a coloboma. When the fissure does not close completely, the defect can extend through multiple structures—iris, retina, choroid, and even the optic nerve—explaining why complete closure failure results in a coloboma involving these parts. Other conditions like microphthalmia, aniridia, or anophthalmos arise from different developmental problems, not from the fissure failing to seal.

SAMPLE

6. CHARGE syndrome is commonly associated with which ocular finding?

A. Cataract

B. Coloboma

C. Aniridia

D. Retinitis Pigmentosa

Coloboma is the hallmark ocular finding in CHARGE syndrome. It arises from failure of the embryonic optic fissure to close during early eye development, leading to gaps that can affect the iris, retina, choroid, or optic nerve. This results in characteristic defects such as a keyhole-shaped pupil when the iris is involved, or more extensive gaps if other structures are affected. The association is so strong that Coloboma is literally highlighted in the condition's name. Other listed ocular findings—cataract, aniridia, and retinitis pigmentosa—are not typical features of CHARGE and do not reflect its common ocular presentation.

7. Which option most accurately summarizes the two main causes of decreased dark adaptation in older adults?

A. Cataracts and decreased rhodopsin formation

B. Cataracts and decreased iodopsin formation

C. Glaucoma and cataracts

D. Decreased rhodopsin and iodopsin formation

Dark adaptation depends on the rod system and the regeneration of the rod pigment, rhodopsin. In older adults, two things blunt this process: the lens becomes more opaque (cataracts), which blocks and scatters light before it even reaches the retina, and the production/regeneration of rhodopsin in the rods slows down with age. With less light reaching the retina and slower rhodopsin recovery after exposure to bright light, the eye's ability to adapt to darkness is reduced. The other options don't fit as well because iodopsin is the cone pigment used for bright-light and color vision, not for dark adaptation; glaucoma is an optic nerve/retinal disease not a primary cause of delayed dark adaptation; and decreased rhodopsin alone without cataracts wouldn't fully explain the common age-related drop in dark adaptation seen clinically.

8. Color vision is usually adult like in infants by approximately which age?

A. 1-2 months old

B. 3-4 months old

C. 6-8 months old

D. 12 months old

Color vision develops as the retinal cones mature and the brain learns to process color information. At birth, color discrimination is limited and acuity is low, but these abilities improve rapidly over the first months. By about three to four months of age, infants typically show color discrimination that is adult-like, meaning their ability to distinguish colors across the spectrum reaches adult levels. This maturation reflects both the maturation of the cones and the neural pathways from the retina to the visual cortex.

SAMPLE

9. Which development factor is crucial for retinal vascularization?

A. Platelet-derived growth factor

B. Fibroblast growth factor

C. Transforming growth factor beta

D. Vascular Endothelial Growth Factor (VEGF)

The main idea here is that a specific signal guides the growth of blood vessels in the developing retina, and that signal is Vascular Endothelial Growth Factor. VEGF is produced by retinal cells when oxygen levels are low, creating a chemical gradient that tells endothelial cells to multiply, migrate, and form new vessels. It acts mainly through its receptors on those endothelial cells to drive angiogenesis necessary for establishing the retinal vascular network. Other factors can influence blood vessel biology in various tissues, and they help with steps like vessel maturation or remodeling. For example, PDGF supports pericyte recruitment and vessel stabilization after formation; FGFs can promote angiogenesis in many contexts; TGF-β has complex, context-dependent roles in vascular development. However, the initiating and most crucial driver of retinal vascularization during development is VEGF. Clinically, VEGF also explains why anti-VEGF therapies are used to manage abnormal retinal neovascularization.

10. Which congenital infection is classically associated with cataracts?

A. Rubella

B. Cytomegalovirus

C. Toxoplasmosis

D. Herpes simplex

Cataracts in newborns are classically linked to congenital rubella infection. When rubella virus crosses the placenta early in pregnancy, it disrupts lens development, leading to bilateral lenticular opacities. Congenital rubella syndrome is also known for other features such as heart defects (like patent ductus arteriosus) and sensorineural hearing loss, and it can include developmental issues. Other congenital infections present with different hallmark eye findings—cytomegalovirus typically shows chorioretinitis and neurological problems; toxoplasmosis often presents with chorioretinitis, hydrocephalus, and intracranial calcifications rather than cataracts being the defining feature; herpes simplex can cause eye or CNS involvement but not the classic cataract association.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nbeohumandev.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE