NBEO NEUROSCIENCE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nbeoneuroscience.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following correctly pairs a brain structure with its embryonic origin?

A. Thalamus — Telencephalon

B. Midbrain — Mesencephalon

C. Cerebellum — Telencephalon

D. Medulla — Telencephalon

2. Which statement best describes papilledema in terms of laterality and appearance on examination?

A. Unilateral disc edema with pain on eye movement

B. Rapid unilateral vision loss

C. Bilateral disc edema with venous engorgement

D. Pale disc edema

3. Damage to which region results in non-fluent or 'broken' speech?

A. Broca's area

B. Wernicke's area

C. Hippocampus

D. Cerebellum

4. Which stream processes spatial location and motion and ends in the parietal cortex?

A. Dorsal stream processes spatial location and motion, ends in the parietal cortex.

B. Ventral stream processes spatial location and motion, ends in the parietal cortex.

C. Dorsal stream processes form and color, ends in the inferotemporal cortex.

D. Ventral stream processes form and color, ends in the occipital cortex.

5. Toxic/nutritional optic neuropathy typically presents with which type of visual field defect?

A. Central scotoma

B. Bitemporal hemianopia

C. Altitudinal defect

D. Homonymous hemianopia

SAMPLE

6. Which ion is more abundant inside a neuron?

A. Potassium (K+)

B. Sodium (Na+)

C. Calcium (Ca2+)

D. Chloride (Cl−)

7. Which cranial nerve carries afferent input for the pupillary light reflex?

A. Oculomotor nerve (CN III)

B. Trochlear nerve (CN IV)

C. Trigeminal nerve (CN V)

D. The optic nerve (CN II)

8. List common clinical signs of oculomotor nerve (CN III) palsy.

A. Ptosis, down-and-out eye, diplopia, fixed dilated pupil if parasympathetic fibers affected, and impaired accommodation.

B. Ptosis without diplopia and preserved pupil responses.

C. Normal eye movements with isolated pupil dilation.

D. Absent accommodation with normal motility.

9. Orthograde degeneration is caused by damage from the eye towards the brain or the brain towards the eye?

A. Eye towards the brain

B. Brain towards the eye

C. Both directions

D. Neither direction

10. Retrograde degeneration is damage from the eye towards the brain or the brain towards the eye?

A. Eye towards the brain

B. Brain towards the eye

C. Both directions

D. Neither direction

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. A
5. A
6. A
7. D
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following correctly pairs a brain structure with its embryonic origin?

A. Thalamus — Telencephalon

B. Midbrain — Mesencephalon

C. Cerebellum — Telencephalon

D. Medulla — Telencephalon

Understanding embryonic brain vesicles helps connect adult structures to theirOrigins. The brain forms from three primary vesicles: forebrain (prosencephalon), midbrain (mesencephalon), and hindbrain (rhombencephalon). The forebrain further splits into telencephalon and diencephalon, while the hindbrain becomes metencephalon and myelencephalon. The midbrain remains as the mesencephalon and gives rise to its characteristic midbrain structures. So the correct pairing is midbrain with mesencephalon because that middle vesicle remains as the midbrain, whereas the thalamus comes from the diencephalon, the cerebellum from the metencephalon, and the medulla from the myelencephalon.

2. Which statement best describes papilledema in terms of laterality and appearance on examination?

A. Unilateral disc edema with pain on eye movement

B. Rapid unilateral vision loss

C. Bilateral disc edema with venous engorgement

D. Pale disc edema

Papilledema occurs when intracranial pressure is elevated, so the swelling affects both optic nerves rather than one eye. The typical appearance is swollen and hyperemic discs with blurred margins, and the retinal veins feeding the disc become dilated and tortuous—a sign of venous engorgement from impaired outflow at the optic nerve head. This bilateral, venous-engorged edema contrasts with other patterns: unilateral disc edema with eye movement pain points to optic neuritis; rapid unilateral vision loss suggests an acute vascular or optic neuropathy; pale disc edema indicates chronic optic atrophy or ischemic damage rather than edema from raised intracranial pressure. So the best description of papilledema is bilateral disc edema with venous engorgement.

3. Damage to which region results in non-fluent or 'broken' speech?

A. Broca's area

B. Wernicke's area

C. Hippocampus

D. Cerebellum

Non-fluent or "broken" speech points to a disruption of language production. Broca's area, located in the left inferior frontal gyrus of the frontal lobe, coordinates the motor aspects of speech and its grammar. When this region is damaged, speech becomes slow, halting, and telegraphic—classic expressive aphasia—while understanding speech is relatively preserved. By comparison, Wernicke's area deals with language comprehension, so damage there leads to fluent but nonsensical speech with poor comprehension. The hippocampus is essential for memory formation, not speech production, and the cerebellum affects motor coordination and timing, which can alter articulation but not the characteristic non-fluent speech pattern associated with Broca's area damage.

SAMPLE

4. Which stream processes spatial location and motion and ends in the parietal cortex?

A. Dorsal stream processes spatial location and motion, ends in the parietal cortex.

B. Ventral stream processes spatial location and motion, ends in the parietal cortex.

C. Dorsal stream processes form and color, ends in the inferotemporal cortex.

D. Ventral stream processes form and color, ends in the occipital cortex.

The main idea here is the two visual streams and what each does. The dorsal stream, often called the "where/how" pathway, is specialized for processing spatial location and motion. It runs from the visual cortex to the parietal cortex, providing the spatial and dynamic information you need to guide actions like reaching and tracking moving objects. The ventral stream, by contrast, is the "what" pathway that handles form and color and ends in the inferotemporal cortex, supporting object identification. Therefore, the description that matches spatial location and motion and ends in the parietal cortex is the dorsal stream.

5. Toxic/nutritional optic neuropathy typically presents with which type of visual field defect?

A. Central scotoma

B. Bitemporal hemianopia

C. Altitudinal defect

D. Homonymous hemianopia

Toxic/nutritional optic neuropathy tends to hit the fibers that subserve central vision, especially the papillomacular bundle. Because these macular fibers are affected first, you see a central scotoma on visual-field testing, often centrocecal in pattern, with peripheral vision relatively preserved early on. Patients commonly notice blurry vision and reduced color vision as well, reflecting macular involvement. Other field patterns—bitemporal hemianopia from a pituitary/chiasmal issue, altitudinal defects from ischemic optic neuropathy, or homonymous hemianopia from post-chiasmal disease—don't fit this macular-predominant, bilateral central loss.

6. Which ion is more abundant inside a neuron?

A. Potassium (K+)

B. Sodium (Na+)

C. Calcium (Ca2+)

D. Chloride (Cl−)

Resting ionic gradients maintain a high potassium concentration inside the neuron. The membrane is leaky to K+, so potassium tends to diffuse out, which helps make the inside negative. The Na+/K+ pump keeps potassium inside and sodium outside, sustaining this gradient. Calcium is kept very low inside to prevent signaling, and chloride is regulated in a way that often keeps it lower inside than outside. Because of these conditions, potassium is the most abundant ion inside a neuron.

SAMPLE

7. Which cranial nerve carries afferent input for the pupillary light reflex?

A. Oculomotor nerve (CN III)

B. Trochlear nerve (CN IV)

C. Trigeminal nerve (CN V)

D. The optic nerve (CN II)

The afferent input for the pupillary light reflex comes from the retina and travels through the optic nerve to the midbrain. From there, signals reach the pretectal area and bilaterally activate the Edinger–Westphal nucleus, whose parasympathetic output travels with the oculomotor nerve to the sphincter pupillae to induce constriction. So the optic nerve is responsible for sensing the light and initiating the reflex. The oculomotor nerve is involved in carrying the efferent, constrictor signal that tightens the pupil; the trochlear nerve controls a motor eye muscle (not this reflex); and the trigeminal nerve provides sensory input for other facial reflexes like the corneal reflex, not the direct afferent limb of the pupillary light reflex.

8. List common clinical signs of oculomotor nerve (CN III) palsy.

A. Ptosis, down-and-out eye, diplopia, fixed dilated pupil if parasympathetic fibers affected, and impaired accommodation.

B. Ptosis without diplopia and preserved pupil responses.

C. Normal eye movements with isolated pupil dilation.

D. Absent accommodation with normal motility.

Oculomotor nerve palsy affects both eye movement and parasympathetic control of the pupil and lens. When this nerve is weakened, you get ptosis from loss of the levator palpebrae superioris, and the eye tends to sit down and outward because the unopposed lateral rectus and superior oblique pull it that way, producing diplopia. If the parasympathetic fibers are involved, the pupil becomes fixed and dilated and accommodation is impaired due to ciliary muscle weakness. This combination—ptosis, a down-and-out eye, diplopia, and pupil involvement with a fixed dilated pupil and impaired accommodation—captures the classic presentation. If the pupil is spared, you can still have movement problems and ptosis, which fits microvascular causes, whereas pupil involvement often points to compressive lesions like an aneurysm. The other options describe incomplete or mismatched signs, such as no diplopia, preserved pupil responses, or normal motility with isolated dilation, which don't fit the full CN III palsy picture.

9. Orthograde degeneration is caused by damage from the eye towards the brain or the brain towards the eye?

A. Eye towards the brain

B. Brain towards the eye

C. Both directions

D. Neither direction

Orthograde degeneration moves away from the neuron's cell body along the axon. In the visual system, the retinal ganglion cell bodies are in the retina and their axons extend toward the brain to form the optic nerve. When damage occurs at the eye or optic nerve near the retina, the degenerative changes spread along the axon in the direction toward the brain. So orthograde degeneration is from the eye toward the brain. If the injury were in the brain, degeneration would travel backward toward the eye (retrograde).

SAMPLE

10. Retrograde degeneration is damage from the eye towards the brain or the brain towards the eye?

A. Eye towards the brain

B. Brain towards the eye

C. Both directions

D. Neither direction

Retrograde degeneration moves toward the neuron's cell body. In the visual system, the retinal ganglion cells have their bodies in the retina and project axons to the brain. If a lesion occurs somewhere along the brain's visual pathways, the degenerative process can travel back along the axon toward the retinal cell bodies, producing retrograde changes in the eye. So this type of degeneration is described as brain toward the eye. By contrast, degeneration that travels away from the cell body along the axon toward the brain is termed anterograde (or Wallerian) degeneration.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nbeoneuroscience.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE