NCC MATERNAL NEWBORN NURSING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nccmaternalnewborn.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the purpose of the prenatal glucose challenge test?

A. To assess fetal heart rate

B. To identify potential infections

C. To screen for gestational diabetes

D. To evaluate uterine contractions

2. What hormonal change occurs immediately postpartum that affects insulin requirements in diabetic patients?

A. Increased estrogen levels

B. Decreased cortisol levels

C. Decreased placental lactogen

D. Increased growth hormone secretion

3. What is the primary goal of administering Rho(D) immune globulin to Rh-negative mothers?

A. To enhance the baby's immune response

B. To minimize the risk of hemolytic disease in future pregnancies

C. To support the mother's nursing abilities

D. To prevent maternal hemorrhage during delivery

4. In women with epilepsy, when is the risk of seizures higher during pregnancy?

A. During labor through 24 hours postpartum

B. From 72 hours to 1 week postpartum

C. In the third trimester

D. In the first trimester

5. What is a common method for monitoring fetal development during pregnancy?

A. Only visual assessment

B. Routine ultrasound examinations

C. Weekly blood tests

D. Dietary evaluations

SAMPLE

6. A postpartum woman has a quad screen with a maternal serum (MSAFP) lower than normal. What diagnosis can be expected for the newborn?

A. Neural tube defect

B. Trisomy 21

C. Underestimated gestational age

D. Macrosomia

7. Which of the following is a key objective of maternal-newborn nursing?

A. To provide support during late-stage pregnancy only

B. To ensure the wellbeing of both mother and newborn

C. To focus on pre-natal vitamins exclusively

D. To administer medications during delivery

8. If a nurse observes hair on the ears of a newborn, what could this indicate about the mother?

A. The mother is diabetic

B. The mother is drug addicted

C. The mother is post-dates

D. The mother had a high-risk pregnancy

9. What is the expected initial assessment for a newborn immediately after birth?

A. Evaluating airway, breathing, circulation, skin color, and temperature regulation

B. Performing a comprehensive physical examination

C. Administering immunizations

D. Providing breastfeeding assistance

10. A woman is 12 hours postpartum with a WBC count of 25,000. What does this indicate?

A. An expected range

B. Dehydration and a need to force fluids

C. Infection and a need for an antibiotic order

D. A condition requiring immediate surgical intervention

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. A
5. B
6. B
7. B
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. What is the purpose of the prenatal glucose challenge test?

A. To assess fetal heart rate

B. To identify potential infections

C. To screen for gestational diabetes

D. To evaluate uterine contractions

The prenatal glucose challenge test is specifically designed to screen for gestational diabetes, a condition that can develop during pregnancy when the body cannot produce enough insulin to handle the increased glucose levels. This test typically involves administering a glucose solution to the pregnant individual and monitoring how their body processes it after a specified period. High blood sugar levels observed after this challenge can indicate that the body's insulin response is not functioning adequately, prompting further diagnostic testing if necessary. This early identification is crucial because managing gestational diabetes can help prevent complications for both the mother and the fetus, such as excess fetal growth or preterm delivery. Other options, such as assessing fetal heart rate, identifying infections, or evaluating uterine contractions, are important aspects of prenatal care but serve different purposes and do not relate to the glucose challenge test's primary aim of detecting gestational diabetes.

2. What hormonal change occurs immediately postpartum that affects insulin requirements in diabetic patients?

A. Increased estrogen levels

B. Decreased cortisol levels

C. Decreased placental lactogen

D. Increased growth hormone secretion

Immediately postpartum, there is a notable decrease in placental lactogen levels, which is crucial for managing insulin requirements in diabetic patients. Placental lactogen, produced by the placenta during pregnancy, plays a significant role in modifying maternal metabolism, including increasing insulin resistance to ensure adequate glucose supply to the fetus. After delivery, the abrupt drop in placental lactogen levels leads to a reduction in insulin resistance in the mother. As a result, women with diabetes may experience a need for decreased insulin doses shortly after childbirth. This physiological change is vital for healthcare providers to understand, as it helps in effective management of diabetes following delivery, reducing the risk of hypoglycemia and allowing for appropriate adjustments in insulin therapy.

SAMPLE

3. What is the primary goal of administering Rho(D) immune globulin to Rh-negative mothers?

A. To enhance the baby's immune response

B. To minimize the risk of hemolytic disease in future pregnancies

C. To support the mother's nursing abilities

D. To prevent maternal hemorrhage during delivery

Administering Rho(D) immune globulin to Rh-negative mothers primarily aims to minimize the risk of hemolytic disease in future pregnancies. This risk arises when an Rh-negative mother carries an Rh-positive fetus, which can lead to the mother developing antibodies against the Rh antigen during the first pregnancy. If she becomes pregnant again with another Rh-positive fetus, these antibodies can cross the placenta and attack the fetal red blood cells, resulting in hemolytic disease of the newborn (HDN). Rho(D) immune globulin works by preventing the mother's immune system from recognizing and attacking Rh-positive cells, thus significantly reducing the likelihood of antibody development. Other options, while they may sound relevant, do not address the primary focus of Rho(D) administration. Enhancing the baby's immune response or supporting the mother's nursing abilities are not direct effects of this intervention. Preventing maternal hemorrhage during delivery, although critical in maternal care, is not the function of Rho(D) immune globulin. The main intent is clearly centered around preventing potential future complications related to Rh incompatibility.

4. In women with epilepsy, when is the risk of seizures higher during pregnancy?

A. During labor through 24 hours postpartum

B. From 72 hours to 1 week postpartum

C. In the third trimester

D. In the first trimester

The risk of seizures is higher during labor and the 24 hours postpartum due to several factors specific to this period. During labor, physical stress, hormonal changes, and sleep deprivation can contribute to the likelihood of seizure activity. Additionally, the need for a woman to adjust to the new physical and emotional demands of childbirth can provoke seizures. The postpartum period, particularly the first 24 hours after delivery, can also lead to increased seizure risk due to factors such as abrupt changes in hormone levels, alterations in medication absorption and levels, and the overall physical stress of labor and delivery. These factors combined create a heightened vulnerability for women with epilepsy during this time. In contrast, although seizure management is crucial throughout the entire pregnancy, the risk levels can fluctuate during different trimesters and postpartum, but the immediate postpartum period is often regarded as particularly critical due to the aforementioned stressors and physiological changes.

SAMPLE

5. What is a common method for monitoring fetal development during pregnancy?

A. Only visual assessment

B. Routine ultrasound examinations

C. Weekly blood tests

D. Dietary evaluations

Routine ultrasound examinations are a common and effective method for monitoring fetal development throughout pregnancy. Ultrasound uses sound waves to create images of the developing fetus, allowing healthcare providers to assess various aspects of fetal growth and anatomy. This non-invasive imaging technique enables the evaluation of fetal size, position, and morphology, as well as the assessment of amniotic fluid levels and placental location. Moreover, ultrasound can help identify potential complications early on, such as growth restrictions or anatomical anomalies, facilitating appropriate interventions if necessary. Regular monitoring through ultrasound is typically recommended at various stages of pregnancy to ensure both maternal and fetal health, making it a cornerstone of prenatal care. In contrast, the other options do not provide a comprehensive method for monitoring fetal development. Visual assessments may offer some insights but lack the detailed information provided by ultrasound. Weekly blood tests tend to focus on maternal health metrics rather than direct fetal monitoring. Dietary evaluations, while important for overall pregnancy health, do not directly relate to assessing fetal growth or development.

6. A postpartum woman has a quad screen with a maternal serum (MSAFP) lower than normal. What diagnosis can be expected for the newborn?

A. Neural tube defect

B. Trisomy 21

C. Underestimated gestational age

D. Macrosomia

A lower-than-normal maternal serum alpha-fetoprotein (MSAFP) level on a quad screen is often associated with the risk of certain chromosomal abnormalities, most notably trisomy 21, also known as Down syndrome. The quad screen measures several markers in a pregnant woman's blood, and low levels of MSAFP, combined with other markers, can indicate an increased risk for this condition. Trisomy 21 occurs when there is an extra copy of chromosome 21, leading to developmental delays and characteristic physical features. The strong link between low MSAFP levels and an increased likelihood of trisomy 21 is well-supported by research and clinical findings, making it an expected diagnosis in the context of low MSAFP results. Conversely, other conditions listed, such as neural tube defects, typically are associated with elevated MSAFP levels, not lower. Conditions related to gestational age or macrosomia do not have a direct correlation with MSAFP Screening that would indicate risk; hence, they are less likely to be a correct interpretation in this scenario. Understanding the implications of the quad screen helps healthcare providers counsel patients regarding potential outcomes and necessary follow-up testing.

SAMPLE

7. Which of the following is a key objective of maternal-newborn nursing?

A. To provide support during late-stage pregnancy only

B. To ensure the wellbeing of both mother and newborn

C. To focus on pre-natal vitamins exclusively

D. To administer medications during delivery

The key objective of maternal-newborn nursing is to ensure the well-being of both the mother and the newborn. This holistic approach includes comprehensive care that encompasses the physical, emotional, and psychological needs of both parties during pregnancy, labor, delivery, and the postpartum period. Maternal-newborn nursing involves monitoring for complications, providing education, and offering support to promote healthy outcomes for both mother and child. Focusing solely on the well-being of one without consideration of the other could lead to gaps in care. Maternal-newborn nursing recognizes the interconnectedness of the mother and baby, where the health of one can significantly impact the health of the other. This integrated care is crucial in promoting healthy pregnancies, safe deliveries, and positive postpartum experiences. In contrast, other options are limited in scope; some focus on a singular aspect of care (like late-stage pregnancy support or prenatal vitamins), while others may address specific interventions without considering the broader objective of overall maternal-newborn health.

8. If a nurse observes hair on the ears of a newborn, what could this indicate about the mother?

A. The mother is diabetic

B. The mother is drug addicted

C. The mother is post-dates

D. The mother had a high-risk pregnancy

Hair on the ears of a newborn can signify several maternal health factors, and one of the most notable is the potential presence of maternal diabetes. In cases of maternal diabetes, particularly when poorly controlled, there is a tendency for the newborn to exhibit certain physical characteristics associated with metabolic issues, which may include atypical hair growth patterns. This could result from factors like increased levels of insulin and growth factors that affect fetal development. While other conditions such as drug addiction, post-dates pregnancy, or high-risk pregnancy can lead to various neonatal outcomes, they do not have the same direct correlation with the presence of hair on the ears as maternal diabetes. Increased hairiness or lanugo is more commonly associated with metabolic conditions, especially seen in the context of maternal diabetes, making this choice the most relevant in explaining the observed infant characteristic.

SAMPLE

9. What is the expected initial assessment for a newborn immediately after birth?

A. Evaluating airway, breathing, circulation, skin color, and temperature regulation

B. Performing a comprehensive physical examination

C. Administering immunizations

D. Providing breastfeeding assistance

The expected initial assessment for a newborn immediately after birth focuses on vital signs and basic physiological functions, specifically evaluating airway, breathing, circulation, skin color, and temperature regulation. This assessment is crucial because it identifies any immediate needs or interventions required to ensure the newborn's health and safety. Immediately after delivery, the priority is to ensure that the newborn can breathe effectively and that they are stable. This includes clearing the airway if necessary to prevent respiratory distress, monitoring heart rate and circulation to confirm that the newborn is transitioning well to extrauterine life, and checking the skin color for any signs of distress or hypoxia. Additionally, temperature regulation is critical in newborns, who are susceptible to hypothermia and require interventions to maintain a normal body temperature. This initial assessment is designed to quickly identify and address any potential complications, allowing for prompt medical intervention if needed. Other actions, such as conducting a comprehensive physical examination, administering immunizations, or providing breastfeeding assistance, are important but fall into a later phase of care after confirming that the newborn is stable.

10. A woman is 12 hours postpartum with a WBC count of 25,000. What does this indicate?

A. An expected range

B. Dehydration and a need to force fluids

C. Infection and a need for an antibiotic order

D. A condition requiring immediate surgical intervention

A white blood cell (WBC) count of 25,000 postpartum, particularly at 12 hours after delivery, is often considered within an expected range. It is well-documented that leukocytosis, or an elevated WBC count, is a normal physiological response after the stress of labor and delivery. This increase is primarily due to the release of neutrophils and an elevation in white blood cell production, which can be a protective mechanism after childbirth. During the postpartum period, the body is adjusting to the significant changes that occur during labor, and an elevated WBC count can reflect this adrenal response, which does not necessarily indicate infection or other pathological conditions within the first 24 hours post-delivery. In fact, levels can be as high as 25,000 to 30,000 in the immediate postpartum period without signifying an underlying problem. The other potential interpretations of the WBC count in this scenario — such as dehydration or infection — would typically warrant further clinical signs or symptoms to justify further action like requiring antibiotics or surgical intervention. However, without additional symptoms such as fever, chills, or signs of localized infection, an elevated count alone shortly after delivery can be interpreted as an expected physiological response.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nccmaternalnewborn.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE