

# NCCER PIPEFITTING LEVEL 2 PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR  
THE FULL VERSION STUDY GUIDE

<https://nccerpipefittinglvl2.examzify.com>



**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents

|                             |    |
|-----------------------------|----|
| Copyright .....             | 1  |
| Table of Contents .....     | 2  |
| Introduction .....          | 3  |
| How to Use This Guide ..... | 4  |
| Questions .....             | 5  |
| Answers .....               | 8  |
| Explanations .....          | 10 |
| Next Steps .....            | 15 |

SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

## 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

## 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

## 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

## 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

## 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

## 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

## Questions

SAMPLE

- 1. What is the standard schedule for most piping systems?**
  - A. Schedule 20
  - B. Schedule 40
  - C. Schedule 60
  - D. Schedule 80
- 2. What is the purpose of pipe insulation?**
  - A. To reduce sound
  - B. To prevent heat loss and protect against condensation
  - C. To increase pressure
  - D. To facilitate pipe movement
- 3. What does a "Tee fitting" accomplish in a piping system?**
  - A. It connects two pipes in a straight line
  - B. It allows for a branch connection from a main line
  - C. It secures pipe joints under high pressure
  - D. It changes the direction of fluid flow
- 4. What is the main purpose of a shut-off valve in a piping system?**
  - A. To prevent sediment build-up
  - B. To protect against overpressure
  - C. To control the flow of liquid
  - D. To balance fluid temperature
- 5. What does the acronym "MSDS" stand for in handling hazardous materials?**
  - A. Material Safety Data Sheet
  - B. Material Specifications and Data Sheet
  - C. Mechanical Safety Data Sheet
  - D. Management of Safety Data Standards
- 6. What is a common size range for ductile iron pipes?**
  - A. 1 to 3 inches
  - B. 3 to 8 inches
  - C. 8 to 12 inches
  - D. 12 to 16 inches

**7. Why might one prefer copper piping over plastic piping?**

- A. Copper is inexpensive
- B. Copper pipes are easier to install
- C. Copper has superior durability
- D. Copper is lightweight

**8. What is the importance of proper fitting angles?**

- A. To enhance aesthetic appeal
- B. To minimize construction costs
- C. To ensure smooth fluid flow
- D. To reduce pipe length

**9. In pipe fitting, what does "back-purge" refer to?**

- A. The method for cleaning pipes prior to installation
- B. The process of shielding the reverse side of a weld from contamination
- C. The technique for testing weld integrity
- D. The method for sealing joints in piping

**10. What type of joint is commonly used for joining metal pipes in pipefitting?**

- A. Soldered joints
- B. Welded joints
- C. Mechanical joints
- D. All of the above

## **Answers**

SAMPLE

1. B
2. B
3. B
4. C
5. A
6. B
7. C
8. C
9. B
10. D

SAMPLE

## **Explanations**

SAMPLE

## 1. What is the standard schedule for most piping systems?

- A. Schedule 20
- B. Schedule 40**
- C. Schedule 60
- D. Schedule 80

*The standard schedule for most piping systems is Schedule 40. This specification is widely used in various applications, including residential and commercial plumbing, as well as in industrial settings. Schedule 40 pipes are known for their balance of weight, strength, and economic efficiency, making them a popular choice. The designation "schedule" refers to the wall thickness of the pipe; Schedule 40 has a moderate wall thickness that provides enough strength for most applications while remaining relatively lightweight and cost-effective. Because of its versatility and availability in a wide range of materials, Schedule 40 is often the default specification for many piping projects, from water supply lines to drainage systems. Other schedules, such as Schedule 20, Schedule 60, and Schedule 80, are designed for specific applications. Schedule 20 has thinner walls and is not typically used for high-pressure applications. Schedule 60 has a thicker wall than Schedule 40, which makes it suitable for certain pressure applications but is less common than Schedule 40. Schedule 80 has an even thicker wall and is generally used in heavier-duty applications where higher pressure resistance is necessary. However, for most typical piping systems, Schedule 40 stands out as the standard choice.*

## 2. What is the purpose of pipe insulation?

- A. To reduce sound
- B. To prevent heat loss and protect against condensation**
- C. To increase pressure
- D. To facilitate pipe movement

*The purpose of pipe insulation is primarily to prevent heat loss and protect against condensation. Insulating pipes that carry hot water helps maintain the temperature of the fluid, which improves energy efficiency and reduces heating costs. It also minimizes the risk of heat loss to the surrounding environment, which can be particularly important in systems designed to transport heated fluids. Additionally, insulation serves to protect against condensation on cold water pipes. Without insulation, moisture from the surrounding air can condense on the surface of cold pipes, potentially leading to water damage, mold growth, and increased humidity levels in nearby areas. By using insulation, you can effectively prevent these issues, ensuring the integrity and functionality of the piping system while enhancing the overall safety and efficiency of the plumbing infrastructure. The other options do not accurately capture the main functions of pipe insulation. Sound reduction, while a potential benefit, is not a primary purpose. Increasing pressure is not related to insulation. Facilitating pipe movement is also not a primary role of insulation; rather, it can sometimes impede movement depending on how it is applied.*

### 3. What does a "Tee fitting" accomplish in a piping system?

- A. It connects two pipes in a straight line
- B. It allows for a branch connection from a main line**
- C. It secures pipe joints under high pressure
- D. It changes the direction of fluid flow

A Tee fitting plays a crucial role in piping systems by providing a branching connection from a main line. This means that it enables the flow of fluid to diverge in two different directions from a single source, effectively creating a side outlet from the main pipe. The Tee fitting is designed to accommodate this split, which allows for the efficient distribution of fluids to additional piping systems or components. The geometric structure of the Tee, which features one inlet and two outlets set at 90 degrees to the inlet, makes it especially suitable for this purpose. It is commonly used in various applications where a secondary pipe run is needed, such as in water supply systems, drainage systems, or gas distribution lines. This functional design makes the Tee fitting an essential component for enhancing the flexibility and effectiveness of fluid transport within a piping network.

### 4. What is the main purpose of a shut-off valve in a piping system?

- A. To prevent sediment build-up
- B. To protect against overpressure
- C. To control the flow of liquid**
- D. To balance fluid temperature

The main purpose of a shut-off valve in a piping system is to control the flow of liquid. Shut-off valves are specifically designed to start or stop the flow of fluids within the system. By opening or closing the valve, maintenance can be performed on the system without requiring a total shutdown of the entire piping network. This function is critical in various applications, allowing operators to manage fluid movement effectively, address any potential leaks, or perform repairs without extensive disruptions. While other functions such as preventing sediment build-up, protecting against overpressure, or balancing fluid temperature are important in piping systems, they are not the primary role of a shut-off valve. Shut-off valves do not typically focus on sediment management and are not primarily designed to address overpressure situations or temperature balance, which are usually handled by different types of valves and system components.

### 5. What does the acronym "MSDS" stand for in handling hazardous materials?

- A. Material Safety Data Sheet**
- B. Material Specifications and Data Sheet
- C. Mechanical Safety Data Sheet
- D. Management of Safety Data Standards

The acronym "MSDS" stands for Material Safety Data Sheet. This document is essential in the context of handling hazardous materials because it provides comprehensive information on the properties of a chemical substance or mixture. It outlines the potential hazards associated with the material, such as its flammability, reactivity, and health risks, along with guidelines for safe handling, storage, and emergency measures in case of exposure or accidents. The MSDS is a crucial resource for ensuring workplace safety and compliance with regulatory requirements, as it equips workers with the knowledge they need to effectively manage hazardous materials. In contrast, the other options mention terms that do not align with the established terminology and purposes of safety documentation in hazardous material handling. For example, "Material Specifications and Data Sheet" and "Mechanical Safety Data Sheet" do not accurately reflect the type of information provided by a traditional MSDS. Similarly, "Management of Safety Data Standards" is not a recognized or relevant term for this context.

## 6. What is a common size range for ductile iron pipes?

- A. 1 to 3 inches
- B. 3 to 8 inches**
- C. 8 to 12 inches
- D. 12 to 16 inches

Ductile iron pipes are known for their strength, durability, and versatility, making them a popular choice for various piping systems. The correct choice reflects a common size range for ductile iron pipes that most manufacturers produce and are typically used in water distribution and sewage systems. Within the range of 3 to 8 inches, ductile iron pipes are particularly favored because they strike a balance between handling substantial pressure and being manageable in terms of weight and installation. In real-world applications, this size range is optimal for municipal water supply systems as well as for various industrial applications. While smaller diameters may be available, they are less common for ductile iron, and larger diameters are generally reserved for specific engineering requirements. This makes the selection of this size range representative of standard practices within the pipefitting and plumbing industries. Understanding this helps pipefitters ensure they use the right materials for their projects.

## 7. Why might one prefer copper piping over plastic piping?

- A. Copper is inexpensive
- B. Copper pipes are easier to install
- C. Copper has superior durability**
- D. Copper is lightweight

Choosing copper piping over plastic piping often relates to the material's superior durability. Copper pipes have an inherent strength that allows them to withstand high temperatures and pressures, making them an ideal choice for various applications in plumbing and heating systems. They are resistant to corrosion, particularly in hot water applications, which can prolong their lifespan significantly compared to plastic options. Additionally, copper does not become brittle over time, maintaining its integrity even under stress. Copper's durability also ensures it can handle environmental factors, such as UV exposure and temperature fluctuations, more effectively than many plastic materials. This resilience means that fewer replacements and repairs are necessary over time, offering more reliability in the long run. While aspects like cost, ease of installation, and weight might suggest reasons to choose copper or plastic, it is the durability of copper that often stands out as a key advantage when assessing long-term performance and reliability in piping solutions.

## 8. What is the importance of proper fitting angles?

- A. To enhance aesthetic appeal
- B. To minimize construction costs
- C. To ensure smooth fluid flow**
- D. To reduce pipe length

Proper fitting angles are crucial in pipefitting because they directly affect the flow of fluids within a piping system. When fittings are correctly angled, they allow for a smoother path for the fluid, reducing turbulence and minimizing friction losses. This is especially important in applications involving gases or liquids, where efficient flow is necessary to maintain desired pressure and avoid potential system inefficiencies. Smoother fluid flow not only enhances the performance of the system but also helps prevent issues such as pressure drops or unwanted energy losses. In contrast, improper angles can lead to obstructions in the flow, increased wear and tear, and even potential failures in the piping system over time. Thus, ensuring appropriate fitting angles is a key part of creating an effective and reliable piping installation.

**9. In pipe fitting, what does "back-purge" refer to?**

- A. The method for cleaning pipes prior to installation
- B. The process of shielding the reverse side of a weld from contamination**
- C. The technique for testing weld integrity
- D. The method for sealing joints in piping

*The term "back-purge" in pipe fitting refers specifically to the process of shielding the reverse side of a weld from contamination, typically during the welding process. This is important in applications where the integrity and strength of the weld are critical, as contamination from oxygen, moisture, or other elements can compromise the quality of the weld. When welding, particularly with materials that are sensitive to oxidation such as stainless steel, achieving a clean weld without impurities is essential. Back-purging involves the use of an inert gas, usually argon, which is introduced to the side of the pipe opposite the weld. This creates a protective atmosphere that helps prevent the formation of oxides and ensures a consistent and high-quality weld. By maintaining a purged environment, the technician ensures that both sides of the weld joint are protected, thus enhancing overall durability and performance. The other options given do not accurately describe the back-purge process. Cleaning pipes prior to installation, testing weld integrity, and sealing joints in piping all serve different purposes within the realm of pipe fitting and welding, but they do not specifically address the need for safeguarding the backside of a weld during the welding operation.*

**10. What type of joint is commonly used for joining metal pipes in pipefitting?**

- A. Soldered joints
- B. Welded joints
- C. Mechanical joints
- D. All of the above**

*The correct answer is all of the above because each type of joint mentioned—soldered joints, welded joints, and mechanical joints—plays a significant role in pipefitting and is commonly used to join metal pipes. Soldered joints are often utilized for joining smaller diameter pipes, typically in plumbing applications involving copper tubing. They create a strong connection through the melting of solder, filling the gap between the pipes. Welded joints are fundamental in pipefitting and construction, particularly for large diameter pipes and systems that require a robust and permanent connection. Welding involves fusing the edges of the metals together by applying heat, making it suitable for high-pressure applications. Mechanical joints are another method of connecting pipes without the need for heat, using fittings that can be tightened or otherwise connected to create a secure connection. This type offers adaptability and ease of assembly, making it widely used in various installations. Since all these methods are valid and commonly practiced in joining metal pipes, selecting all of the above accurately reflects the range of techniques available to pipefitters.*

## Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at [hello@examzify.com](mailto:hello@examzify.com).

Or visit your dedicated course page for more study tools and resources:

<https://nccerpipefittinglvl2.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE