NCCER TURNER RECERTIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nccerturnerrecert.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a replaceable steel tube mounted in a case or housing called?

A. Sleeve

B. Bushing

C. Subframe

D. Socket

2. What is the limit regarding the number of employees occupying a platform?

A. As many as can fit safely

B. A set number determined by the operator

C. The limit established for the platform

D. Only one at a time

3. Why is it important to know the load position from the tipping axis?

A. To calculate fuel efficiency

B. To ensure structural integrity

C. To maintain operational safety

D. To optimize load weight

4. When lifting from the main boom with the jib extension, what must be done with the effective jib weight?

A. Added to the gross capacity

B. Substituted for the load weight

C. Rested on the load block

D. Deducted from the gross capacity

5. In the context of crane operation, what does "rigging" refer to?

A. Preparing the load and equipment for lifting

B. Reviewing safety protocols

C. Managing the team for the lift

D. Performing maintenance on the crane

6. What is critical to prevent accidents during crane assembly?

A. Training every member on-site

B. Proper assembly procedures

C. Regular inspections of equipment

D. Using the latest technology

SAMPLE

7. What must be done to crane capacities for lower tire inflation pressure?

A. No changes are necessary

B. Capacities must be increased

C. Capacities must be maintained

D. Capacities must be reduced

8. According to ASME B30.23, to what percentage should the platform and rigging be proof tested?

A. 100%

B. 125%

C. 150%

D. 175%

9. A rough surface finish on ferrous material will have what effect on the lifting capacity of a magnet?

A. Increase

B. Decrease

C. No effect

D. Double

10. What is a common safety concern with cranes during operation?

A. Visibility issues

B. Overloading

C. Noise pollution

D. Weather conditions

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. D
5. A
6. B
7. D
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is a replaceable steel tube mounted in a case or housing called?

A. Sleeve

B. Bushing

C. Subframe

D. Socket

A replaceable steel tube mounted in a case or housing is known as a bushing. Bushings serve several important functions, such as providing a smooth surface for rotational or linear motion, reducing friction, and protecting the surrounding components from wear. They are commonly used in various applications, including machinery and automotive systems, where they facilitate movement and support mechanical structures. In contrast, while a sleeve may sometimes be confused with a bushing, it typically refers to a covering that fits over another part but may not have the same function or replaceability as a bushing. A subframe usually denotes a secondary structure that supports the main framework, but it does not specifically refer to a tube or housing. Meanwhile, a socket is more often related to a component that connects to or houses electrical devices, rather than serving as a replaceable tube like a bushing does. Overall, the bushing's specific role as a replaceable component highlights its importance in numerous mechanical systems.

2. What is the limit regarding the number of employees occupying a platform?

A. As many as can fit safely

B. A set number determined by the operator

C. The limit established for the platform

D. Only one at a time

The limit concerning the number of employees allowed on a platform is specifically determined by the platform's design and the regulations that govern its use, which is established for safety and operational efficiency. This limit reflects the maximum load capacity and is crucial to prevent overcrowding, which can lead to potential hazards such as structural failure or difficulty in movement. It ensures that the platform can safely support the weight and activity of the personnel working on it without compromising safety. In contrast, the other options might imply a more subjective or arbitrary approach to determining occupancy, which does not align with established safety guidelines and regulations that are intended to maintain a safe working environment.

3. Why is it important to know the load position from the tipping axis?

A. To calculate fuel efficiency

B. To ensure structural integrity

C. To maintain operational safety

D. To optimize load weight

Understanding the load position from the tipping axis is crucial for maintaining operational safety. The tipping axis refers to the pivot point around which a piece of equipment, such as a crane or forklift, could potentially tip over when carrying a load. If the load is positioned too far from this tipping axis, it increases the risk of the equipment becoming unstable, which can lead to accidents and injuries. By knowing the load position in relation to the tipping axis, operators can make informed decisions about how much load can safely be carried and how to position that load to ensure balance. It allows them to adhere to safety protocols and regulations designed to prevent tipping incidents. Additionally, maintaining proper load positioning contributes significantly to the overall safety of the workplace, protecting not only the operators but also other personnel and surrounding structures. Other choices, while relevant to equipment operation, do not directly address the primary concern tied to the load position from the tipping axis as significantly as operational safety does. Calculating fuel efficiency, ensuring structural integrity, and optimizing load weight all relate to various aspects of operation but are secondary to the immediate importance of preventing tipping and ensuring safe operation.

SAMPLE

4. When lifting from the main boom with the jib extension, what must be done with the effective jib weight?

A. Added to the gross capacity

B. Substituted for the load weight

C. Rested on the load block

D. Deducted from the gross capacity

When lifting from the main boom with a jib extension, the effective jib weight must be deducted from the gross capacity of the crane. This is because the jib extension adds additional weight that the crane must be able to support. In order to maintain safety and operational efficiency, it is essential to account for the weight of the jib effectively as it reduces the overall lifting capacity available for the load being lifted. The gross capacity represents the maximum weight the crane can lift without being compromised. By deducting the effective jib weight, you ensure that the crane operates within its safe limits and that the total weight being lifted—combining both the load and the jib—is within the crane's operational capacity. This concept aligns with safe lifting practices where the total weight that the crane handles includes both the load and any additional attachments or accessories, such as a jib. It reinforces the importance of proper calculations in crane operations to prevent overloading and potential accidents.

5. In the context of crane operation, what does "rigging" refer to?

A. Preparing the load and equipment for lifting

B. Reviewing safety protocols

C. Managing the team for the lift

D. Performing maintenance on the crane

Rigging in the context of crane operation specifically pertains to the process of preparing the load and equipment for lifting. This includes selecting the appropriate rigging gear, attaching it correctly to the load, and ensuring that everything is secure for the lift. Proper rigging is crucial for safety, as it directly affects the stability of the load being lifted and the safety of personnel and equipment on-site. The other options may relate to crane operation, but they do not capture the essence of what rigging entails. Reviewing safety protocols is essential on a job site and ensures compliance with safety standards, however, it does not involve the physical preparation of the load. Managing the team for the lift focuses on coordination and communication during the lift operation rather than the technical aspect of preparing the load itself. Performing maintenance on the crane is vital for the machinery's operational safety and efficiency, but it is entirely separate from the rigging process which focuses on load preparation.

SAMPLE

6. What is critical to prevent accidents during crane assembly?

A. Training every member on-site

B. Proper assembly procedures

C. Regular inspections of equipment

D. Using the latest technology

Proper assembly procedures are essential in preventing accidents during crane assembly because they provide a clear and systematic approach to the assembly process. These procedures are designed to ensure that each component of the crane is correctly installed, all safety measures are followed, and the assembly is done in a safe manner considering factors such as weight distribution, structural integrity, and environmental conditions. When assembly procedures are properly developed and strictly followed, they help minimize the risk of misunderstandings and mistakes that could lead to accidents. These procedures typically incorporate best practices, industry standards, and safety guidelines specific to the type of crane being assembled. This comprehensive approach is vital because even a small error in assembly can result in catastrophic failures when the crane is operational. While training every member on-site, conducting regular inspections of equipment, and using the latest technology are important aspects of ensuring overall safety and operational efficiency, they are supplementary to having solid assembly procedures in place. Without proper procedures, even the most trained personnel or the best technology cannot compensate for errors made during assembly. Thus, emphasizing proper assembly procedures is critical for crane safety.

7. What must be done to crane capacities for lower tire inflation pressure?

A. No changes are necessary

B. Capacities must be increased

C. Capacities must be maintained

D. Capacities must be reduced

When tire inflation pressure is lower than recommended levels, it affects the overall safety and stability of a crane. Cranes are designed with specific capacities that assume tires are inflated to the correct pressure. Low tire pressure can lead to decreased stability, making the crane more prone to tipping or losing load control. Reducing the crane's capacities in this situation is necessary to account for the increased risk. This means that the crane may not be able to safely handle its usual maximum load because the lower tire pressure compromises the tires' ability to support the weight effectively. Therefore, it is essential to adjust the crane's operational capacities downward when tire inflation pressure is insufficient to ensure safe operation. In essence, maintaining the same capacity in the face of reduced tire pressure could lead to hazardous situations, so the safe practice is to reduce capacities accordingly.

SAMPLE

8. According to ASME B30.23, to what percentage should the platform and rigging be proof tested?

A. 100%

B. 125%

C. 150%

D. 175%

The correct percentage for proof testing the platform and rigging according to ASME B30.23 is 125%. This specification ensures that the equipment is subjected to a load greater than its rated capacity, which serves as a crucial safety measure. The 125% proof test is designed to identify any potential weaknesses or defects in the material or construction before the equipment is put into service. By applying this higher load, operators can ensure that the rigging and platform will perform safely under normal operating conditions, thereby reducing the risk of failure during actual use. The choice of 100% represents testing to the maximum rated capacity without any margin for safety, which is insufficient for identifying hidden defects. Testing at 150% or 175% would overstrain the equipment beyond reasonable limits, potentially damaging it and not providing useful feedback within the scope of normal operational conditions. Therefore, the 125% figure strikes the essential balance between safety and practicality, solidifying it as the industry standard in this context.

9. A rough surface finish on ferrous material will have what effect on the lifting capacity of a magnet?

A. Increase

B. Decrease

C. No effect

D. Double

A rough surface finish on ferrous materials can decrease the lifting capacity of a magnet due to the increased air gaps and irregularities that the roughness creates between the magnet and the material it is attempting to lift. Magnets rely on a large area of contact to transfer their magnetic force effectively. When a surface is uneven or not smooth, the actual contact points between the magnet and the material are reduced, making it harder for the magnet to maintain a strong grip. The roughness can create tiny spaces that allow air to be trapped, which interferes with magnetic attraction. As the effective surface area of contact diminishes, the lifting force that the magnet can exert is compromised. This means that the ability of the magnet to lift or hold the ferrous material is diminished, leading to reduced lifting capacity. In contrast, smoother finishes enhance the contact area, allowing for better adherence and a stronger magnetic attraction. The rough surface thus directly correlates with a decrease in the magnet's effectiveness in lifting ferrous materials.

SAMPLE

10. What is a common safety concern with cranes during operation?

A. Visibility issues

B. Overloading

C. Noise pollution

D. Weather conditions

Overloading is a significant safety concern during crane operation because it can lead to catastrophic failures. When a crane exceeds its designed load capacity, it increases the risk of tipping over, structural damage, or even collapse. Each crane is engineered with specific load limits that take into account factors such as the crane's design, the materials being lifted, and the rigging methods used. Operators must adhere to these limits to ensure safe operation. Proper training and adherence to safety protocols, including load testing and using load charts, are crucial for preventing overloading. Additionally, attention to load distribution, the weight of the load, and the configuration of the crane should always be considered to mitigate risks associated with overloading. Overall, recognizing and managing the potential risks associated with overloading is essential to ensure the safety of not only the crane operator but also all personnel working in the vicinity.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nccerturnerrecert.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE