
NCCER/OSHA SCAFFOLD SG PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ncceroshascaffoldsg.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **When erecting a scaffold, the screw jack for the adjustable leg base should not extend more than how many inches?**

   A. 10 inches

   B. 12 inches

   C. 14 inches

   D. 16 inches

2. **What role does guardrails serve on scaffolds?**

   A. Increase the weight capacity

   B. Prevent falls

   C. Enhance aesthetic appeal

   D. Support additional loads

3. **What is the appropriate angle for installing diagonal braces in scaffolding systems?**

   A. Horizontal

   B. Vertical

   C. 45 degrees

   D. 90 degrees

4. **Which component is essential for stabilizing a scaffold during use?**

   A. Base plates

   B. Guardrails

   C. Braces

   D. Cross beams

5. **In terms of scaffolding, what are runners defined as?**

   A. Vertical tubes supporting the scaffold

   B. Horizontal tubes running in the same direction as the scaffold planks

   C. Supports placed diagonally

   D. Base supports for scaffolds

SAMPLE

6. What is a potential hazard when working on scaffolds?

A. Poor visibility
B. Falling loads
C. Exposure to harmful substances
D. All of the above

7. When should a system scaffold be plumbed and leveled?

A. After every hour of work
B. Each day before work begins
C. After each ring or wrap is completed
D. Before the platform is installed

8. In the context of scaffolds, what does the acronym OSHA stand for?

A. Occupational Safety and Health Administration
B. Operational Standards and Health Act
C. Office of Safety and Health Affairs
D. Ordinance for Safety and Health Administration

9. Which of the following should be inspected prior to scaffold assembly?

A. Missing tools
B. All necessary scaffold components
C. Safety harnesses
D. Weather conditions

10. What is the primary purpose of a safety harness when using scaffolding?

A. To enhance mobility
B. To provide protection from falls
C. To support tool belts
D. To keep scaffolds stable

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. B
6. D
7. C
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. When erecting a scaffold, the screw jack for the adjustable leg base should not extend more than how many inches?

A. 10 inches

B. 12 inches

C. 14 inches

D. 16 inches

The correct answer indicates that the screw jack for the adjustable leg base of a scaffold should not extend more than 12 inches. This limitation is crucial for maintaining the structural integrity and stability of the scaffold. When a screw jack extends too far, it increases the risk of tipping, buckling, or uneven loading, which can lead to accidents and injuries. Setting the maximum extension at 12 inches helps ensure that the base remains stable while providing sufficient adjustment for uneven ground or surface irregularities. It promotes safety by minimizing the chances of the scaffold becoming unbalanced or collapsing under load. This guideline is a standard practice in scaffold safety protocols as emphasized by OSHA and other regulatory bodies, focusing on the importance of maintaining safe working conditions.

2. What role does guardrails serve on scaffolds?

A. Increase the weight capacity

B. Prevent falls

C. Enhance aesthetic appeal

D. Support additional loads

Guardrails play a crucial role in scaffolding by providing a safety barrier that prevents falls from elevated work platforms. This is vital because falls are one of the leading causes of injuries and fatalities in the construction industry. By using guardrails, workers are less likely to accidentally step off the edge of a scaffold, helping to keep them safe while they perform their tasks. Guardrails are typically required to be installed at specific heights and are designed to withstand a certain amount of force, ensuring that they remain effective under various working conditions. This safety feature is an essential part of the overall scaffolding system, contributing significantly to the protection of workers at heights. In contrast, the other options do not accurately reflect the primary function of guardrails. While factors such as weight capacity, aesthetic appeal, and load support are important in scaffolding design, they do not pertain directly to the safety function that guardrails provide in preventing falls.

SAMPLE

3. What is the appropriate angle for installing diagonal braces in scaffolding systems?

A. Horizontal

B. Vertical

C. 45 degrees

D. 90 degrees

The appropriate angle for installing diagonal braces in scaffolding systems is 45 degrees because this angle provides optimal support and stability to the scaffold structure. When diagonal braces are installed at a 45-degree angle, they effectively transfer the load and stresses acting on the scaffold, enhancing its resistance to lateral movements and potential tipping. This configuration creates a sturdy triangular shape, which is known for its structural integrity, thereby reducing the risk of collapse and ensuring greater safety for workers operating on or around the scaffold. Other angles, such as horizontal or vertical installations, do not offer the same level of bracing effectiveness; they may not adequately resist forces acting on the scaffold, which can lead to instability. 90 degrees would not create a supporting configuration, as it does not complement the vertical and horizontal elements of the scaffold effectively. Therefore, the 45-degree angle is universally recognized as the standard for diagonal bracing in scaffolding systems.

4. Which component is essential for stabilizing a scaffold during use?

A. Base plates

B. Guardrails

C. Braces

D. Cross beams

The component that is essential for stabilizing a scaffold during use is braces. Braces provide critical support and rigidity to the scaffold structure, helping to prevent swaying or tipping while personnel are working on it. They are strategically placed to create a triangulated framework, which enhances the overall stability of the scaffold system. By doing so, braces help distribute weight evenly and reduce the risk of collapse or accidents, ensuring a safer working environment for those on the scaffold. Other components, while important to scaffold safety and functionality, serve different purposes. For example, base plates are crucial for distributing the load of the scaffold onto the ground, but they do not provide structural stability by themselves. Guardrails are important for preventing falls from the scaffold, offering edge protection to the workers. Cross beams provide structural support for the platform, but without the triangulated support provided by braces, the scaffold may still be prone to instability.

5. In terms of scaffolding, what are runners defined as?

A. Vertical tubes supporting the scaffold

B. Horizontal tubes running in the same direction as the scaffold planks

C. Supports placed diagonally

D. Base supports for scaffolds

Runners are defined as the horizontal tubes that run in the same direction as the scaffold planks. This component serves an essential purpose in the scaffold structure, as it helps provide a stable base and support for the planks that workers will walk or work on. By aligning runners parallel to the planks, they help to distribute the load evenly, leading to enhanced safety and structural integrity of the scaffold. Understanding the role of runners is crucial in scaffold construction and safety, as this configuration ensures that the working surface is secure and adequately supported. Each part of a scaffolding system plays a distinct role, and recognizing how horizontal tubes interact with the vertical supports and bracing elements is key to effective scaffold design.

SAMPLE

6. What is a potential hazard when working on scaffolds?

A. Poor visibility

B. Falling loads

C. Exposure to harmful substances

D. All of the above

When working on scaffolds, all of the listed options represent potential hazards. Poor visibility can compromise a worker's ability to see obstacles or other workers, increasing the risk of accidents. Falling loads pose a significant threat as materials or tools can drop from elevated heights, potentially injuring those below. Additionally, exposure to harmful substances can occur on job sites, depending on the materials being handled or the environment of the worksite. Since all these factors can lead to serious injuries, identifying each as a hazard showcases the comprehensive nature of safety considerations in scaffold work. Recognizing that multiple hazards can exist simultaneously emphasizes the importance of rigorous safety protocols and training in scaffold-related activities.

7. When should a system scaffold be plumbed and leveled?

A. After every hour of work

B. Each day before work begins

C. After each ring or wrap is completed

D. Before the platform is installed

Plumbing and leveling a system scaffold is essential to ensure safety and stability while working at height. This process should be performed after each ring or wrap is completed. As scaffolding is constructed, it is imperative to maintain correct vertical and horizontal alignment for the structure to support both the scaffold and any loads placed upon it. Upon completing each section of the scaffolding, checking for plumb and level helps identify any adjustments needed to keep the structure upright and stable. If a scaffold is not properly plumbed and leveled, it may lead to uneven load distribution, increasing the risk of collapse or falls. While checking scaffolding after every hour of work, before the platform is installed, or each day before work begins is certainly important for ongoing safety practices, the most critical moment to ensure proper plumbing and leveling is directly linked to the scaffolding's assembly, specifically after completing new rings or wraps, which impacts the entire structural integrity.

8. In the context of scaffolds, what does the acronym OSHA stand for?

A. Occupational Safety and Health Administration

B. Operational Standards and Health Act

C. Office of Safety and Health Affairs

D. Ordinance for Safety and Health Administration

The acronym OSHA stands for the Occupational Safety and Health Administration. This federal agency is responsible for ensuring safe and healthy working conditions by setting and enforcing standards and providing training, outreach, education, and assistance. In the context of scaffolding and construction, OSHA regulations are critical because they establish the minimum safety requirements that must be followed to protect workers from hazards associated with scaffold use. Understanding OSHA's role helps workers and employers prioritize safety and compliance in scaffolding practices, reducing the risk of accidents and injuries on job sites.

SAMPLE

9. Which of the following should be inspected prior to scaffold assembly?

A. Missing tools

B. All necessary scaffold components

C. Safety harnesses

D. Weather conditions

Prior to scaffold assembly, it is essential to inspect all necessary scaffold components. This ensures that every part needed for safe assembly and structural integrity of the scaffold is available, in good condition, and compatible with one another. Inspecting components helps to identify any issues that could lead to scaffold failure, such as damaged or defective items that may compromise stability and safety. Moreover, verifying that all components are present helps to prevent assembly delays and promotes efficient construction practices. While checking for missing tools, safety harnesses, and weather conditions are all important aspects of scaffold safety management, they do not directly relate to the integrity and readiness of the scaffold itself before assembly. Missing tools can affect the assembly process but do not impact the scaffold's structural soundness. Safety harnesses are vital for personal safety during work on the scaffold but are not components of the scaffold. Weather conditions need to be monitored because they can affect work safety, but they do not pertain to the inspection of the scaffold components themselves.

10. What is the primary purpose of a safety harness when using scaffolding?

A. To enhance mobility

B. To provide protection from falls

C. To support tool belts

D. To keep scaffolds stable

The primary purpose of a safety harness when using scaffolding is to provide protection from falls. Safety harnesses are crucial safety devices designed to secure a worker to a safe anchor point, preventing them from falling when working at heights. In the context of scaffolding, where the risk of falls is significant, using a safety harness greatly reduces the potential for serious injuries or fatalities associated with falls from elevated surfaces. While enhancing mobility, supporting tool belts, and keeping scaffolds stable may have some relevance to work practices on scaffolding, these factors are not the main function of a safety harness. The primary focus remains on fall protection, ensuring that individuals can work safely and effectively while reducing the risk of accidents related to height.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ncceroshascaffoldsg.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE