NCCT INFECTION CONTROL & SAFETY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ncctinfectioncontsafety.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. According to CDC guidelines, how long should hands be washed?

A. At least 10 seconds

B. At least 15 seconds

C. At least 20 seconds

D. At least 30 seconds

2. Which of the following helps prevent cross-contamination in healthcare settings?

A. Frequent email updates

B. Wearing the same gloves for multiple patients

C. Using single-use items when possible

D. Storing clean and dirty items together

3. Which method of sterilization uses steam under pressure?

A. Dry heat sterilization

B. Radiation sterilization

C. Autoclaving

D. Chemical sterilization

4. What type of isolation is used for patients with tuberculosis?

A. Contact isolation

B. Airborne isolation

C. Protective isolation

D. Droplet isolation

5. When should you perform hand hygiene if wearing gloves?

A. Before putting on gloves

B. After removing gloves

C. Only when switching between different patients

D. Hand hygiene is not necessary when wearing gloves

SAMPLE

6. What type of personal protective equipment must a phlebotomist use when entering a room with a patient on droplet precautions?

A. Face Shield

B. Gloves

C. Surgical Mask

D. Gown

7. What is the first step in the chain of infection that must be broken to control an outbreak?

A. Transmission

B. Portal of entry

C. Infectious agent

D. Susceptible host

8. What is the purpose of utilizing PPE (Personal Protective Equipment)?

A. To improve comfort for healthcare workers

B. To ensure a sterile environment

C. To protect against exposure to infection

D. To enhance performance speed

9. What is the primary function of a surgical mask?

A. To filter air particles

B. To protect from spills

C. To protect the patient and provider from respiratory droplets

D. To provide warmth during procedures

10. Why is air exchange important in infection control?

A. It keeps the environment humid

B. It helps dilute and remove airborne pathogens

C. It prevents the room from becoming too hot

D. It reduces odors in the facility

SAMPLE

Answers

SAMPLE

1. C
2. C
3. C
4. B
5. B
6. C
7. C
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. According to CDC guidelines, how long should hands be washed?

A. At least 10 seconds

B. At least 15 seconds

C. At least 20 seconds

D. At least 30 seconds

The Centers for Disease Control and Prevention (CDC) recommends washing hands for at least 20 seconds to effectively reduce the number of germs and lower the risk of infection. This duration allows enough time to thoroughly cover all surfaces of the hands, including the front and back, between the fingers, and under the nails. Proper handwashing technique is essential, as the effectiveness does not solely depend on soap and water but also on the time spent washing. Twenty seconds is considered optimal to ensure a thorough clean, as studies show that washing for less time may not adequately remove pathogens.

2. Which of the following helps prevent cross-contamination in healthcare settings?

A. Frequent email updates

B. Wearing the same gloves for multiple patients

C. Using single-use items when possible

D. Storing clean and dirty items together

Using single-use items when possible significantly helps prevent cross-contamination in healthcare settings. Single-use items are designed to be used on one patient and then disposed of, reducing the risk of transmitting pathogens from one individual to another. This practice is particularly crucial in environments where infection control is a priority, such as hospitals and clinics, because it minimizes the chance of sharing bacteria, viruses, or other infectious agents. By implementing the use of single-use supplies, healthcare professionals can ensure that each patient receives sterile tools, thereby upholding stringent hygiene standards and protecting patient safety. This is a fundamental principle in infection control that directly contributes to patient well-being.

3. Which method of sterilization uses steam under pressure?

A. Dry heat sterilization

B. Radiation sterilization

C. Autoclaving

D. Chemical sterilization

The method of sterilization that uses steam under pressure is autoclaving. Autoclaving is a highly effective sterilization technique widely used in medical and laboratory settings. It works by generating steam and then increasing the pressure inside the autoclave chamber. This combination of high temperature and pressure effectively kills bacteria, viruses, fungi, and spores, ensuring that the items being sterilized are completely free from all forms of microbial life. The process typically involves heating water to produce steam, which is then trapped and pressured in the autoclave. The standard temperature for autoclaving is usually set at 121 degrees Celsius (250 degrees Fahrenheit), maintained for a specific duration to ensure sterilization. This method is favored for its reliability and effectiveness, particularly for heat-resistant instruments and materials. Other methods mentioned, such as dry heat sterilization, use hot air instead of steam, making it less effective against certain microorganisms. Radiation sterilization relies on ionizing radiation to kill pathogens and is typically used for single-use medical devices. Chemical sterilization involves the use of chemical agents to achieve sterilization and is not reliant on steam or pressure. Therefore, the autoclave stands out as the method specifically designed for steam sterilization under pressure.

EXAMPLE

4. What type of isolation is used for patients with tuberculosis?

A. Contact isolation

B. Airborne isolation

C. Protective isolation

D. Droplet isolation

Patients with tuberculosis (TB) require airborne isolation because the bacteria that cause TB, Mycobacterium tuberculosis, are primarily transmitted through airborne droplets. When an infected person coughs, sneezes, or even talks, small particles containing the bacteria can become suspended in the air and inhaled by others. Airborne isolation is designed to prevent the spread of these pathogens by ensuring that the patient's room has negative pressure relative to the outside area and that healthcare workers and visitors wear appropriate respiratory protection, such as N95 respirators. This specialized approach significantly reduces the risk of transmission in healthcare settings and is essential for controlling the spread of TB. Other types of isolation focus on different modes of transmission. For instance, contact isolation prevents the spread of pathogens through direct or indirect contact, while droplet isolation is used for infections spread via larger respiratory droplets. Protective isolation is intended for patients who are immunocompromised to protect them from infections, but it is not appropriate for diseases like TB.

5. When should you perform hand hygiene if wearing gloves?

A. Before putting on gloves

B. After removing gloves

C. Only when switching between different patients

D. Hand hygiene is not necessary when wearing gloves

Performing hand hygiene after removing gloves is essential because gloves are designed to reduce the transmission of pathogens but do not provide complete protection. During glove use, especially when multiple tasks are being performed or if hands come into contact with surfaces or materials, it is possible for the skin to become contaminated. Thus, even when gloves are used, hand hygiene ensures that any pathogens that may have come into contact with the hands during and after glove use are eliminated. This step is vital for maintaining safety and preventing infection transmission, especially in healthcare settings where patients may have compromised immune systems. In this context, using hand hygiene correctly after glove removal is a critical practice in infection control.

SAMPLE

6. What type of personal protective equipment must a phlebotomist use when entering a room with a patient on droplet precautions?

A. Face Shield

B. Gloves

C. Surgical Mask

D. Gown

When a phlebotomist enters a room where a patient is on droplet precautions, wearing a surgical mask is essential. Droplet precautions are implemented to prevent the transmission of pathogens that are spread through respiratory droplets. These droplets can be generated when a patient coughs, sneezes, talks, or engages in activities that can release respiratory secretions into the air. A surgical mask acts as a barrier to prevent inhaling these droplets, thereby reducing the risk of transmission to healthcare workers. It effectively filters large respiratory particles that may be expelled by the patient. In this context, the surgical mask serves a critical role in maintaining the safety of both the healthcare worker and other patients within the healthcare setting. While protective gowns, gloves, and face shields may be necessary in certain scenarios or for additional precautions, particularly when there is a risk of contact with blood or bodily fluids, they are not the primary requirement for droplet precautions as defined by infection control guidelines. Therefore, the surgical mask is the correct answer for a scenario specifically involving droplet precautions.

7. What is the first step in the chain of infection that must be broken to control an outbreak?

A. Transmission

B. Portal of entry

C. Infectious agent

D. Susceptible host

The first step in the chain of infection is the infectious agent. This component includes any pathogen, such as bacteria, viruses, fungi, or parasites, that can cause disease. Understanding that the infectious agent initiates the chain of infection highlights its critical role in outbreaks. Control measures aimed at eliminating or reducing the presence of infectious agents can effectively disrupt the entire chain. By targeting the infectious agent, healthcare providers can prevent the spread of disease before it becomes widespread. Methods to break this chain include sterilization, disinfection, proper sanitation, and vaccination, all of which aim to reduce or eliminate infectious agents and, consequently, control outbreaks. Looking at other components of the chain: transmission refers to how the infection spreads, the portal of entry pertains to how the agent enters a new host, and the susceptible host describes those at risk of infection. While each is crucial in the infection cycle, breaking the chain at the level of the infectious agent is the most effective starting point to prevent the infection from beginning in the first place.

SAMPLE

8. What is the purpose of utilizing PPE (Personal Protective Equipment)?

A. To improve comfort for healthcare workers

B. To ensure a sterile environment

C. To protect against exposure to infection

D. To enhance performance speed

The primary purpose of utilizing Personal Protective Equipment (PPE) is to protect against exposure to infection. PPE serves as a critical barrier between healthcare workers and infectious agents, including bacteria, viruses, and other pathogens that may be present in the healthcare environment. By wearing appropriate PPE such as gloves, masks, gowns, and face shields, healthcare workers can significantly reduce the risk of transmission of infections, not only to themselves but also to patients and others in the healthcare setting. While improving comfort, ensuring a sterile environment, and enhancing performance speed might have some relevance in specific contexts, they do not encapsulate the fundamental reason for implementing PPE protocols. The primary focus of PPE is infection control, making its proper use essential in maintaining safety and preventing the spread of infectious diseases in healthcare settings.

9. What is the primary function of a surgical mask?

A. To filter air particles

B. To protect from spills

C. To protect the patient and provider from respiratory droplets

D. To provide warmth during procedures

The primary function of a surgical mask is to protect both the patient and the healthcare provider from respiratory droplets. Surgical masks are designed to create a physical barrier that prevents the transmission of infectious agents, which can be expelled in droplets when a person talks, coughs, or sneezes. This is particularly important in a surgical or clinical setting where maintaining a sterile environment is crucial for patient safety and preventing complications. While filtering air particles may occur to some extent, the primary purpose is not about filtering all airborne particles but rather about controlling the spread of larger respiratory droplets. Protecting against spills is not a primary function of surgical masks; instead, other personal protective equipment (PPE) such as gowns and face shields are more suited for that purpose. Additionally, using a mask for warmth is not its intended function, as surgical masks are primarily focused on infection control and not thermal insulation. Thus, option C accurately captures the crucial role surgical masks play in infection control practices.

SAMPLE

10. Why is air exchange important in infection control?

A. It keeps the environment humid

B. It helps dilute and remove airborne pathogens

C. It prevents the room from becoming too hot

D. It reduces odors in the facility

Air exchange plays a crucial role in infection control primarily because it helps dilute and remove airborne pathogens. When air is circulated and replaced in a given environment, it reduces the concentration of potentially harmful microorganisms that may be present in the air. This process lowers the risk of transmitting respiratory infections, as stagnant air can lead to a buildup of pathogens. Effective air exchange systems contribute to overall air quality, which is essential in healthcare settings where patients may have compromised immune systems. The other choices do touch on aspects of air quality and comfort but do not directly address the primary purpose of air exchange in infection control. Maintaining humidity can be important for other health considerations, such as keeping the mucous membranes moist, but it does not specifically prevent the spread of infections. Similarly, while regulating temperature is vital for comfort and patient care, it doesn't directly impact pathogen transmission. Reducing odors can enhance the environment's overall experience but is not related to the efficacy of controlling infections. Thus, the importance of air exchange lies in its ability to create a safer environment by minimizing the risk of airborne infections.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ncctinfectioncontsafety.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE