NCLEX ANTEPARTUM AND INTRAPARTUM PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nclexantepartumintrapartum.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. While planning care for a client experiencing dystocia, which intervention should be prioritized?

A. Administering narcotics for pain relief

B. Monitoring fetal status

C. Encouraging fluid intake

D. Evaluating maternal vitals

2. What should be the focus of nutritional counseling for a pregnant teenager?

A. Weight loss to avoid complications

B. Caloric restriction to manage obesity

C. Healthy weight gain and nutrient intake

D. Elimination of all sugars from the diet

3. How can a pregnant client indicate that she has understood she is in the second stage of labor?

A. "I feel strong contractions."

B. "I can push the baby."

C. "My cervix is completely dilated."

D. "I have an urge to bear down."

4. What is one primary role of estrogen during pregnancy?

A. It stimulates uterine development for the fetus.

B. It increases maternal metabolic rate.

C. It reduces uterine contractions.

D. It enhances maternal immune response.

5. At 10 weeks pregnant, which presumptive sign of pregnancy is a client most likely to experience?

A. Weight gain

B. Breast changes

C. Nausea and vomiting

D. Positive pregnancy test

SAMPLE

6. A pregnant client with lactose intolerance is advised to consume which food item to ensure adequate calcium intake?

A. Spinach

B. Dried fruits

C. Bananas

D. Almonds

7. In caring for a client in early labor, what is the most critical data for the nurse to collect first?

A. Maternal blood pressure

B. Contraction frequency and duration

C. Baseline fetal heart rate

D. Maternal temperature

8. During assessment, what finding in an HIV-positive pregnant client requires further follow-up?

A. Decreased appetite

B. Increased shortness of breath and bilateral rales

C. Fatigue and slight weight loss

D. Skin rashes and lesions

9. What is the highest priority problem for a pregnant client with sickle cell anemia?

A. Anemia

B. Dehydration

C. Preeclampsia

D. Hypoxia

10. What is the priority intervention for a nurse when assessing moderate fetal distress in a woman at 32 weeks' gestation?

A. Administer oxygen with a face mask at 7 to 10 L/min.

B. Initiate an IV line for fluids.

C. Call the obstetrician immediately.

D. Perform a fetal heart rate monitor assessment.

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. A
5. B
6. B
7. C
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. While planning care for a client experiencing dystocia, which intervention should be prioritized?

A. Administering narcotics for pain relief

B. Monitoring fetal status

C. Encouraging fluid intake

D. Evaluating maternal vitals

Prioritizing the monitoring of fetal status in a client experiencing dystocia is crucial because dystocia refers to a prolonged or difficult labor, and it can have significant implications for both the mother and the fetus. During this time, the well-being of the fetus is paramount, as complications such as fetal distress may arise due to inadequate uterine contractions or prolonged labor. Continuous monitoring of fetal heart rate and other indicators of fetal well-being can provide essential information regarding the need for potential interventions, such as operative delivery, and ensure timely actions to reduce the risk of adverse outcomes. Monitoring maternal vitals and other supportive measures, like administering pain relief or encouraging fluid intake, are also important parts of care; however, they primarily center around the mother's well-being rather than the immediate safety of the fetus. In situations of labor complications, the status of the fetus becomes a critical focus, ensuring that necessary steps are taken to promote a safe delivery and optimize both maternal and fetal outcomes.

2. What should be the focus of nutritional counseling for a pregnant teenager?

A. Weight loss to avoid complications

B. Caloric restriction to manage obesity

C. Healthy weight gain and nutrient intake

D. Elimination of all sugars from the diet

The focus of nutritional counseling for a pregnant teenager should center on healthy weight gain and adequate nutrient intake. During pregnancy, it is essential for teenagers, who are still in developmental stages themselves, to receive proper nutrition that not only supports their own growth but also ensures the healthy development of the fetus. Encouraging healthy weight gain is vital, as both underweight and overweight conditions can lead to complications. A pregnant adolescent is likely to need additional caloric intake to support the increased metabolic demands due to both their own growth and the growth of the baby. Nutrient-rich foods that provide vitamins and minerals—such as leafy greens, whole grains, lean proteins, and dairy—should be emphasized to promote the health of both the mother and child. Focusing on weight loss or caloric restriction can be detrimental during this time as it may lead to inadequate nutrient intake, which could harm fetal growth and development. Additionally, eliminating all sugars is not practical and could lead to unnecessary dietary restrictions; instead, moderation and balance while emphasizing healthy sources of energy and nutrition are far more beneficial.

SAMPLE

3. How can a pregnant client indicate that she has understood she is in the second stage of labor?

A. "I feel strong contractions."

B. "I can push the baby."

C. "My cervix is completely dilated."

D. "I have an urge to bear down."

In the context of labor, the second stage is defined as the period during which the baby is moving down the birth canal and is being pushed out. A crucial indicator that a pregnant client is in this stage is the complete dilation of the cervix, which is confirmed at 10 centimeters. When a client states that her cervix is completely dilated, it shows her awareness that she has progressed from the first stage of labor—characterized by cervical effacement and dilation—into the second stage, where active pushing typically begins. This understanding is fundamental in labor management, as it means that the client has reached a point at which she can actively participate in the birthing process. While other statements such as feeling strong contractions, the ability to push, or an urge to bear down can hint at being in the second stage, they do not explicitly confirm complete dilation, which is the definitive hallmark of transitioning into this critical phase of labor. Recognizing cervical dilation is essential for healthcare providers to monitor progress correctly and offer the appropriate support and interventions during delivery.

4. What is one primary role of estrogen during pregnancy?

A. It stimulates uterine development for the fetus.

B. It increases maternal metabolic rate.

C. It reduces uterine contractions.

D. It enhances maternal immune response.

The primary role of estrogen during pregnancy is to stimulate uterine development for the fetus. Estrogen is crucial in promoting the growth and development of the uterine lining, which is essential for providing a nourishing environment for the growing fetus. It enhances blood flow to the uterus and promotes the enlargement of uterine cells, which ultimately supports the expanding needs of the fetus as it develops throughout pregnancy. This increase in uterine size and blood supply is vital for healthy fetal growth, as it facilitates the exchange of nutrients and waste products between the mother and fetus. While the other choices present functions related to estrogen or pregnancy, they are not its primary roles. For instance, although estrogen influences metabolic processes and immune responses in a broader context, its most significant contribution during pregnancy centers on uterine adaptation and support of fetal development.

SAMPLE

5. At 10 weeks pregnant, which presumptive sign of pregnancy is a client most likely to experience?

A. Weight gain

B. Breast changes

C. Nausea and vomiting

D. Positive pregnancy test

At 10 weeks pregnant, breast changes are commonly experienced by individuals due to hormonal fluctuations, particularly the increase in estrogen and progesterone. These changes may manifest as breast tenderness, enlargement, and sensitivity. Such physical alterations occur early in pregnancy as the body prepares for potential breastfeeding and supports the developing fetus. In the context of other options, weight gain typically does not begin until later in the first trimester or into the second trimester and is not considered a presumptive sign of pregnancy at this early stage. Nausea and vomiting, often referred to as morning sickness, can occur around this time, but it is more variable among individuals. A positive pregnancy test is a probable sign of pregnancy but is not categorized as a presumptive sign. Thus, breast changes are the most characteristic presumptive sign experienced around 10 weeks of gestation.

6. A pregnant client with lactose intolerance is advised to consume which food item to ensure adequate calcium intake?

A. Spinach

B. Dried fruits

C. Bananas

D. Almonds

When considering options for a pregnant client with lactose intolerance to ensure adequate calcium intake, dried fruits might not be the best choice for calcium-rich foods. Dried fruits, while nutritious, are not particularly high in calcium compared to other food sources. Instead, spinach is known to be a green leafy vegetable that contains calcium, although it also has oxalates, which can inhibit calcium absorption. Almonds are another excellent option because they are not only rich in healthy fats but also provide a good source of calcium. Bananas, although nutritious for other reasons, do not contribute significantly to calcium intake. In summary, while dried fruits may be a part of a balanced diet, they do not effectively meet the calcium needs that a pregnant client with lactose intolerance has. Other options like spinach or almonds would be more beneficial for ensuring adequate calcium levels.

SAMPLE

7. In caring for a client in early labor, what is the most critical data for the nurse to collect first?

A. Maternal blood pressure

B. Contraction frequency and duration

C. Baseline fetal heart rate

D. Maternal temperature

In the context of early labor, the most critical data for the nurse to collect first is the baseline fetal heart rate. This information is vital because it provides immediate insights into the baby's well-being and can indicate if there are any signs of fetal distress. Monitoring the fetal heart rate establishes a baseline that can help assess the fetus's oxygenation status during labor. While factors such as maternal blood pressure, contraction frequency and duration, and maternal temperature are important components of overall maternal and fetal assessment, they do not provide the same level of immediate insight into the fetus's status. For instance, maternal blood pressure is crucial for monitoring the mother's overall health, particularly the risk of conditions like hypertension or preeclampsia, but it does not directly indicate fetal well-being. Contraction frequency and duration are important for evaluating the progress of labor but are secondary to ensuring the fetus is tolerating labor well. Similarly, maternal temperature can suggest infection or other issues, but the priority in early labor lies in ensuring that the fetal heart rate remains within a normal range, signaling that the baby is responding adequately to the labor process. By collecting the baseline fetal heart rate first, the nurse can ensure timely interventions are implemented if there are any concerning findings.

8. During assessment, what finding in an HIV-positive pregnant client requires further follow-up?

A. Decreased appetite

B. Increased shortness of breath and bilateral rales

C. Fatigue and slight weight loss

D. Skin rashes and lesions

In this scenario, increased shortness of breath and bilateral rales in an HIV-positive pregnant client are significant findings that warrant further follow-up. These symptoms may indicate potential respiratory complications, such as pneumonia or other opportunistic infections commonly associated with HIV. The presence of bilateral rales, which are abnormal lung sounds indicating fluid or congestion in the lungs, may suggest pulmonary issues that could dramatically affect the health of both the mother and the fetus. In contrast, decreased appetite, fatigue, slight weight loss, and skin rashes or lesions can be associated with HIV or its treatment, and while they may require monitoring, they do not typically necessitate immediate or urgent follow-up in the same way that respiratory symptoms do. The presence of shortness of breath and rales is particularly concerning and suggests that the healthcare provider should take a closer look to rule out serious complications.

SAMPLE

9. What is the highest priority problem for a pregnant client with sickle cell anemia?

A. Anemia

B. Dehydration

C. Preeclampsia

D. Hypoxia

In the context of a pregnant client with sickle cell anemia, dehydration is considered the highest priority problem because it can significantly impact the overall health of both the mother and the fetus. Sickle cell anemia is characterized by the presence of abnormally shaped red blood cells that can obstruct blood flow, leading to vaso-occlusive crises. Dehydration can exacerbate the sickling of red blood cells, increasing the risk of these painful crises and potentially leading to complications such as splenic sequestration or acute chest syndrome. When a pregnant woman becomes dehydrated, her blood volume decreases, which can further impair circulation and oxygen delivery to vital organs, including the uterus and placenta. This can lead to fetal distress and growth issues. Therefore, maintaining adequate hydration is crucial to preventing complications and ensuring both maternal and fetal well-being. While anemia, preeclampsia, and hypoxia are all important concerns in the context of sickle cell anemia during pregnancy, dehydration is particularly critical as it directly influences the likelihood of vaso-occlusive events and the overall stability of the patient's condition.

10. What is the priority intervention for a nurse when assessing moderate fetal distress in a woman at 32 weeks' gestation?

A. Administer oxygen with a face mask at 7 to 10 L/min.

B. Initiate an IV line for fluids.

C. Call the obstetrician immediately.

D. Perform a fetal heart rate monitor assessment.

Administering oxygen with a face mask at 7 to 10 L/min is the priority intervention in response to moderate fetal distress. This action helps increase the amount of oxygen available to the fetus, which is crucial when there are signs of fetal distress such as variable decelerations or other concerning fetal heart rate patterns. By enhancing the maternal oxygen supply, this intervention aims to improve fetal oxygenation and reduce potential complications related to hypoxia. In the context of moderate fetal distress, it is critical to respond quickly to protect the well-being of the fetus. While initiating an IV line for fluids may be important for overall maternal hydration and circulation, immediate oxygen supplementation directly addresses the urgent need to improve fetal oxygen levels. Although calling the obstetrician is important for further evaluation and management, the fetal distress must be managed first to stabilize the situation. Performing a fetal heart rate monitor assessment is also relevant, yet the priority is to provide oxygen to correct any hypoxic conditions before further assessments or interventions.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nclexantepartumintrapartum.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE