
NCLEX ARCHER MATERNITY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nclexarchermaternity.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **In what week of pregnancy is a transvaginal ultrasound typically performed to assess for potential complications?**
   - A. 6-8 weeks
   - B. 10-12 weeks
   - C. 14-16 weeks
   - D. 20-22 weeks

2. **What are some common signs of postpartum depression?**
   - A. Joyful feelings and increased energy
   - B. Persistent sadness and difficulty bonding with the baby
   - C. Excessive focus on the baby's needs only
   - D. High levels of postpartum weight loss

3. **What action by a new mother may indicate the need for further assessment for postpartum depression?**
   - A. Frequent laughing and socializing
   - B. She constantly complains of tiredness and fatigue
   - C. She enjoys taking care of her baby
   - D. Her appetite has significantly increased

4. **What term describes the process of the cervix softening and thinning in preparation for labor?**
   - A. Dilation
   - B. Effacement
   - C. Engagement
   - D. Descent

5. **What is a common emotional change experienced during pregnancy?**
   - A. Increased focus on work
   - B. Heightened anxiety and mood swings
   - C. Reduced desire for social interaction
   - D. Complete emotional stability

SAMPLE

6. What is the significance of the GTPAL system in obstetrics?

A. It assesses fetal heart rate.

B. It evaluates maternal mental health.

C. It assesses a woman's obstetric history.

D. It monitors pregnancy weight gain.

7. What is chorioamnionitis?

A. Inflammation of the placenta

B. Infection of the amniotic fluid and membranes

C. A condition of low amniotic fluid

D. An abnormal fetal heart rate

8. What is the primary source of nutrition for the fetus during pregnancy?

A. Amniotic fluid

B. Maternal blood supply

C. Placenta

D. Umbilical cord

9. Which nursing action should be implemented first for a second-day postpartum client with scant lochia, foul odor, and fever?

A. Administer prescribed antibiotics

B. Obtain culture and sensitivity of lochia and urine

C. Schedule a follow-up appointment with the physician

D. Advise the client to rest and hydrate

10. Regarding postpartum care, when should a mother report symptoms of severe fatigue?

A. Only if it persists for over a week

B. If it interferes with her ability to care for her baby

C. Only if she experiences insomnia

D. When family members express concern

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. B
5. B
6. C
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. In what week of pregnancy is a transvaginal ultrasound typically performed to assess for potential complications?

A. 6-8 weeks

B. 10-12 weeks

C. 14-16 weeks

D. 20-22 weeks

A transvaginal ultrasound is typically performed early in pregnancy, specifically between 6 to 8 weeks, to assess for potential complications. During this critical early stage, healthcare providers are particularly focused on confirming the gestational age, the presence and location of the embryo, and ruling out conditions such as ectopic pregnancies or miscarriages. The early ultrasound allows for the assessment of fetal cardiac activity, which is an important indicator of a viable pregnancy. This timeframe offers improved visualization of the structures within the uterus compared to abdominal ultrasound, making it easier to identify problems at a stage where interventions may be more effective if complications are detected. Performing the transvaginal ultrasound after this period, such as during the 10 to 12-week window or later, generally focuses more on developmental milestones, anatomy, and screening for genetic abnormalities, rather than the immediate issues that can arise in the very early weeks of gestation. Thus, the 6 to 8 weeks timeframe is critical for addressing early and potentially life-threatening complications.

2. What are some common signs of postpartum depression?

A. Joyful feelings and increased energy

B. Persistent sadness and difficulty bonding with the baby

C. Excessive focus on the baby's needs only

D. High levels of postpartum weight loss

Persistent sadness and difficulty bonding with the baby are indeed common signs of postpartum depression. This condition often presents after childbirth and can significantly affect a new mother's mood, functioning, and overall well-being. Women experiencing postpartum depression may find themselves feeling overwhelmed, detached from their baby, or unable to enjoy activities they once found pleasurable. These emotional struggles can impair their ability to form a secure attachment with their newborn, which is crucial for both the mother and child's emotional health. In contrast, joyful feelings and increased energy would typically be associated with a positive adaptation to motherhood, not depression. Focusing excessively on the baby's needs may reflect common maternal instincts, but when it overshadows the mother's own mental health, it can signify other issues rather than purely a sign of postpartum depression. Lastly, while weight changes can occur, excessive postpartum weight loss alone is not a defining characteristic of postpartum depression, making it less relevant in identifying this mood disorder.

SAMPLE

3. What action by a new mother may indicate the need for further assessment for postpartum depression?

A. Frequent laughing and socializing

B. She constantly complains of tiredness and fatigue

C. She enjoys taking care of her baby

D. Her appetite has significantly increased

Constant complaints of tiredness and fatigue can be a significant indicator of postpartum depression. While it is common for new mothers to experience some level of fatigue due to the demands of caring for a newborn, persistent and overwhelming tiredness that hampers daily functioning may suggest underlying emotional difficulties. Unlike typical exhaustion, which may improve with rest, fatigue associated with postpartum depression can be accompanied by feelings of sadness, anxiety, or an inability to cope with new responsibilities. Recognizing this symptom is crucial for timely intervention and support. In contrast, frequent laughing and socializing, enjoying taking care of the baby, and an increase in appetite are typically associated with positive adjustment to motherhood and do not suggest the presence of postpartum depression. Therefore, the mother's consistent complaints of fatigue warrant further assessment to ensure she receives appropriate care and support.

4. What term describes the process of the cervix softening and thinning in preparation for labor?

A. Dilation

B. Effacement

C. Engagement

D. Descent

The process of the cervix softening and thinning in preparation for labor is known as effacement. This term specifically refers to the gradual shortening and thinning of the cervix as it prepares for childbirth. As labor approaches, the cervix must become softer and thinner to allow the baby to move into the birth canal, which is a critical part of the labor process. Dilation, while also an important part of labor, refers to the opening of the cervix in centimeters, allowing for the passage of the baby. Engagement describes the movement of the baby into the pelvic cavity, while descent involves the baby moving down through the birth canal. Understanding these terms helps to distinguish between the different stages and changes that occur in the body as it prepares for labor.

SAMPLE

5. What is a common emotional change experienced during pregnancy?

A. Increased focus on work

B. Heightened anxiety and mood swings

C. Reduced desire for social interaction

D. Complete emotional stability

During pregnancy, hormonal changes, physical changes, and the psychological adjustments women go through can lead to heightened anxiety and mood swings. These emotional changes are common and can be attributed to fluctuating hormone levels, which affect neurotransmitters in the brain, leading to variations in emotions and overall mental state. The excitement and anticipation of becoming a parent, along with concerns about parenting and health, can also contribute to feelings of anxiety. Furthermore, the physical changes that accompany pregnancy can impact a woman's self-image and comfort levels, adding to emotional variability. While some women might become more focused on certain aspects of their lives or choose to engage less socially, these responses can vary widely among individuals. Complete emotional stability is generally not typical during pregnancy due to the myriad of changes a woman experiences. Thus, mood swings and increased anxiety reflect the complexity of the emotional landscape during this transformative period.

6. What is the significance of the GTPAL system in obstetrics?

A. It assesses fetal heart rate.

B. It evaluates maternal mental health.

C. It assesses a woman's obstetric history.

D. It monitors pregnancy weight gain.

The GTPAL system is a method used to succinctly summarize a woman's obstetric history. Each letter in GTPAL stands for a specific aspect of a woman's reproductive history: - G refers to the number of pregnancies (Gravida), - T refers to the number of term births (Term), - P refers to the number of preterm births (Preterm), - A refers to the number of pregnancies that ended in miscarriage or abortion (Abortions), - L refers to the number of living children (Living children). This system provides healthcare providers with quick and essential information about a woman's past reproductive experiences, which is crucial for managing future pregnancies and assessing possible risks. Understanding this history helps in planning the appropriate medical care for both the mother and the fetus in current or future pregnancies. The other options do not capture the primary purpose of the GTPAL system, which is focused solely on obstetric history rather than fetal heart rate, maternal mental health, or weight gain during pregnancy.

7. What is chorioamnionitis?

A. Inflammation of the placenta

B. Infection of the amniotic fluid and membranes

C. A condition of low amniotic fluid

D. An abnormal fetal heart rate

Chorioamnionitis is defined as an infection that affects the amniotic fluid and the membranes surrounding the fetus during pregnancy. This condition occurs when bacteria ascend from the cervix into the uterine environment, leading to an inflammatory response. It is characterized by a combination of maternal fever, tachycardia, uterine tenderness, and fetal tachycardia, all of which can pose risks to both the mother and the fetus, such as preterm birth and sepsis. The emphasis on infection distinguishes chorioamnionitis as a critical condition that requires timely diagnosis and management to prevent complications. In contrast, inflammation of the placenta, low amniotic fluid, or abnormal fetal heart rate do not accurately describe this specific condition, each representing different issues that may arise during pregnancy but do not encompass the infectious and inflammatory nature of chorioamnionitis.

SAMPLE

8. What is the primary source of nutrition for the fetus during pregnancy?

A. Amniotic fluid

B. Maternal blood supply

C. Placenta

D. Umbilical cord

The primary source of nutrition for the fetus during pregnancy is the placenta. The placenta serves as a critical organ that develops during pregnancy, connecting the mother to the fetus. It allows for the exchange of nutrients and oxygen from the mother to the fetus while also removing waste products from the fetal bloodstream. The placenta's vascular structure facilitates this process, ensuring that the fetus receives the necessary nutrients for growth and development directly from maternal blood supply. While the umbilical cord plays a significant role in transporting nutrients from the placenta to the fetus, it does not produce or store these nutrients itself. Similarly, amniotic fluid serves important functions, such as cushioning the fetus and allowing for movement, but it does not provide nutritional support. Therefore, while maternal blood supply is essential, it is through the placenta that the fetus ultimately receives nutrition, making it the correct answer.

9. Which nursing action should be implemented first for a second-day postpartum client with scant lochia, foul odor, and fever?

A. Administer prescribed antibiotics

B. Obtain culture and sensitivity of lochia and urine

C. Schedule a follow-up appointment with the physician

D. Advise the client to rest and hydrate

The first action to implement in this scenario is to obtain a culture and sensitivity of the lochia and urine. This step is crucial as it allows for the identification of any potential infection that the postpartum client may be experiencing. Given the symptoms of scant lochia, foul odor, and fever, the presence of an infection, such as endometritis, is a significant concern. By obtaining cultures, the healthcare team can determine the causative organism and its sensitivity to antibiotics, which is vital for effective treatment. Furthermore, while administering antibiotics is essential if an infection is confirmed, it should follow the initial collection of cultures; administering antibiotics beforehand can hinder the culture results and complicate the diagnosis. Scheduling a follow-up appointment may be necessary, but it would not address the immediate need for diagnosis and treatment. Advising resting and hydrating can be beneficial for general postpartum recovery, but it does not address the potential infection that requires prompt identification and intervention. Therefore, obtaining the cultures allows for timely and appropriate management of the client's condition.

SAMPLE

10. Regarding postpartum care, when should a mother report symptoms of severe fatigue?

A. Only if it persists for over a week

B. If it interferes with her ability to care for her baby

C. Only if she experiences insomnia

D. When family members express concern

The correct response emphasizes the importance of a mother's ability to care for her newborn as a primary concern in postpartum care. Severe fatigue can significantly impact a mother's physical and mental well-being, potentially leading to challenges in bonding and providing adequate care for her infant. If fatigue is so intense that it interferes with her daily activities—including taking care of her baby—it is crucial for her to report this to her healthcare provider. Recognizing and addressing severe fatigue early is important in postpartum care, as it could be indicative of underlying issues such as postpartum depression, anemia, or other health complications that may require medical attention. By focusing on the interference with her abilities, the correct answer highlights a proactive approach to maternal health and infant care. In contrast, other options either set unnecessary conditions for reporting symptoms or focus on aspects that may not prioritize the mother's well-being or the infant's needs. For instance, reporting fatigue only if it persists for over a week or solely in the case of insomnia misses the immediate concerns that fatigue can pose. Additionally, waiting for family members to express concern before taking action could delay necessary intervention that supports both the mother's health and her ability to care for her child effectively.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nclexarchermaternity.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE