NCLEX CARDIOVASCULAR SYSTEM PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nclexcardiovascularsys.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which statement best defines preload and afterload?

A. Preload is ventricular stretch at end-diastole; afterload is the resistance the left ventricle must overcome to eject blood

B. Preload is the rate of heart contraction; afterload is diastolic blood pressure

C. Preload is stroke volume; afterload is central venous pressure

D. Preload is right ventricular pressure; afterload is pulmonary artery pressure

2. BNP is released in response to what physiologic change?

A. Decreased myocardial oxygen supply

B. Ventricular wall stretch due to volume overload

C. Decreased diastolic filling

D. Pulmonary arterial hypertension

3. A patient has a blood pressure of 185/102 mmHg with no signs of target organ damage. What term best describes this condition?

A. Hypertensive Emergency

B. Hypertensive Urgency

C. Essential Hypertension

D. Hypotension

4. If a significant portion of the heart is deprived of circulation, what may be required?

A. Lifestyle modification only

B. Surgical intervention may be necessary to restore circulation

C. No treatment is needed

D. Medication alone is always sufficient

5. Which valve prevents backflow from the left ventricle into the left atrium during ventricular contraction?

A. Aortic semilunar valve

B. Mitral valve

C. Pulmonary semilunar valve

D. Tricuspid valve

SAMPLE

6. Why is the left ventricle's muscle wall the thickest?

A. Because it pumps blood to the lungs

B. Because it pumps blood throughout the entire body

C. Because it has no valves

D. Because it receives blood from the atria only

7. The distribution of the common iliac artery includes which arteries?

A. Internal and External Iliac Arteries

B. Orbital Arteries and External Carotid

C. Dorsalis Pedis and Arcuate Arteries

D. Pharyngeal Arteries

8. Afterload is best described as which of the following?

A. The resistance the left ventricle must overcome to eject blood

B. The amount of blood in the ventricle at end-diastole

C. The rate of impulse conduction through the AV node

D. The venous return to the right atrium

9. Perfusion refers to which process?

A. The delivery of blood to a capillary bed

B. The removal of waste from capillaries

C. The return of blood to the heart via veins

D. The mixing of blood in the chambers

10. Which vessels arise directly from the common iliac artery to supply pelvic structures?

A. Internal and External Iliac Arteries

B. Lesser Omentum Artery

C. Gastric Artery

D. Sphenopalatine Artery

SAMPLE

Answers

SAMPLE

1. D
2. B
3. D
4. B
5. B
6. B
7. A
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which statement best defines preload and afterload?

A. Preload is ventricular stretch at end-diastole; afterload is the resistance the left ventricle must overcome to eject blood

B. Preload is the rate of heart contraction; afterload is diastolic blood pressure

C. Preload is stroke volume; afterload is central venous pressure

D. Preload is right ventricular pressure; afterload is pulmonary artery pressure

Preload is the filling state of the ventricle at end-diastole, reflected by the end-diastolic pressure. In the right ventricle, this filling pressure is best understood as the right ventricular end-diastolic pressure, which parallels venous return. Afterload is the pressure the ventricle must overcome to eject blood; for the right ventricle, that resistance is the pulmonary artery pressure (pulmonary vascular resistance). So, describing preload as right ventricular pressure and afterload as pulmonary artery pressure fits how the right heart fills and then pumps into the pulmonary circulation. The other formulations mix up preload with contractility, rate of contraction, diastolic BP, or stroke volume, which don't capture the correct relationships.

2. BNP is released in response to what physiologic change?

A. Decreased myocardial oxygen supply

B. Ventricular wall stretch due to volume overload

C. Decreased diastolic filling

D. Pulmonary arterial hypertension

BNP release is triggered by the ventricles stretching from increased volume or pressure within the heart. When you have volume overload—think of fluid buildup that expands the blood volume—the ventricles stretch more, and the heart cells release BNP. This peptide helps reduce the workload by promoting natriuresis and diuresis (getting rid of salt and water) and by causing some vasodilation, which lowers preload and afterload. So, the best choice points to ventricular wall stretch due to volume overload, the stimulus that directly triggers BNP production. Decreased myocardial oxygen supply is more about ischemia and injury markers, not BNP. Decreased diastolic filling isn't the trigger for BNP release. Pulmonary arterial hypertension puts strain on the right ventricle and can cause some stretch, but the classic, most direct stimulus BNP responds to is stretch from volume overload.

3. A patient has a blood pressure of 185/102 mmHg with no signs of target organ damage. What term best describes this condition?

A. Hypertensive Emergency

B. Hypertensive Urgency

C. Essential Hypertension

D. Hypotension

The situation describes severely elevated blood pressure without evidence of acute target organ damage, which is hypertensive urgency. When systolic is 180 or higher or diastolic is 110 or higher, the BP is in a dangerous range, but if there are no signs of organ damage such as chest pain, confusion, visual changes, severe shortness of breath, or kidney injury, it's not an emergency requiring IV therapy. Essential hypertension refers to a chronic condition with persistently high BP, not a single high reading; hypotension is low blood pressure, the opposite of what's described. In hypertensive urgency, management focuses on lowering BP gradually with oral medications and arranging close follow-up within 24–48 hours, rather than the rapid, in-hospital treatment needed for hypertensive emergencies.

SAMPLE

4. If a significant portion of the heart is deprived of circulation, what may be required?

A. Lifestyle modification only

B. Surgical intervention may be necessary to restore circulation

C. No treatment is needed

D. Medication alone is always sufficient

When a large area of the heart isn't getting blood, restoring blood flow often requires procedures that physically reopen or bypass blocked vessels. Medications can help manage symptoms and prevent further clotting, but they may not adequately restore perfusion to a substantial myocardial area. Lifestyle changes won't rapidly improve circulation in an acute, significant ischemic situation. Procedures to revascularize—such as coronary artery bypass grafting or percutaneous coronary intervention—may be necessary to restore circulation to the affected heart tissue and minimize damage. Prompt reperfusion is crucial because saving heart muscle improves outcomes, and after revascularization, ongoing medical therapy supports healing and prevents future events.

5. Which valve prevents backflow from the left ventricle into the left atrium during ventricular contraction?

A. Aortic semilunar valve

B. Mitral valve

C. Pulmonary semilunar valve

D. Tricuspid valve

The mitral valve prevents backflow from the left ventricle into the left atrium during ventricular contraction. It sits between the left atrium and left ventricle and closes as the ventricle's pressure rises in systole, stopping blood from regurgitating back into the atrium. This timing also allows blood to be ejected into the aorta once the aortic valve opens. The aortic semilunar valve and pulmonary semilunar valve control flow into the great arteries and pulmonary artery, not back into the atria, and the tricuspid valve is on the right side of the heart between the right atrium and right ventricle.

6. Why is the left ventricle's muscle wall the thickest?

A. Because it pumps blood to the lungs

B. Because it pumps blood throughout the entire body

C. Because it has no valves

D. Because it receives blood from the atria only

The left ventricle has the thickest wall because it must generate a high amount of pressure to push blood through the entire body (systemic circulation). Pumping to all tissues requires overcoming a much greater resistance than sending blood to the lungs, so the left ventricle develops a thick, muscular wall to produce the strong systolic force needed. In contrast, the right ventricle only sends blood to the lungs, where the resistance is lower, so its wall is thinner. Valves exist to prevent backflow, so the idea that there are no valves isn't correct, and the left ventricle doesn't get blood directly from the atria—the atria transfer blood to the ventricles, but that isn't the reason for the wall's thickness.

SAMPLE

7. The distribution of the common iliac artery includes which arteries?

A. Internal and External Iliac Arteries

B. Orbital Arteries and External Carotid

C. Dorsalis Pedis and Arcuate Arteries

D. Pharyngeal Arteries

The main idea is where the common iliac arteries give rise to their branches. Each common iliac artery typically divides into an internal iliac and an external iliac. The internal iliac supplies pelvic organs, pelvic walls, and the gluteal region, while the external iliac continues along the pelvic brim and becomes the femoral artery after crossing the inguinal ligament to supply the lower limb. The other options describe arteries located in different regions (head/neck, foot, pharynx) and are not branches of the common iliac arteries.

8. Afterload is best described as which of the following?

A. The resistance the left ventricle must overcome to eject blood

B. The amount of blood in the ventricle at end-diastole

C. The rate of impulse conduction through the AV node

D. The venous return to the right atrium

Afterload is the pressure or resistance the left ventricle must overcome to eject blood during systole. It reflects the load the ventricle faces in pushing blood into the aorta, mainly the aortic pressure and systemic vascular resistance. When afterload increases, the ventricle must generate higher pressure to open the aortic valve, which can reduce stroke volume if contractility doesn't rise and increase the heart's workload and oxygen demand. Chronic high afterload—seen in conditions like hypertension or aortic stenosis—drives left ventricular hypertrophy as the heart adapts to the increased workload. By contrast, preload refers to the volume of blood in the ventricle at end-diastole, and venous return is part of preload; the rate of impulse conduction through the AV node describes conduction, not afterload.

9. Perfusion refers to which process?

A. The delivery of blood to a capillary bed

B. The removal of waste from capillaries

C. The return of blood to the heart via veins

D. The mixing of blood in the chambers

Perfusion is the flow of blood through the capillary networks of a tissue, enabling exchange at the cellular level. It describes delivering oxygen and nutrients to the tissue and carrying away carbon dioxide and wastes. The best description is the delivery of blood to a capillary bed, because it is through that capillary network that nutrients reach cells and wastes are removed. The other options describe related processes but not perfusion itself: removing waste from capillaries is part of exchange rather than the act of delivering blood to tissue; returning blood to the heart via veins is venous return; mixing of blood in the chambers relates to cardiac mixing, not tissue perfusion.

SAMPLE

10. Which vessels arise directly from the common iliac artery to supply pelvic structures?

A. Internal and External Iliac Arteries

B. Lesser Omentum Artery

C. Gastric Artery

D. Sphenopalatine Artery

From the common iliac artery, the two main branches are the internal iliac and the external iliac. The internal iliac is the primary supplier of pelvic organs and pelvic walls, delivering blood through its many pelvic branches. The external iliac, while mainly the path highway to the lower limb (becoming the femoral artery), has smaller branches that can contribute to the pelvic region as well. Because both arteries originate directly from the common iliac and participate in pelvic perfusion, they are the vessels that arise from the common iliac to supply pelvic structures. The other arteries listed supply regions outside the pelvis (stomach and head/face) and don't serve as pelvic feeders.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nclexcardiovascularsys.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE