NEHA CERTIFIED PROFESSIONAL – FOOD SAFETY (CP-FS) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nehacpfs.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following symptoms is associated with Diarrhetic Shellfish Poisoning (DSP)?**

   A. Loss of consciousness

   B. Tingling and burning

   C. Nausea and abdominal pain

   D. Reversal of hot and cold sensations

2. **Which allergen is NOT considered one of the eight major food allergens?**

   A. Milk

   B. Tree nuts

   C. Honey

   D. Wheat

3. **What is the role of critical control points (CCPs) in HACCP?**

   A. Points to gather evidence for audits

   B. Steps required for food product packaging

   C. Points in a process where control must be exerted to prevent health risks

   D. Stages for employee training

4. **When can an inspection of a food establishment typically be conducted?**

   A. Only during peak hours

   B. During hours of operation or other reasonable times

   C. Only before closing time

   D. At any time if a complaint is made

5. **What characteristic area do cockroaches prefer?**

   A. Wet and bright

   B. Warm, dark, and moist

   C. Cold and dry

   D. Open and well-lit

6. **Which of the following could be considered a biological hazard?**

   A. Salmonella in undercooked chicken

   B. Pesticide residues on fruits

   C. Glass shards in food containers

   D. Cross-contamination from raw to cooked food

SAMPLE

7. What is an appropriate practice when storing raw seafood in a refrigerator?

A. Store it on the bottom shelf
B. Store it above ready-to-eat items
C. Store it next to raw chicken
D. Store it in airtight containers

8. What does seizure mean in the context of food safety regulations?

A. Temporary closure of the establishment
B. Regulatory authority takes physical control of an item
C. Re-evaluation of food handling procedures
D. Customer complaints regarding food quality

9. Which of the following is a type of Reduced Oxygen Packaging (ROP)?

A. Modified Atmosphere Packaging
B. High Oxygen Packaging
C. Random Atmospheric Packaging
D. Refrigerated Atmospheric Packaging

10. Which parasite is associated with undercooked pork?

A. Ascaris lumbricoides
B. Trichinella spiralis
C. Trichuris trichiura
D. Cyclospora cayetanensis

SAMPLE

Answers

SAMPLE

1. C
2. C
3. C
4. B
5. B
6. A
7. A
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Which of the following symptoms is associated with Diarrhetic Shellfish Poisoning (DSP)?

A. Loss of consciousness

B. Tingling and burning

C. Nausea and abdominal pain

D. Reversal of hot and cold sensations

Diarrhetic Shellfish Poisoning (DSP) is a foodborne illness that results from consuming shellfish contaminated with specific toxins produced by certain algae. The primary symptoms associated with DSP include gastrointestinal distress, notably nausea and abdominal pain, which are indicative of the body's reaction to the ingested toxins. The presence of these symptoms is significant as they reflect the acute inflammatory response of the digestive system to the harmful substances. Loss of consciousness, tingling and burning sensations, and reversal of hot and cold sensations are symptoms that do not align with the typical presentation of DSP. Loss of consciousness could be related to more severe neurological events, while tingling and burning sensations may be associated with other types of poisoning, such as those from toxic plants or neurotoxic shellfish poisons. The reversal of hot and cold sensations is typically linked to specific neurological issues and not to the gastrointestinal symptoms caused by DSP. Thus, nausea and abdominal pain are the hallmark signs of Diarrhetic Shellfish Poisoning, confirming that this choice accurately represents the symptoms associated with the condition.

2. Which allergen is NOT considered one of the eight major food allergens?

A. Milk

B. Tree nuts

C. Honey

D. Wheat

Honey is not considered one of the eight major food allergens recognized by the Food and Drug Administration (FDA). The eight major allergens, often referred to as the "big eight," include milk, eggs, fish, shellfish, tree nuts, peanuts, wheat, and soybeans. These allergens are responsible for the majority of allergic reactions in the population, which is why they are specifically identified for labeling purposes. This distinction is important for food safety and regulatory compliance, as individuals with allergies to these eight foods need to be aware of their presence in food products to avoid serious health risks. While honey can pose a risk for specific individuals, especially infants due to the potential presence of botulinum spores, it does not fall under the same category as the recognized major allergens that require labeling in the U.S. food industry.

SAMPLE

3. What is the role of critical control points (CCPs) in HACCP?

A. Points to gather evidence for audits

B. Steps required for food product packaging

C. Points in a process where control must be exerted to prevent health risks

D. Stages for employee training

The role of critical control points (CCPs) in Hazard Analysis and Critical Control Points (HACCP) is to identify specific points in a food production process where control measures can be applied to prevent, eliminate, or reduce food safety hazards to acceptable levels. Each CCP represents a crucial step where monitoring becomes vital to ensure that food safety regulations are followed and health risks are minimized. By establishing CCPs, food safety managers can strategically focus their efforts on critical steps in the production process. For instance, in the cooking process, ensuring that food reaches a certain temperature can be a CCP to prevent the survival of pathogens. Monitoring these points allows for timely interventions should any process deviation arise, thus safeguarding public health. This understanding emphasizes the importance of monitoring and controlling the identified CCPs effectively, which can lead to decisive actions being taken to ensure food safety throughout the production cycle.

4. When can an inspection of a food establishment typically be conducted?

A. Only during peak hours

B. During hours of operation or other reasonable times

C. Only before closing time

D. At any time if a complaint is made

Conducting inspections during hours of operation or other reasonable times allows for a comprehensive assessment of food safety practices and compliance with regulations. Inspections carried out while the establishment is open provide the opportunity to observe food handling, worker behaviors, and the general state of cleanliness in a real-world setting. This timing also allows inspectors to directly engage with staff, ask questions, and observe food being prepared and served, ensuring that any potential issues can be assessed in the context of ongoing operations. Performing inspections at varying times can also help inspectors gather insights on varying conditions in the establishment, as food safety practices may fluctuate based on factors such as staffing levels or menu items being prepared. By allowing inspections at any reasonable time during operations, public health officials can maintain a higher standard of safety and ultimately protect consumer health.

5. What characteristic area do cockroaches prefer?

A. Wet and bright

B. Warm, dark, and moist

C. Cold and dry

D. Open and well-lit

Cockroaches have a strong preference for environments that offer warmth, darkness, and moisture. This characteristic is pivotal for their survival and proliferation. Warm areas provide an ideal temperature for their growth and reproduction, while dark conditions offer them concealment from predators and human activity. Moist environments are crucial because cockroaches are drawn to water sources for hydration, as they can survive for long periods without food but need water to live. The combination of these factors creates an environment where cockroaches can thrive. They often inhabit places like kitchens, basements, and bathrooms—areas that tend to be warm, dark, and humid—making them suitable for their lifestyle. Understanding these preferences aids in effective pest control strategies by targeting and managing the environments that attract cockroaches.

SAMPLE

6. Which of the following could be considered a biological hazard?

A. Salmonella in undercooked chicken

B. Pesticide residues on fruits

C. Glass shards in food containers

D. Cross-contamination from raw to cooked food

A biological hazard refers to a substance that poses a threat to human health because it originates from living organisms. In this case, Salmonella is a type of bacteria that can cause foodborne illness, particularly when present in undercooked chicken. Consumption of chicken contaminated with Salmonella can lead to severe gastrointestinal issues and other health problems. This makes it an exemplar of a biological hazard, as it directly relates to pathogens found in food that may cause disease. The other options listed pertain to different categories of hazards. Pesticide residues relate to chemical hazards, which involve potentially harmful substances used in agricultural practices. Glass shards belong to physical hazards, as they are non-biological objects that can cause injury or harm. Cross-contamination, while linked to unsafe food handling practices, does not by itself represent a biological hazard; rather, it refers to the process by which pathogens are transferred from one substance or surface to another, potentially leading to biological hazards if contaminated foods are involved.

7. What is an appropriate practice when storing raw seafood in a refrigerator?

A. Store it on the bottom shelf

B. Store it above ready-to-eat items

C. Store it next to raw chicken

D. Store it in airtight containers

Storing raw seafood on the bottom shelf of the refrigerator is an appropriate practice because this location helps to prevent cross-contamination. This is crucial in food safety, as it minimizes the risk of raw seafood drippings contaminating other foods, particularly ready-to-eat items that do not undergo further cooking. By keeping raw seafood at the lowest shelf, any potential leakage from the seafood is contained and prevents contact with foods that are meant to be consumed without cooking. When considering other storage locations, placing seafood above ready-to-eat items could lead to contamination if the seafood leaks. Storing raw seafood next to raw chicken is also a poor practice due to the higher risk of pathogens transferring between raw meats. Storing it in airtight containers, while beneficial for preserving freshness, does not specifically address the critical concern of cross-contamination from drips or leaks if mishandling occurs. Overall, the emphasis on the bottom shelf is a key factor in promoting food safety within the refrigerator environment.

SAMPLE

8. What does seizure mean in the context of food safety regulations?

A. Temporary closure of the establishment

B. Regulatory authority takes physical control of an item

C. Re-evaluation of food handling procedures

D. Customer complaints regarding food quality

In the context of food safety regulations, the term "seizure" specifically refers to the action taken by regulatory authorities when they take physical control of an item. This process is typically initiated when food products are deemed unfit for consumption due to safety violations, contamination, or adulteration. Seizure is a critical enforcement tool that enables authorities to remove potentially harmful food items from commerce, thereby protecting public health. Taking physical control ensures that the unsafe product cannot be sold or distributed until the issue is resolved, which may include further inspection, testing, or legal actions. This action underscores the commitment of food safety regulations to prevent health risks associated with foodborne illnesses. Other concepts mentioned do not accurately reflect the definition of seizure. The temporary closure of an establishment pertains to other enforcement actions but does not involve seizing items. Re-evaluation of food handling procedures focuses on improving practices and compliance but does not involve the physical control of items. Customer complaints regarding food quality fall under consumer feedback and do not signify regulatory actions regarding food safety enforcement.

9. Which of the following is a type of Reduced Oxygen Packaging (ROP)?

A. Modified Atmosphere Packaging

B. High Oxygen Packaging

C. Random Atmospheric Packaging

D. Refrigerated Atmospheric Packaging

Reduced Oxygen Packaging (ROP) refers to methods that reduce the amount of oxygen in a package to prolong shelf life and maintain food quality. Among the options provided, Modified Atmosphere Packaging (MAP) is a recognized type of ROP. This method involves altering the atmosphere surrounding the food in the package, often by replacing the air with a mixture of gases, such as nitrogen and carbon dioxide, to help inhibit the growth of aerobic spoilage organisms and pathogens. The effectiveness of MAP lies in its ability to control conditions favorable to certain types of spoilage while extending the freshness of the food. For instance, by reducing oxygen levels, the growth of certain bacteria that thrive in higher oxygen environments can be limited. This type of packaging is commonly used in the food industry for items like fresh produce, meat, and dairy products. In contrast, High Oxygen Packaging, Random Atmospheric Packaging, and Refrigerated Atmospheric Packaging do not effectively reduce oxygen levels in a way that would categorize them as ROP. High Oxygen Packaging, for example, allows for greater amounts of oxygen, which can actually promote spoilage. Random Atmospheric Packaging doesn't involve any specific adjustments to the atmosphere, and Refrigerated Atmospheric Packaging generally maintains standard atmospheric conditions at lower temperatures rather than altering the oxygen concentration. Understanding

SAMPLE

10. Which parasite is associated with undercooked pork?

A. Ascaris lumbricoides

B. Trichinella spiralis

C. Trichuris trichiura

D. Cyclospora cayetanensis

Trichinella spiralis is the parasite associated with undercooked pork. When pork is undercooked, particularly from infected animals, it can contain encysted larvae of this parasite. Consuming such pork can lead to trichinosis, a disease characterized by gastrointestinal symptoms and, in more severe cases, muscular and neurological complications due to larvae invading muscle tissues. Understanding the life cycle of Trichinella spiralis is essential in food safety. The larvae are released in the intestines after ingestion, mature into adult worms, and reproduce. The new larvae can then migrate through the bloodstream to muscle tissues, encapsulating themselves. Proper cooking of pork to an internal temperature of at least 145°F (with a resting time of three minutes) ensures that any potential Trichinella larvae present are killed, preventing infection. The other parasites listed are associated with different transmission routes or host sources, emphasizing the importance of recognizing specific pathogens linked to particular food items for effective food safety management.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nehacpfs.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE