
NEIEP INSTALLING AND SERVICING JACKS (805) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://neiep805.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What condition indicates that the cylinder has a "dog leg" when alignment is checked?

A. When the base and top are misaligned

B. When the top and bottom are aligned but the mid-point is off

C. When there is an uneven surface

D. When the cylinder is distorted

2. What can be a consequence of using a jack on uneven ground?

A. Increased stability and safety

B. No effect on the lifting process

C. Increased risk of the vehicle tipping

D. Improved efficiency of the jack

3. What type of energy do hydraulic elevators primarily depend on?

A. Wind energy

B. Electric energy

C. Hydraulic energy

D. Solar energy

4. Which tool is used to check if the casing is straight and plumb?

A. Level

B. Spider bob

C. Plumb line

D. Measuring tape

5. What kind of maintenance do hydraulic jacks require?

A. Regular painting and aesthetic improvements

B. Replacement of hydraulic fluid only

C. Regular inspections for leaks and fluid levels

D. Annual replacement of all parts

6. Which safety feature is essential for hydraulic jacks?

A. A quick release mechanism

B. A safety lock mechanism

C. A built-in pressure gauge

D. Aesthetic design features

SAMPLE

7. Which of the following is NOT an important factor to consider when drilling the jack hole?

A. The hole depth

B. Soil conditions

C. Drilling equipment available

D. Cost of materials

8. What additional safety measure should be in place for the car?

A. Secured with Ropes

B. Visual Inspection

C. Tied Off

D. Fitted with Alarms

9. The hoistway, machine room, and jack location are found on the _____ _____.

A. Final inspection

B. Initial layout

C. Final layout

D. Structural plan

10. What can cause hydraulic fluid to become contaminated?

A. Excessive use of the jack

B. Regular maintenance of the hydraulic system

C. Dirt, water, or air entering the hydraulic system

D. Storing the jack incorrectly

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. B
5. C
6. B
7. D
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What condition indicates that the cylinder has a "dog leg" when alignment is checked?

A. When the base and top are misaligned

B. When the top and bottom are aligned but the mid-point is off

C. When there is an uneven surface

D. When the cylinder is distorted

The correct choice indicates that a "dog leg" condition in a cylinder is characterized by the top and bottom being aligned while the midpoint is not. This misalignment suggests that there is an unusual bend or deviation in the cylinder at the midpoint, resembling the shape of a dog leg. In the context of cylinder alignment, having a straight profile is critical for the proper function and safety of lifting jacks. If the ends of the cylinder are aligned but the middle portion deviates, it implies that there is a physical distortion within the cylinder's structure. This condition can lead to operational failures or inefficiencies when engaging with loads, potentially causing safe operation concerns. The other options describe conditions that may affect performance but do not specifically indicate the "dog leg" issue. For instance, misalignment at the base and top simply suggests a basic alignment issue, an uneven surface addresses a different set of concerns with installation stability, and distortion references a potentially serious structural compromise that might go beyond just a "dog leg" characteristic. Each of these could lead to various operational difficulties, but the defining characteristic of a "dog leg" is specifically the alignment of the ends against a misaligned midpoint.

2. What can be a consequence of using a jack on uneven ground?

A. Increased stability and safety

B. No effect on the lifting process

C. Increased risk of the vehicle tipping

D. Improved efficiency of the jack

Using a jack on uneven ground can significantly increase the risk of the vehicle tipping. When a jack is positioned on an unstable surface, it may not provide the necessary support and balance required to keep the vehicle upright. This instability can cause the vehicle to sway or shift unexpectedly, leading to a potential accident where the vehicle could fall or tip over. Ensuring that the ground is level before using a jack is essential for maintaining safety during lifting operations. The other options do not accurately reflect the reality of using a jack on uneven surfaces. Increased stability and safety cannot be achieved on an uneven surface, and there would indeed be effects on the lifting process rather than none at all. Improved efficiency would also not be possible under such conditions, as the jack's function relies on stability for effective operation.

3. What type of energy do hydraulic elevators primarily depend on?

A. Wind energy

B. Electric energy

C. Hydraulic energy

D. Solar energy

Hydraulic elevators primarily depend on hydraulic energy, which is the energy transmitted through pressurized fluid. In a hydraulic system, a pump moves hydraulic fluid into a cylinder, pushing a piston that raises the elevator car. This method allows for smooth operation and efficient lifting of heavy loads over a relatively short vertical distance. The reliance on hydraulic energy distinguishes these elevators from other types, like electric elevators, which utilize motors and cables for operation. Understanding this concept is essential, as it highlights the importance of fluid mechanics in the design and functionality of hydraulic elevators, particularly in terms of energy transfer and force amplification.

SAMPLE

4. Which tool is used to check if the casing is straight and plumb?

A. Level

B. Spider bob

C. Plumb line

D. Measuring tape

The tool specifically used to check if the casing is straight and plumb is the spider bob. This tool functions by utilizing gravity to indicate vertical alignment. It consists of a bob suspended from a string, allowing it to hang freely and indicate a true vertical line. When checking casing, ensuring that it is plumb is essential for both aesthetic and functional purposes, as misalignment can lead to improper door operation or structural issues. While a level, plumb line, and measuring tape are all useful tools in construction and carpentry, the spider bob is particularly effective for determining plumb because of its simplicity and accuracy in revealing vertical alignment over longer distances, especially in areas where traditional levels might be cumbersome or impractical to use. Thus, it stands out as the most suitable choice for checking the verticality of casing.

5. What kind of maintenance do hydraulic jacks require?

A. Regular painting and aesthetic improvements

B. Replacement of hydraulic fluid only

C. Regular inspections for leaks and fluid levels

D. Annual replacement of all parts

Hydraulic jacks require regular inspections for leaks and fluid levels to ensure they operate safely and efficiently. This maintenance is crucial because it helps identify any potential issues that could lead to failure or accidents. Monitoring fluid levels is vital since low fluid levels can compromise the lifting capacity and functionality of the jack. Additionally, looking for leaks can prevent hazardous situations and maintain the integrity of the jack. While other forms of maintenance might be beneficial, such as aesthetic improvements or complete part replacements, they do not directly address the operational safety and efficiency concerns that regular inspections for leaks and fluid levels specifically target. Therefore, focusing on these aspects is key to maintaining the hydraulic jack's performance and safety over time.

6. Which safety feature is essential for hydraulic jacks?

A. A quick release mechanism

B. A safety lock mechanism

C. A built-in pressure gauge

D. Aesthetic design features

The essential safety feature for hydraulic jacks is the safety lock mechanism. This feature is crucial because it prevents the jack from collapsing under load, ensuring the safety of both the equipment and the operator. When a hydraulic jack is raised to lift a vehicle or other heavy objects, the safety lock mechanism secures the position of the jack, providing stability and preventing accidental lowering. The importance of this mechanism cannot be overstated, as a failure to lock effectively could lead to severe accidents and injuries. While features like a quick release mechanism and a built-in pressure gauge might provide useful functionality or additional information, they do not directly contribute to the safety of the jack in the same way that a safety lock does. Aesthetic design features, while appealing, do not offer any safety benefits and are irrelevant in the context of operational safety. Thus, the safety lock mechanism stands out as the most critical safety feature for hydraulic jacks.

SAMPLE

7. Which of the following is NOT an important factor to consider when drilling the jack hole?

A. The hole depth

B. Soil conditions

C. Drilling equipment available

D. Cost of materials

When drilling the jack hole, several crucial factors come into play that can significantly affect the safety, efficiency, and success of the operation. The question asks which of the listed factors is NOT typically considered important when drilling the jack hole. The depth of the hole is essential as it ensures that the jack has enough support and that the necessary equipment can be effectively utilized. Additionally, understanding soil conditions is critical since different types of soil will influence drilling techniques, the stability of the hole, and the load-bearing capacity of the jack. The kind of drilling equipment available is also fundamental, as it determines the tools and techniques that can be applied during the drilling process. In contrast, while the cost of materials is certainly a consideration in any construction or drilling project, it does not directly impact the technical execution of drilling the jack hole itself. Therefore, while budgetary constraints are important overall, they do not influence the drilling operation as the other factors do, making it the correct answer in this context.

8. What additional safety measure should be in place for the car?

A. Secured with Ropes

B. Visual Inspection

C. Tied Off

D. Fitted with Alarms

The choice of tied off as an additional safety measure for the car is crucial in the context of installing and servicing jacks. Tying off a vehicle ensures that it remains securely positioned while mechanical work is being performed. This action helps prevent the vehicle from rolling or shifting unexpectedly, which could pose significant risks to the workers involved and potentially cause injury or equipment damage. In many settings, especially in automotive service environments, vehicles can roll or tip if not properly secured, particularly on uneven surfaces or if jacks are improperly used. By utilizing a tied-off method, such as using wheel chocks or other restraints, the vehicle is stabilized, adding a layer of safety to the work area. The other options, while they have their benefits in ensuring safety or functionality, do not provide the same level of immediate prevention against movement during maintenance. For instance, visual inspection is important for understanding the vehicle's condition but does not actively prevent movement. Similarly, securing with ropes may not be a reliable or standard practice in automotive contexts. Fitting the car with alarms could alert technicians to unauthorized movements but wouldn't prevent them in the first place. Therefore, tying off the car represents the most effective and practical safeguard in this scenario.

SAMPLE

9. The hoistway, machine room, and jack location are found on the _____ _____.

A. Final inspection

B. Initial layout

C. Final layout

D. Structural plan

The correct answer identifies the finalized design specifications for the installation of the elevator system, which includes the dimensions and locations of the hoistway, machine room, and jack. The final layout is a critical document that ensures all elements of the elevator system are positioned correctly in accordance with safety standards, structural requirements, and operational functionality. This document typically follows the initial layout, which is more of a conceptual or preliminary design, and not yet finalized. The structural plan, while also important, focuses on the building structure itself rather than the specific arrangements pertinent to the elevator system. A final inspection would occur after installation to ensure compliance and functionality but would not include the specific layout details that are established prior to or during installation. Overall, the final layout is essential for guiding the installation process and ensuring that all components of the elevator system are correctly integrated.

10. What can cause hydraulic fluid to become contaminated?

A. Excessive use of the jack

B. Regular maintenance of the hydraulic system

C. Dirt, water, or air entering the hydraulic system

D. Storing the jack incorrectly

Hydraulic fluid contamination occurs primarily when foreign substances are introduced into the hydraulic system. The presence of dirt, water, or air can significantly degrade the quality of the hydraulic fluid, which is essential for the system's proper operation. Dirt can originate from various sources, such as unclean environments or improper handling during maintenance. Water can enter the system through condensation or leaks, leading to corrosion and reduced lubrication effectiveness. Air can create issues such as aeration, which can compromise the hydraulic fluid's ability to transmit power efficiently. Thus, the introduction of these contaminants is a critical concern because they can lead to performance issues, increased wear on internal components, and ultimately failure of the hydraulic system. Regular monitoring and taking preventive measures against contamination are crucial for maintaining the integrity and functionality of hydraulic equipment.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://neiep805.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE