NEONATAL AND PEDIATRIC RESPIRATORY CARE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://neonatalpediarespiratorycare.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The home health care practitioner role includes which of the following?

A. Good teacher, teaching patients and family on equipment procedures and treatment plans

B. Only equipment repair

C. Prescribing all medications

D. Performing surgeries

2. In foreign body aspiration, where does the object most commonly lodge?

A. Right main stem bronchus

B. Left main stem bronchus

C. Trachea

D. Esophagus

3. How is surfactant typically delivered for preterm neonates?

A. Direct intratracheal instillation

B. Oral suspension

C. Inhaled aerosol

D. Intravenous injection

4. Which factor is a major etiologic contributor to bronchopulmonary dysplasia?

A. Short-term oxygen therapy

B. Prolonged exposure to high concentrations of oxygen with positive-pressure ventilation

C. Hypoxic episodes without ventilation

D. Viral infection alone

5. Which supportive measure is commonly included in MAS management?

A. Airway clearance

B. High-dose systemic steroids

C. Chemotherapy

D. Laser therapy

SAMPLE

6. In the preparation stage, which techniques are used?

A. Assist with problem solving barriers

B. Strategy shifts from motivational to behavioral

C. Encourage small changes

D. All of the above

7. In patient/family education on disease management, what is described as the main obstacle?

A. Financial constraints

B. Patient compliance

C. Lack of access to care

D. Insufficient education

8. Which apnea monitoring method uses optical fibers woven into a belt around the chest?

A. Piezoelectric plethysmography

B. Fiberoptic plethysmography

C. Thermistors

D. Electrical impedance tomography

9. What SpO2 targets are commonly used for preterm infants receiving oxygen therapy?

A. Typically 90-95% SpO2 to balance oxygenation and retinopathy risk.

B. Always above 98%.

C. Below 85%.

D. Only room air without supplemental oxygen.

10. Persistent fetal circulation is best defined as which?

A. The fetal circulation through the heart persisting after birth

B. The heart failing to open the foramen ovale after birth

C. Rapid closure of the ductus arteriosus after birth

D. Neonatal respiratory distress syndrome

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. A
6. D
7. B
8. B
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. The home health care practitioner role includes which of the following?

A. Good teacher, teaching patients and family on equipment procedures and treatment plans

B. Only equipment repair

C. Prescribing all medications

D. Performing surgeries

The main idea is that home health care hinges on educating patients and their families. A clinician in this setting must be a good teacher, showing how to use equipment correctly, perform procedures, and follow the treatment plan. This education supports safe home management, proper device use (like oxygen, nebulizers, pumps), recognition of warning signs, and adherence to medications and follow-up steps. When caregivers understand what to do and why, outcomes improve and complications are less likely. Equipment repair, prescribing medications, and performing surgeries aren't typically within the home health role. Repairs are usually handled by technicians, prescribing requires a clinician with authorization, and surgeries are done by surgeons in appropriate settings.

2. In foreign body aspiration, where does the object most commonly lodge?

A. Right main stem bronchus

B. Left main stem bronchus

C. Trachea

D. Esophagus

The main idea is that inhaled foreign bodies tend to follow the path of least resistance into the airway that lines up most directly with the trachea. The right mainstem bronchus is the most direct continuation of the trachea: it is shorter, wider, and more vertical than the left, so objects that are aspirated are more likely to enter it than the left bronchus. The trachea carries the object into the bronchi, but the trachea itself is not the typical lodging site unless the object is large and causes obstruction there. The left mainstem bronchus is more angled and narrower, making it less likely to receive the aspirated object. The esophagus lies behind the trachea and is not part of the airway, so lodging there would not represent aspiration into the lungs.

3. How is surfactant typically delivered for preterm neonates?

A. Direct intratracheal instillation

B. Oral suspension

C. Inhaled aerosol

D. Intravenous injection

Surfactant must reach the airspaces of the lungs to reduce surface tension and prevent collapse, so delivery is done directly into the lungs through the trachea. By instilling the liquid surfactant via an endotracheal tube, it coats the alveoli where it's needed and can be distributed with brief ventilation or other distribution techniques. Swallowing a suspension orally would not deliver surfactant to the lungs, and an inhaled aerosol in routine practice often fails to deposit an adequate, even dose in tiny neonatal lungs. Intravenous administration would not deliver surfactant to the alveolar surfaces and is not effective. Therefore, direct intratracheal instillation is the typical method for preterm neonates.

SAMPLE

4. Which factor is a major etiologic contributor to bronchopulmonary dysplasia?

A. Short-term oxygen therapy

B. Prolonged exposure to high concentrations of oxygen with positive-pressure ventilation

C. Hypoxic episodes without ventilation

D. Viral infection alone

Bronchopulmonary dysplasia arises when the immature lung of a preterm infant suffers injury from respiratory support and oxygen exposure. The strongest driver is prolonged exposure to high concentrations of oxygen combined with positive-pressure ventilation. Oxygen toxicity damages airway and alveolar epithelium and endothelium, while the added lung stretch from positive-pressure ventilation causes volutrauma and barotrauma. This injury triggers inflammation and disrupts normal lung development, leading to fewer and larger airspaces (alveolar simplification) and abnormal pulmonary vasculature, which underlies the chronic changes seen in BPD. Short-term oxygen therapy, isolated hypoxic episodes without ventilation, or viral infection can stress the lungs but do not produce the same sustained, destructive remodeling pattern that prolonged high oxygen exposure with mechanical ventilation does.

5. Which supportive measure is commonly included in MAS management?

A. Airway clearance

B. High-dose systemic steroids

C. Chemotherapy

D. Laser therapy

Meconium Aspiration Syndrome is managed mainly with supportive care that focuses on keeping the airway clear and ensuring adequate oxygenation and ventilation. Clearing the airway is crucial because meconium and mucus can block small airways and provoke inflammation, so removing secretions improves air exchange and reduces work of breathing. In practice, this means suctioning the airways when meconium is present and providing appropriate oxygen delivery with CPAP or careful ventilation as needed, striving for gentle, lung protective ventilation to prevent further injury. While surfactant therapy may be used in more severe cases, high dose systemic steroids, chemotherapy, or laser therapy do not have a routine role in MAS management. Airway clearance directly addresses the primary problem of airway obstruction and is therefore the most commonly included supportive measure.

6. In the preparation stage, which techniques are used?

A. Assist with problem solving barriers

B. Strategy shifts from motivational to behavioral

C. Encourage small changes

D. All of the above

In the preparation stage, the focus is on turning readiness into concrete steps and making change feel doable. This involves solving barriers, shifting from simply being motivated to taking actionable steps, and promoting small, achievable changes to build confidence. Assisting with problem-solving barriers means identifying the obstacles that could derail action and brainstorming practical ways to overcome them, so plans are more likely to be carried out. Shifting strategy from motivational to behavioral emphasizes moving from intent to action—creating specific plans, schedules, and routines that translate motivation into real steps. Encouraging small changes targets the idea that tiny, manageable adjustments can accumulate into meaningful progress without overwhelming the person. Together, these techniques address the practical preparation needed to move from intending to change to actually changing, making all of the above appropriate for the preparation stage.

SAMPLE

7. In patient/family education on disease management, what is described as the main obstacle?

A. Financial constraints

B. Patient compliance

C. Lack of access to care

D. Insufficient education

Adherence to the management plan is the central challenge in patient/family education for disease management. Even with clear instruction and access to medications or devices, if doses aren't taken as prescribed, inhalers aren't used correctly, or the action plan isn't followed, disease control suffers. Factors like regimen complexity, side effects, forgetfulness, health literacy gaps, and psychosocial stress all contribute to nonadherence. While financial constraints or limited access can make adherence harder, the main obstacle described in education is whether the patient and family actually follow through with the plan.

8. Which apnea monitoring method uses optical fibers woven into a belt around the chest?

A. Piezoelectric plethysmography

B. Fiberoptic plethysmography

C. Thermistors

D. Electrical impedance tomography

Fiberoptic plethysmography is the technique that uses optical fibers woven into a belt around the chest to monitor breathing. As the chest expands and contracts, the belt stretches and changes how light travels through or reflects from the tissue. A detector picks up these light changes and converts them into a waveform that tracks respiratory effort and pauses. This optical method is distinct from other approaches: a piezoelectric sensor also measures chest wall movement but does so with a mechanical sensor rather than optics; thermistors detect airflow by sensing temperature changes of inspired versus expired air rather than chest motion; and electrical impedance tomography uses electrodes to measure impedance changes across the chest to infer ventilation, not optical signals from a fiber belt. So the described method—fiberoptic plethysmography—fits the use of optical fibers in a chest belt to monitor apnea.

9. What SpO2 targets are commonly used for preterm infants receiving oxygen therapy?

A. Typically 90-95% SpO2 to balance oxygenation and retinopathy risk.

B. Always above 98%.

C. Below 85%.

D. Only room air without supplemental oxygen.

Oxygen targets for preterm infants on supplemental oxygen focus on balancing adequate tissue oxygenation with minimizing oxygen-related eye damage. The commonly used goal is about 90-95% SpO2. This range provides sufficient oxygen delivery while reducing the risk of retinopathy of prematurity that comes with higher saturations. Saturations pushed well above this range don't improve outcomes and can increase ROP risk, while saturations consistently below about 85% raise the danger of hypoxemia and organ injury. Some units may use a slightly broader target (for example, 85-92% or 88-95%), but aiming roughly for 90-95% is a standard practice.

SAMPLE

10. Persistent fetal circulation is best defined as which?

A. The fetal circulation through the heart persisting after birth

B. The heart failing to open the foramen ovale after birth

C. Rapid closure of the ductus arteriosus after birth

D. Neonatal respiratory distress syndrome

Persistent fetal circulation reflects the newborn's failure to complete the normal transition from fetal to neonatal circulation. In the fetus, the lungs are not used for gas exchange, so blood is routed through fetal channels like the foramen ovale and ductus arteriosus, and pulmonary vascular resistance is high. After birth, the lungs expand, pulmonary resistance drops, and these shunts typically close so blood goes through the lungs for oxygenation. When this transition doesn't occur, the fetal pattern persists after birth, with continued right-to-left or intracardiac shunting and often severe hypoxemia. That's why the best definition is the fetal circulation through the heart persisting after birth. The other options describe different scenarios—failure to open the foramen ovale, rapid ductus arteriosus closure, or neonatal respiratory distress syndrome—none capture the idea of ongoing fetal circulation and shunting after birth.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://neonatalpediarespiratorycare.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE