NEVADA CLASSIFICATION C-20 ANSI TILING STANDARDS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nvc20ansitilingstandards.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Curbs up to 9 inches in height are considered to be what type?**

   A. Shower unit

   B. Bench unit

   C. Floor unit

   D. Wall unit

2. **Which property is essential for tiles intended for outdoor use?**

   A. High water absorption

   B. Low slip resistance

   C. Frost resistance

   D. Low durability

3. **Which standard specifically covers the installation of ceramic tile?**

   A. ANSI A108

   B. ANSI A110

   C. ANSI A112

   D. ANSI A120

4. **What is the typical maximum spacing for floor framing?**

   A. 12 inches on center

   B. 16 inches on center

   C. 18 inches on center

   D. 24 inches on center

5. **Which joint provides separation to allow movement when expansion exceeds contraction?**

   A. Isolation joint

   B. Contraction joint

   C. Expansion joint

   D. Construction joint

6. **Which ANSI standard specifically addresses grout for tile installations?**

   A. ANSI A118.1

   B. ANSI A118.6

   C. ANSI A137.1

   D. ANSI A118.4

SAMPLE

7. Why is a wet saw preferred for porcelain tile cutting?

A. It allows for larger cuts than traditional tools

B. It eliminates the need for a tile cutter

C. It minimizes chipping and provides cleaner cuts

D. It is less expensive than other cutting tools

8. Why should tiles be acclimated before installation?

A. To enhance their color before installation

B. To minimize expansion or contraction due to temperature and humidity changes

C. To pre-adhere them to the subfloor

D. To match the adjacent wall color

9. What's the importance of testing tiles for ANSI compliance?

A. To ensure the tiles meet the necessary performance and safety characteristics

B. To determine the aesthetic appeal of the tiles

C. To reduce installation costs significantly

D. To evaluate the durability against scratches

10. Which of the following is not a typical maximum rise for slopes specified in tiling standards?

A. 4 inches

B. 6 inches

C. 3 inches

D. 2 inches

SAMPLE

Answers

SAMPLE

1. A
2. C
3. A
4. B
5. C
6. B
7. C
8. B
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. Curbs up to 9 inches in height are considered to be what type?

A. Shower unit

B. Bench unit

C. Floor unit

D. Wall unit

Curbs that are up to 9 inches in height are classified as shower units. This classification is based on their typical use in bathroom designs, particularly in curbless and traditional shower applications. This height is specifically designed to provide adequate water containment while allowing for ease of access, especially in a shower setting. When designing or installing a shower, the curb serves the functional purpose of keeping water from spilling over to the bathroom floor, helping to maintain a safe and dry environment outside the shower space. Understanding these classifications is essential for ensuring that the installation adheres to building codes and standards, particularly when it comes to waterproofing and drainage requirements. In contrast, the other options represent different contexts in which curbs might be used, with shower units standing out specifically for their height and role in facilitating the shower experience.

2. Which property is essential for tiles intended for outdoor use?

A. High water absorption

B. Low slip resistance

C. Frost resistance

D. Low durability

Frost resistance is crucial for tiles designed for outdoor applications, particularly in climates that experience freezing temperatures. When moisture within the tile freezes, it expands, which can lead to cracking and deterioration. Tiles that possess frost resistance are engineered to withstand these temperature fluctuations and the potential damage from freeze-thaw cycles. Choosing tiles with this property ensures longevity and functionality in outdoor environments, maintaining aesthetic appeal and structural integrity even under challenging weather conditions. This is especially important for outdoor areas that are exposed to rain or snow. Adopting tiles that do not have frost resistance could result in frequent repairs or replacements, undermining the investment in outdoor surfaces. In contrast to frost resistance, high water absorption could make tiles more susceptible to freeze damage, while low slip resistance compromises safety in wet conditions. Low durability would lead to a quick degradation of the tile, making these options unsuitable for outdoor use.

3. Which standard specifically covers the installation of ceramic tile?

A. ANSI A108

B. ANSI A110

C. ANSI A112

D. ANSI A120

The correct answer is A, ANSI A108, because this standard provides the specific guidelines and requirements for the installation of ceramic tile, including recommendations related to the materials, installation methods, and testing procedures. ANSI A108 covers the entire installation process, detailing aspects such as substrate preparation, setting materials, and grouting methods, ensuring a durable and high-quality installation. Other options, while they may relate to tile or flooring in a broader sense, do not specifically address the installation practices for ceramic tiles. For instance, standards like ANSI A110 may cover related areas but do not focus primarily on ceramic tile installation methodologies. Therefore, it's essential to refer to ANSI A108 when discussing the proper practices for installing ceramic tile.

SAMPLE

4. What is the typical maximum spacing for floor framing?

A. 12 inches on center

B. 16 inches on center

C. 18 inches on center

D. 24 inches on center

The typical maximum spacing for floor framing is 16 inches on center. This measurement is a widely accepted standard in construction, particularly important for ensuring proper structural support and load distribution in flooring systems. Spacing floor joists at this interval allows for adequate weight support from both the flooring and any loads applied on top, such as furniture, people, and appliances. Using this spacing helps to maintain the integrity of the floor and reduces the likelihood of sagging or bouncing, which can be problematic in areas with high foot traffic. While some applications may allow for wider spacing, using 16 inches on center strikes a balance between structural soundness and material efficiency, making it the preferred choice for most residential and commercial floor installations. Other spacing options, such as 12 inches or 24 inches, might be used in specific situations or for specialized structures, but 16 inches on center is the standard that supports optimal performance and safety for typical flooring designs.

5. Which joint provides separation to allow movement when expansion exceeds contraction?

A. Isolation joint

B. Contraction joint

C. Expansion joint

D. Construction joint

The correct choice is expansion joint. An expansion joint is specifically designed to accommodate the movement that occurs within materials due to temperature fluctuations and other environmental changes. When materials expand with heat, the expansion joint allows for this movement without causing stress or damage to the structure. This joint serves a crucial role in maintaining the integrity of the tiling or flooring system, as it helps prevent cracking or buckling that could result from restricted movement. The presence of expansion joints in a tiled surface is particularly important in areas subjected to significant temperature variations. Other types of joints, such as isolation, contraction, and construction joints, serve different purposes. Isolation joints, for example, separate a structure from surrounding materials to prevent stress transfer. Contraction joints are designed to control cracking due to shrinkage, while construction joints are points at which two sections of concrete are joined. While these joints address stability and structural integrity, they do not specifically facilitate the movement related to expansion. Thus, the expansion joint is the most appropriate choice for allowing movement when expansion exceeds contraction.

6. Which ANSI standard specifically addresses grout for tile installations?

A. ANSI A118.1

B. ANSI A118.6

C. ANSI A137.1

D. ANSI A118.4

The ANSI standard that specifically addresses grout for tile installations is ANSI A118.6. This standard outlines the performance characteristics, classifications, and requirements for cement-based grout used in tile and stone installations. It includes specifications on hydration, compressive strength, and water absorption, ensuring that grouts perform effectively under various conditions. Understanding this standard is essential for professionals in the tiling industry, as it helps ensure that the grouts used not only adhere properly but also provide durability and resistance against factors like moisture and staining. By referencing ANSI A118.6, installers can ensure compliance with industry standards and customer expectations for grout performance in tile applications.

SAMPLE

7. Why is a wet saw preferred for porcelain tile cutting?

A. It allows for larger cuts than traditional tools

B. It eliminates the need for a tile cutter

C. It minimizes chipping and provides cleaner cuts

D. It is less expensive than other cutting tools

A wet saw is preferred for cutting porcelain tile primarily because it minimizes chipping and provides cleaner cuts. Porcelain tiles are dense and hard, making them more prone to damage during cutting. The use of water in a wet saw cools the blade and reduces friction, which significantly helps in preventing chips along the tile edges. This is especially important when working with the sharp, intricate patterns often found in porcelain tiles. Cleaner cuts are essential for a professional finish, especially in high-visibility areas, where aesthetics matter greatly. The ability to maintain the integrity of the tile edges improves not only the visual appeal but also the fit and finish of the tiling work. Additionally, using a wet saw can help to prolong the lifespan of the blade due to the cooling effect of the water, leading to more efficient and effective cutting over time. Other options may offer certain advantages in different contexts, but the key benefit of minimizing chipping and achieving cleaner cuts is paramount when it comes to porcelain tile.

8. Why should tiles be acclimated before installation?

A. To enhance their color before installation

B. To minimize expansion or contraction due to temperature and humidity changes

C. To pre-adhere them to the subfloor

D. To match the adjacent wall color

Tiles should be acclimated before installation primarily to minimize expansion or contraction due to temperature and humidity changes. When tiles are produced, they often contain moisture, and once they are brought into a new environment, they can absorb or lose moisture based on the surrounding conditions. This can lead to dimensional changes in the tiles once they are installed, resulting in issues such as cracking, uneven surfaces, and gaps between tiles. Allowing the tiles to acclimate in the space where they will be installed ensures that they reach a stable condition in terms of moisture content, effectively preventing problems related to thermal and moisture-induced expansion or contraction after installation. This step is crucial for maintaining the integrity and appearance of the tiled surface over time. The other options do not address the essential purpose of acclimation in terms of the physical properties of the tiles. Enhancing color, pre-adhering tiles, or matching colors with adjacent walls are not influenced by the acclimation process and, therefore, do not serve the same critical functionality as minimizing dimensional changes.

9. What's the importance of testing tiles for ANSI compliance?

A. To ensure the tiles meet the necessary performance and safety characteristics

B. To determine the aesthetic appeal of the tiles

C. To reduce installation costs significantly

D. To evaluate the durability against scratches

Testing tiles for ANSI compliance is crucial because it ensures that the tiles meet established performance and safety standards. ANSI, which stands for the American National Standards Institute, develops and oversees standards that address various characteristics of tiles, including slip resistance, water absorption, and overall durability. By ensuring compliance to these standards, manufacturers provide assurance that the tiles will perform as expected in real-world applications, such as their ability to withstand foot traffic, resist wear, and prevent accidents caused by slips or falls. This testing ultimately protects both consumers and contractors, providing them with products that are reliable and safe for use in different environments, which is particularly important in commercial and residential settings.

SAMPLE

10. Which of the following is not a typical maximum rise for slopes specified in tiling standards?

A. 4 inches

B. 6 inches

C. 3 inches

D. 2 inches

The correct answer highlights that a maximum rise of 2 inches is generally not a standard limit within tiling guidelines. Tiling standards typically specify slope requirements to ensure proper drainage and prevent water accumulation, particularly in wet environments. When establishing slope parameters, most standards allow for higher maximum rises, such as 3, 4, or even 6 inches, under specific conditions. These parameters are designed to provide adequate slope for water runoff while maintaining stability and functionality of tiled surfaces. A rise of 2 inches, while technically feasible, does not align with the typical standards, which are more accommodating to greater elevations to ensure effective drainage. Understanding the context of these rise limits is crucial for proper installation and can help avoid issues such as pooling water or tiling damage, emphasizing the importance of adhering to established tiling standards.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nvc20ansitilingstandards.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE