
NEW JERSEY RADON MEASUREMENT TECHNICIAN PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://njradonmeasurementtech.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following is NOT a measurement method for radon detection?

A. Charcoal Liquid Scintillation Device

B. Alpha Track Detector

C. Passive Tubing Method

D. Electret Ion Chamber

2. During a simultaneous testing method for real estate, if one reading is 4.4 pCi/L and the other is 3.8 pCi/L, what should you recommend?

A. Proceed with the sale

B. Recommend mitigation

C. Run additional tests

D. Advise the homeowners of potential risk

3. What are the two types of Continuous RDP measurement devices?

A. Scintillation Cell, Electret Ion Chamber

B. Scintillation Disk, Surface Barrier Detector

C. Alpha Track Detector, Solid State Silicon Detector

D. Pulsed Ion Chamber, Charcoal Liquid Scintillation

4. What is the most common radon mitigation technique used?

A. Passive venting

B. Active soil depressurization

C. Sealing cracks

D. Air filtration

5. What is the name of the negatively charged subatomic particle that orbits the nucleus?

A. Proton

B. Neutron

C. Electron

D. Ion

SAMPLE

6. What is a common result of air being classified as "depressurized" below the neutral pressure plane?

A. Indoor climate stabilization

B. Increased radon mitigation

C. Outside air entering the home

D. Improved ventilation efficiency

7. The atomic number of an atom corresponds to what characteristic?

A. The total mass of the atom

B. The number of neutrons in the nucleus

C. The number of protons in the nucleus

D. The number of electrons surrounding the nucleus

8. What is the most common factor that drives radon into homes?

A. High humidity levels

B. Air pressure difference between indoor air and soil gas

C. Temperature fluctuations

D. Type of building materials used

9. What does it indicate when a radon decay product is said to be "plated out"?

A. It has transformed into a stable isotope

B. It has been absorbed by the surrounding air

C. It has attached to a non-breathable object

D. It has increased its radioactivity

10. For an atom to be neutrally charged, which condition must be met?

A. Its number of protons must exceed electrons

B. Its number of neutrons must equal protons

C. Its number of protons and electrons must be equal

D. Its mass number must be zero

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. C
6. C
7. C
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following is NOT a measurement method for radon detection?

A. Charcoal Liquid Scintillation Device

B. Alpha Track Detector

C. Passive Tubing Method

D. Electret Ion Chamber

The passive tubing method is not recognized as a formal measurement method for radon detection. While there are several well-established methods for measuring radon levels, such as using a charcoal liquid scintillation device, an alpha track detector, and an electret ion chamber, the passive tubing method does not conform to these standard practices. Charcoal liquid scintillation devices are widely used for short-term measurements and work by capturing radon gas in charcoal that then emits scintillations, which can be measured. Alpha track detectors, on the other hand, use a special film that records the tracks left by alpha particles emitted from radon decay, providing long-term radon concentration data. Electret ion chambers also serve as passive detectors, where ionization caused by alpha particles from radon is measured to determine radon levels. The absence of a recognized methodology for the passive tubing method highlights its unreliability or lack of standard implementation within the field of radon measurement. By identifying this distinction, it is clear why this choice is not considered an appropriate method for detecting radon levels compared to the others listed.

2. During a simultaneous testing method for real estate, if one reading is 4.4 pCi/L and the other is 3.8 pCi/L, what should you recommend?

A. Proceed with the sale

B. Recommend mitigation

C. Run additional tests

D. Advise the homeowners of potential risk

Recommending mitigation is appropriate in this scenario because the levels of radon detected (4.4 pCi/L and 3.8 pCi/L) exceed the action level set by the Environmental Protection Agency (EPA), which is 4.0 pCi/L. The simultaneous measurements indicate that radon concentrations are present at levels that could pose a health risk to occupants of the property. Mitigation systems are designed to reduce radon levels in homes to below the EPA action level, helping to protect residents from the potential health effects associated with long-term radon exposure, such as lung cancer. Given that one of the readings is above this threshold, it's crucial to recommend taking corrective action to ensure the safety of any future residents. Therefore, a recommendation for mitigation aligns with best practices for radon safety in real estate transactions.

SAMPLE

3. What are the two types of Continuous RDP measurement devices?

A. Scintillation Cell, Electret Ion Chamber

B. Scintillation Disk, Surface Barrier Detector

C. Alpha Track Detector, Solid State Silicon Detector

D. Pulsed Ion Chamber, Charcoal Liquid Scintillation

The correct answer identifies the two types of Continuous Radon Decay Product (RDP) measurement devices: Scintillation Disk and Surface Barrier Detector. Continuous measurement devices are essential for providing real-time data on radon levels and their decay products in the environment, which is crucial for assessing potential health risks. Scintillation Disk devices operate by utilizing scintillation materials that emit light when they interact with radiation, allowing for the detection of alpha particles from radon decay products. Surface Barrier Detectors, on the other hand, can effectively capture and measure alpha particles and are commonly used in continuous monitoring applications for their sensitivity and efficiency in detecting ionizing radiation. Both devices are designed to facilitate ongoing monitoring and provide immediate feedback about radon exposure, which is vital in residential and occupational settings where radon levels may vary. Understanding their functionality helps technicians take precise measurements and ensure safety standards are met in radon mitigation efforts.

4. What is the most common radon mitigation technique used?

A. Passive venting

B. Active soil depressurization

C. Sealing cracks

D. Air filtration

Active soil depressurization is widely recognized as the most effective and commonly used radon mitigation technique. This method involves installing a system that includes a fan and a series of pipes, designed to draw radon gas from beneath the foundation and vent it safely to the outside atmosphere. By creating a lower pressure zone under the building, it prevents radon from infiltrating the home, effectively reducing indoor radon levels. The efficiency of active soil depressurization stems from its ability to continuously operate and maintain low levels of radon over time, making it a reliable solution in areas with high radon potential. Other techniques such as passive venting, sealing cracks, and air filtration may play supportive roles in radon management or be used in conjunction with more robust systems, but they do not match the effectiveness of active soil depressurization in significantly lowering radon concentrations indoors.

SAMPLE

5. What is the name of the negatively charged subatomic particle that orbits the nucleus?

A. Proton

B. Neutron

C. Electron

D. Ion

The negatively charged subatomic particle that orbits the nucleus is called an electron. Electrons are fundamental components of atoms, and their negative charge is balanced by the positive charge of protons, which reside in the nucleus. The presence of electrons in different energy levels or shells around the nucleus determines the chemical properties of an element, as they are involved in chemical bonding and reactions. Understanding the role of electrons is crucial in fields such as chemistry and physics, as their behavior affects the formation of molecules and compounds. Other subatomic particles mentioned, such as protons and neutrons, are located within the nucleus; protons have a positive charge, while neutrons are neutral, carrying no charge. An ion, while relevant in discussions about charged particles, refers specifically to an atom or molecule that has lost or gained one or more electrons, resulting in an overall charge. Therefore, the correct identification of the particle specifically orbiting the nucleus and carrying a negative charge is the electron.

6. What is a common result of air being classified as "depressurized" below the neutral pressure plane?

A. Indoor climate stabilization

B. Increased radon mitigation

C. Outside air entering the home

D. Improved ventilation efficiency

When air is classified as "depressurized" below the neutral pressure plane, it means that the indoor air pressure is lower than the outdoor air pressure. This condition leads to a scenario where outside air can be drawn into the home, especially through openings, cracks, and unsealed areas. The negative pressure within the house creates a situation where air from the outside seeks to equalize the pressure difference. As a result, air flows in from outside, which can include contaminants or radon gas, depending on the geographic and geological factors of the area. This dynamic is particularly crucial in the context of radon concerns since homes with lower indoor pressure may be more susceptible to higher radon levels, given that radon is a naturally occurring gas that can enter buildings from soil and rock beneath. Thus, understanding the relationship between depressurization and air movement is essential for effective radon measurement and mitigation practices. The other options relate to potential outcomes tied to various air pressure conditions, but they do not directly address the specific phenomenon of outside air entering a building when it is depressurized relative to the outside.

SAMPLE

7. The atomic number of an atom corresponds to what characteristic?

A. The total mass of the atom

B. The number of neutrons in the nucleus

C. The number of protons in the nucleus

D. The number of electrons surrounding the nucleus

The atomic number of an atom is significant because it corresponds directly to the number of protons located in the nucleus. This fundamental property is what distinguishes one element from another on the periodic table. For example, carbon has an atomic number of 6, which means it has six protons in its nucleus. This number is crucial because it determines the chemical properties of the element and its position on the periodic table. The atomic number not only defines the identity of the element but also influences the number of electrons in a neutral atom, which is equal to the number of protons. Thus, the atomic number plays a pivotal role in understanding an element's behavior in chemical reactions and bonding. In contrast, the total mass of the atom is related to both protons and neutrons, and the number of neutrons alone does not define the atomic number. The number of electrons, while important, can vary in ions and do not affect the atomic number. Therefore, the atomic number's specific association with the number of protons makes this choice the correct answer.

8. What is the most common factor that drives radon into homes?

A. High humidity levels

B. Air pressure difference between indoor air and soil gas

C. Temperature fluctuations

D. Type of building materials used

The most common factor that drives radon into homes is the air pressure difference between indoor air and soil gas. Radon is a naturally occurring radioactive gas that is produced from the decay of uranium found in soil and rock. It can seep into buildings through cracks in floors, walls, and foundations, as well as through construction joints and gaps in service lines. When the air pressure inside a home is lower than that in the soil surrounding the foundation, the differential pressure allows radon gas to be drawn into the building. This is often exacerbated by the house's ventilation system, which can create negative pressure. Homes that are well-sealed or those that have poor ventilation are particularly susceptible, as these conditions increase the likelihood of lower indoor pressure compared to the soil gas outside. Understanding this mechanism is key to effectively assessing radon risk and implementing mitigation strategies as needed. While humidity levels, temperature fluctuations, and types of building materials may influence indoor air quality or contribute to the radon dynamics in a building, they are not the primary drivers for radon ingress. The fundamental principle rests on the air pressure differential, making it the most critical factor in the movement of radon into homes.

SAMPLE

9. What does it indicate when a radon decay product is said to be "plated out"?

A. It has transformed into a stable isotope

B. It has been absorbed by the surrounding air

C. It has attached to a non-breathable object

D. It has increased its radioactivity

When a radon decay product is said to be "plated out," it refers to the process where these particles attach themselves to surfaces such as walls, furniture, and other solid objects within an environment. This phenomenon occurs because radon decay products, which are typically radioactive aerosols, can lose their energy and mass, leading them to adhere to nearby surfaces rather than remaining suspended in the air. This plating out can significantly influence the concentration of radon in indoor air because, once the decay products settle on surfaces, they are no longer available for inhalation, thereby reducing the immediate risk of radioactive exposure through breathing. Understanding this concept is crucial for radon measurement technicians, as it highlights the importance of both measuring radon levels in the air and being aware of how decay products behave in different environments. On the other hand, the other options do not accurately represent the process involved with radon decay products and their behavior in indoor environments.

10. For an atom to be neutrally charged, which condition must be met?

A. Its number of protons must exceed electrons

B. Its number of neutrons must equal protons

C. Its number of protons and electrons must be equal

D. Its mass number must be zero

For an atom to be neutrally charged, the key condition that must be met is that the number of protons equals the number of electrons. Protons, which are positively charged particles found in the nucleus of an atom, must be balanced by an equal number of negatively charged electrons that orbit the nucleus. When these two quantities are equal, the positive and negative charges cancel each other out, resulting in a neutral atom. If an atom has more protons than electrons, it will be positively charged, forming a cation. Conversely, if it has more electrons than protons, it will be negatively charged, forming an anion. The equal quantity of protons and electrons is essential for maintaining electrical neutrality in an atom. This understanding is fundamental in the study of atomic structure and charge balance. The other conditions mentioned do not directly relate to the neutral charge of an atom. The equality of neutrons to protons does not affect charge; it simply relates to isotopes. A zero mass number would imply an absence of particles, which is not feasible for an atom. Thus, the equality of protons and electrons is the only condition that ensures electrical neutrality.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://njradonmeasurementtech.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE