NEW MEXICO DENTAL ASSISTING LICENSE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nmdentalassisting.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. After placing a band, where should the retainer be positioned?

A. Above the occlusal surface

B. Parallel to the teeth on the buccal

C. Beneath the gumline

D. Directly above the retainer band

2. What does a field block refer to?

A. Injection directly into the nerve trunk

B. Injection into a small, isolated area

C. Injection near a larger terminal nerve branch

D. Injection for local infiltration

3. Which type of suture involves a series of single stitches?

A. Continuous interlocking

B. Simple

C. Interrupted

D. Reticulated

4. How is systemic fluoride primarily ingested?

A. Through skin contact

B. Through dietary sources

C. Through topical application

D. Through dental treatments

5. What aspect of dental radiography does high density refer to?

A. Loudness of the image

B. Overall darkness of the radiograph

C. Clarity of the image

D. Colorfulness of the radiograph

6. What material are ligature ties commonly made from?

A. Plastic composite

B. Stainless steel wire

C. Silicone

D. Cotton thread

SAMPLE

7. Formochresol is a mixture primarily used for what purpose in dentistry?

A. As a filler for root canals

B. As an antimicrobial disinfectant

C. As an irrigation solution

D. As a temporary restoration material

8. How long should a patient be flushed with oxygen after nitrous oxide administration?

A. 2 minutes

B. 5 minutes

C. 10 minutes

D. 15 minutes

9. What does a dentist check for before allowing suture removal?

A. Properly formed tissues

B. Sufficiently healed tissues

C. No swelling or inflammation

D. Adequate cleaning of the site

10. During the final stages of orthodontic treatment, which type of wire is preferred?

A. Square wires

B. Round wires

C. Rectangular wires

D. Elastic bands

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. B
5. B
6. B
7. B
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. After placing a band, where should the retainer be positioned?

A. Above the occlusal surface

B. Parallel to the teeth on the buccal

C. Beneath the gumline

D. Directly above the retainer band

The retainer should be positioned parallel to the teeth on the buccal to ensure proper function and stability. This positioning allows for effective retention of the band and provides adequate support during the orthodontic treatment process. When the retainer is aligned with the buccal surfaces of the teeth, it helps to stabilize the band and keeps it in the correct position, reducing the risk of dislodgment or discomfort. Positioning the retainer above the occlusal surface may create a situation where the band is not securely held in place, which can lead to complications during treatment. If the retainer were placed beneath the gumline, it could irritate the periodontal tissue and cause inflammation or other complications. Additionally, placing the retainer directly above the band could result in misalignment, affecting the overall orthodontic treatment outcome. Therefore, ensuring that the retainer is parallel to the teeth on the buccal side is essential for effective and safe orthodontic procedures.

2. What does a field block refer to?

A. Injection directly into the nerve trunk

B. Injection into a small, isolated area

C. Injection near a larger terminal nerve branch

D. Injection for local infiltration

A field block refers to an injection that targets a larger terminal nerve branch to block sensation in a specific area. This technique involves injecting anesthetic near the nerve that supplies the region, thereby preventing sensory transmission from that location. It differs from local infiltration, which absorbs directly into the tissue to numb a smaller area, and from a nerve trunk injection, which would be aimed directly at the nerve itself. The purpose of a field block is to create a broader area of anesthesia by strategically placing the anesthetic close to the nerve branches, making it particularly effective during dental procedures in specific regions of the mouth.

3. Which type of suture involves a series of single stitches?

A. Continuous interlocking

B. Simple

C. Interrupted

D. Reticulated

The type of suture that involves a series of single stitches is interrupted sutures. This technique involves placing individual stitches at separate intervals along the incision or wound, allowing for greater flexibility and control over tension in the wound edges. Each stitch is tied off independently, which can provide better stability for the tissue as it heals, since if one stitch fails, the others remain intact. In contrast, continuous interlocking sutures consist of a single thread that runs along the length of the incision, which means that if the thread breaks at any point, the entire line of sutures can be compromised. Simple sutures also differ, as they typically involve a single stitch but are not independent; rather, they do not offer the same level of security as interrupted sutures. Reticulated sutures refer to a specific pattern often used for closing wounds but do not fit the description of consisting solely of single stitches.

SAMPLE

4. How is systemic fluoride primarily ingested?

A. Through skin contact

B. Through dietary sources

C. Through topical application

D. Through dental treatments

Systemic fluoride is primarily ingested through dietary sources, which include foods and beverages that contain fluoride naturally or have been fluoridated. This means that when a person consumes these items, the fluoride is absorbed into the bloodstream and can subsequently strengthen developing teeth and bones. Fluoride can be found in various foods and drinks, such as tea, fish, and some fruit juices, and its role in dental health is significant, as it helps prevent dental caries by reinforcing the structure of teeth. It's important to recognize that while fluoride can be applied topically through dental treatments and dental products like toothpaste or mouth rinses, this method affects the teeth externally and does not classify as systemic fluoride ingestion. Similarly, skin contact does not lead to systemic absorption of fluoride, making dietary sources the key pathway for systemic fluoride intake.

5. What aspect of dental radiography does high density refer to?

A. Loudness of the image

B. Overall darkness of the radiograph

C. Clarity of the image

D. Colorfulness of the radiograph

High density in dental radiography refers to the overall darkness of the radiograph. When a radiograph has high density, it means that the film or digital image has absorbed more x-rays, resulting in darker areas on the image. This occurs because denser materials or structures within the patient's mouth, such as teeth, absorb more radiation, leading to greater darkening on the radiograph. In essence, the relationship between exposure and the resultant density is paramount; greater exposure levels usually produce a darker radiograph, while underexposure leads to lighter images. Understanding this concept is crucial for dental professionals as it helps in interpreting the quality of radiographs, diagnosing dental conditions, and ensuring that optimal exposure protocols are followed during imaging procedures.

6. What material are ligature ties commonly made from?

A. Plastic composite

B. Stainless steel wire

C. Silicone

D. Cotton thread

Ligature ties are commonly made from stainless steel wire due to their strength and durability. Stainless steel is a preferred material in dentistry because it provides excellent support during orthodontic treatments. The rigidity of the wire allows for effective holding of orthodontic wires in brackets, ensuring they remain in position while exerting necessary forces on the teeth. Additionally, stainless steel is resistant to corrosion, which is crucial in the moist environment of the mouth. This resistance contributes to the longevity and functionality of the ligature ties, as they need to withstand various conditions during treatment. Other materials listed, such as plastic composite, silicone, and cotton thread, do not offer the same combination of strength, elasticity, and stability that stainless steel does, making them less suitable for the purpose of securing orthodontic components effectively.

SAMPLE

7. Formochresol is a mixture primarily used for what purpose in dentistry?

A. As a filler for root canals

B. As an antimicrobial disinfectant

C. As an irrigation solution

D. As a temporary restoration material

Formocresol is primarily recognized in dentistry for its use as an antimicrobial disinfectant. It is a solution that combines formaldehyde and cresol, which provides effective antimicrobial properties that help to eliminate bacteria and prevent infection in endodontic treatments, particularly in the case of pulpotomy procedures. The compound is often utilized to disinfect the remaining dental pulp and surrounding structures before any further treatment is conducted. This property makes it invaluable in pediatric dentistry for treating primary teeth with pulpitis, ensuring that the tooth is cleaned and prepared for long-term care or restoration. While it is true that formocresol may play a role in the context of root canal therapy, it should be noted that its primary function is focused on its disinfectant capabilities rather than being a direct filler or restoration material. Thus, its classification as an antimicrobial disinfectant aligns with its main usage within dental practices.

8. How long should a patient be flushed with oxygen after nitrous oxide administration?

A. 2 minutes

B. 5 minutes

C. 10 minutes

D. 15 minutes

After the administration of nitrous oxide, it is essential to flush the patient with oxygen to help eliminate the nitrous oxide from their system and reduce any potential side effects. The correct duration for flushing with oxygen is 5 minutes. This time frame ensures that a sufficient amount of nitrous oxide is cleared from the patient's body, minimizing the risk of headache or nausea that can occur if nitrous oxide lingers in the system. Flushing the patient with 100% oxygen helps to increase the rate at which nitrous oxide is expelled from the bloodstream and tissues. While other durations may seem reasonable, they do not provide the optimal balance between effective nitrous oxide elimination and patient safety. A shorter duration might not fully clear the nitrous oxide, while a longer duration, such as 10, 15, or even more minutes, may be unnecessarily excessive, prolonging recovery without added benefit. Thus, 5 minutes is the established standard for a safe and effective oxygen flush following nitrous oxide administration.

SAMPLE

9. What does a dentist check for before allowing suture removal?

A. Properly formed tissues

B. Sufficiently healed tissues

C. No swelling or inflammation

D. Adequate cleaning of the site

The correct choice, which focuses on thoroughly assessing the condition of the tissues at the surgical site, reflects an essential aspect of post-operative care. Before a dentist permits the removal of sutures, they must ensure that the tissues have sufficiently healed. This involves checking the integrity of the tissue and confirming that it is strong enough to close without the support of sutures. When tissues are sufficiently healed, it indicates that the body has adequately repaired the wound, and removing sutures at this stage minimizes the risk of complications such as reopening the wound or introducing infection. Monitoring this healing process is pivotal, as premature suture removal may lead to additional problems. While options like checking for properly formed tissues, no swelling or inflammation, and adequate cleaning of the site are also important factors in post-operative assessments, the primary criterion that justifies suture removal is ensuring that the tissues have healed enough. Only then can one be confident that the wound can withstand the stress that will come without sutures.

10. During the final stages of orthodontic treatment, which type of wire is preferred?

A. Square wires

B. Round wires

C. Rectangular wires

D. Elastic bands

In the final stages of orthodontic treatment, square wires are preferred because they are effective in achieving the necessary torque and control over the position of the teeth. The square shape allows for better engagement in the brackets, facilitating the movement of teeth into their desired positions with precision. Square wires can provide a more stable fit, which is crucial for fine-tuning tooth alignment and achieving optimal occlusion. Additionally, square wires can help provide a more efficient transfer of forces to the teeth, enhancing the overall effectiveness of the orthodontic treatment. This characteristic makes them particularly useful in the finishing phases, where detailed adjustments are necessary to achieve a final result that meets the aesthetic and functional requirements of the patient. Round wires, while often used in earlier stages for initial alignment, do not offer the same level of precision when it comes to controlling tooth movement as square wires do. Rectangular wires have their advantages for various stages of treatment but might not provide the ultimate control required in the finishing phase. Elastic bands are generally used as adjuncts to aid in specific tooth movements rather than being a primary wire type for the final adjustments.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nmdentalassisting.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE