# NFPA NATIONAL FIRE ALARM AND SIGNALING CODE (NFPA 72) PRACTICE EXAM (SAMPLE)

## STUDY GUIDE




## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://nfpa-72nationalfirealarmandsignalingcode.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What is the role of the fire alarm control panel in a system according to NFPA 72?**

A. To provide visual alerts for smoke

B. To manage and interpret signals from initiating devices

C. To produce audible sounds for evacuations

D. To monitor maintenance schedules

**2. Which best describes the purpose of an indicating device?**

A. It triggers a facility lockdown

B. It warns locally of an alarm

C. It activates the sprinkler system

D. It monitors temperature levels

**3. How should PFLA conductors NOT be installed?**

A. Strapped inside conduit

B. Taped securely to the wall

C. Attached to the exterior of any conduit or raceway

D. Installed in cable trays

**4. According to NFPA 72, what should be done regarding false alarms?**

A. They should be ignored to prevent panic

B. They require a response but no documentation

C. They must be investigated and documented

D. They indicate a malfunctioning system

**5. What device is used to protect transformers or other devices supplied from power-supply conductors?**

A. Fuse rated over 15 Amperes

B. Circuit breaker rated over 20 Amperes

C. Over-current device not rated over 20 Amperes

D. Transformer protection relay

SAMPLE

**6. What does NPFLA stand for?**

A. Non-Power Limited Fire Alarm

B. National Power Fire Life Alarm

C. New Power Fire and Life Alarm

D. Non-Purpose Fire Life Alarm

**7. What is the purpose of end-of-line testing in fire alarm systems?**

A. To ensure proper device installation

B. To verify circuit functionality and operation of devices

C. To check for external environmental influences

D. To measure response times of alarm signals

**8. What capability must each elevator lobby, hoist way, and machine room detector have?**

A. Activate the building's emergency lighting

B. Initiate elevator recall when devices are in alarm

C. Send alerts to the fire department

D. Disable electrical systems in the elevator

**9. What is the purpose of a mechanical guard for detectors and appliances?**

A. To enhance the visual appeal

B. To protect from mechanical damage

C. To improve operational efficiency

D. To ensure easier access for maintenance

**10. What training requirement does NFPA 72 impose on personnel responsible for maintaining fire alarm systems?**

A. Certification every three years

B. Training must align with the specific systems being maintained

C. Annual workshops on fire safety

D. A licensed technician is required for all maintenance

SAMPLE

# Answers

SAMPLE

1. B
2. B
3. C
4. C
5. C
6. A
7. B
8. B
9. B
10. B

SAMPLE

# Explanations

SAMPLE

## 1. What is the role of the fire alarm control panel in a system according to NFPA 72?

A. To provide visual alerts for smoke

B. To manage and interpret signals from initiating devices

C. To produce audible sounds for evacuations

D. To monitor maintenance schedules

*The role of the fire alarm control panel is to manage and interpret signals from initiating devices, which are critical for the overall function of a fire alarm system. The control panel serves as the central hub for receiving and analyzing inputs from various devices such as smoke detectors, heat detectors, and manual pull stations. When these devices detect a potential fire situation, they send signals to the control panel, which processes this information to determine if a response is necessary. In addition to interpreting signals, the control panel also activates alarms, notifications, and any other connected safety systems. It ensures that appropriate actions are taken, such as alerting occupants, notifying emergency responders, or activating fire suppression systems. This central management is essential for the efficacy and reliability of fire alarm systems as outlined in NFPA 72. Other functions, such as providing visual alerts or audible sounds, are typically part of the overall alarm and notification system but are specific functions that work in conjunction with the control panel rather than representing its primary role. Monitoring maintenance schedules, while important for system reliability, is not a direct responsibility of the control panel, rather it is part of the broader maintenance practices needed to ensure the system's ongoing effectiveness.*

## 2. Which best describes the purpose of an indicating device?

A. It triggers a facility lockdown

B. It warns locally of an alarm

C. It activates the sprinkler system

D. It monitors temperature levels

*An indicating device is primarily designed to provide a local warning when an alarm condition occurs. This function is crucial in alerting occupants within a building or area to take appropriate action in response to the alarm, such as evacuating or preparing for further emergency response. Indicating devices include sound alarms, visual indicators like strobe lights, and other means to ensure that the alarm is noticed and understood by individuals present. While other options describe important functions within the realm of fire safety and emergency response, they do not accurately represent the specific purpose of indicating devices. For example, triggering a facility lockdown pertains to security measures, activating a sprinkler system relates to fire suppression rather than indication, and monitoring temperature levels is more aligned with detection systems than with the primary role of indicating devices. Thus, the best description of the purpose of an indicating device is that it warns locally of an alarm.*

SAMPLE

## 3. How should PFLA conductors NOT be installed?

A. Strapped inside conduit

B. Taped securely to the wall

C. Attached to the exterior of any conduit or raceway

D. Installed in cable trays

*The installation guidelines for Protected Fire Alarm Conductors (PFLA) are designed to ensure their safety and reliability in fire alarm systems. Conductors should be securely protected from environmental hazards and physical damage, which is a primary consideration in the installation process. When considering installation methods, attaching PFLA conductors to the exterior of any conduit or raceway does not meet the necessary safety standards. This method exposes the conductors to potential damage from external factors such as physical impact, water intrusion, or debris accumulation, which may compromise the integrity and functionality of the fire alarm system. In contrast, the other installation methods, such as strapping inside conduit or using cable trays, provide adequate protection and are compliant with fire alarm installation requirements. Taping securely to the wall may also be a workaround, but it could be less secure than other options. Overall, the guidelines for PFLA conductors emphasize protecting them from damage, making attachment to the exterior of conduits or raceways an unsuitable choice.*

## 4. According to NFPA 72, what should be done regarding false alarms?

A. They should be ignored to prevent panic

B. They require a response but no documentation

C. They must be investigated and documented

D. They indicate a malfunctioning system

*In NFPA 72, addressing false alarms is critical for maintaining the integrity and reliability of fire alarm systems. When a false alarm occurs, it is mandated that the situation be investigated and documented. This process is essential for several reasons. Firstly, investigation of false alarms helps identify the root cause, which could range from user error to equipment malfunction. Understanding why a false alarm was triggered can lead to improvements in system design, installation, or user training, ultimately reducing the incidence of future false alarms. Secondly, documentation plays a vital role in maintaining a record of incidents that can be reviewed for patterns or recurring issues. This documentation can serve as a crucial tool for fire safety personnel and building management in assessing the performance of the fire alarm system and making necessary adjustments. Failing to investigate or document false alarms can lead to complacency, where the significance of a false alarm may be underestimated, possibly resulting in a lack of necessary maintenance or system updates. By adhering to the requirement for investigation and documentation, organizations can enhance their fire safety protocols and reduce the risks associated with incorrect alarms in the future.*

SAMPLE

## 5. What device is used to protect transformers or other devices supplied from power-supply conductors?

A. Fuse rated over 15 Amperes

B. Circuit breaker rated over 20 Amperes

C. Over-current device not rated over 20 Amperes

D. Transformer protection relay

*The correct choice is an over-current device not rated over 20 Amperes because it aligns with the NFPA 72 guidelines that regulate over-current protection for devices like transformers. An over-current device serves to protect equipment from excessive current, which can lead to overheating and potential failures. Specifically, for smaller transformers and similar devices, the requirement for an over-current device rated not over 20 Amperes ensures adequate protection without risking nuisance tripping or false alarms that can occur with larger ratings. Using a fuse rated over 15 Amperes or a circuit breaker rated over 20 Amperes could provide protection, but they may not meet the specific criteria or operational characteristics needed for the efficient functioning of smaller devices. Larger ratings might also be unnecessarily restrictive in protecting smaller systems, as they could allow higher currents that don't provide the optimal protection for all instances. The transformer protection relay is typically used for larger applications and is not necessarily designed for the specific protection of smaller devices in this context. Therefore, an over-current device not exceeding 20 Amperes is ideal for the conceptual underpinning of this protective mechanism.*

## 6. What does NPFLA stand for?

A. Non-Power Limited Fire Alarm

B. National Power Fire Life Alarm

C. New Power Fire and Life Alarm

D. Non-Purpose Fire Life Alarm

*The term NPFLA stands for Non-Power Limited Fire Alarm. This designation is significant in the context of fire alarm systems, as it indicates a type of electrical circuit that is not limited in power, which can impact how the system is designed and installed. Non-Power Limited Fire Alarms are typically associated with more complex fire alarm systems that provide enhanced capabilities, such as the ability to initiate responses from auxiliary devices or to conduct tests and diagnostics. Understanding the meaning of NPFLA is key for professionals involved in fire safety and alarm systems, as it directly relates to the operational characteristics and requirements for installation and maintenance under the NFPA guidelines. This knowledge ensures that systems are effectively integrated and compliant with relevant safety standards. Being familiar with NPFLA helps professionals understand when and where to apply certain types of alarm systems and their specifications, ensuring that fire protection measures are adequately addressed in building and safety codes.*

SAMPLE

## 7. What is the purpose of end-of-line testing in fire alarm systems?

A. To ensure proper device installation

B. To verify circuit functionality and operation of devices

C. To check for external environmental influences

D. To measure response times of alarm signals

*End-of-line testing in fire alarm systems serves the essential purpose of verifying circuit functionality and the operation of devices. When a fire alarm system is installed, it's crucial to ensure that all components, such as detectors, pull stations, and notification devices, are properly communicating and functioning as intended. The end-of-line test helps confirm that the system responds appropriately to alarm signals and that each device is correctly connected to the circuit. During this testing phase, a resistor or test device is placed at the end of each circuit, allowing technicians to determine if the circuit is complete and capable of detecting faults such as short circuits or open circuits. The functionality of alarm devices, including their activation in response to simulated conditions, can be evaluated as part of this process. This step is vital to ensure the reliability of the fire alarm system, which is critical for ensuring the safety of occupants and property in the event of a fire. The focus on verifying circuit functionality underlines the importance of a well-tested fire alarm system, ensuring that it will operate efficiently when needed most.*

## 8. What capability must each elevator lobby, hoist way, and machine room detector have?

A. Activate the building's emergency lighting

B. Initiate elevator recall when devices are in alarm

C. Send alerts to the fire department

D. Disable electrical systems in the elevator

*Each elevator lobby, hoist way, and machine room detector must have the capability to initiate elevator recall when devices are in alarm because this function is crucial for ensuring safety in the event of a fire or emergency. When a fire alarm is triggered, it is essential that elevators do not continue to operate as they could inadvertently transport people to a dangerous area or become inoperable themselves if they enter a smoke-filled environment. The recall function ensures that elevators are directed to a predesignated floor, usually the ground floor or a safe location, where occupants can safely exit the elevator. This feature is part of a comprehensive fire safety strategy to minimize risks and protect building occupants during an emergency. The other capabilities listed, while important for various fire safety functions, do not directly relate to the specific responsibilities of elevator lobby detectors as defined by NFPA 72. Therefore, the correct focus on the ability to initiate elevator recall reflects the critical role these detectors play in promoting life safety during a fire incident.*

## 9. What is the purpose of a mechanical guard for detectors and appliances?

A. To enhance the visual appeal

B. To protect from mechanical damage

C. To improve operational efficiency

D. To ensure easier access for maintenance

*A mechanical guard for detectors and appliances serves to protect these devices from mechanical damage. This is crucial in environments where equipment may be exposed to the risk of being struck or subjected to accidental impacts, such as in industrial settings or areas with high foot traffic. By utilizing mechanical guards, the integrity and functionality of the detectors and appliances are preserved, ensuring they can operate effectively and reliably in their intended fire alarm and signaling roles. Protecting against mechanical damage helps maintain the performance standards required by the NFPA National Fire Alarm and Signaling Code, contributing to overall safety and performance.*

SAMPLE

**10. What training requirement does NFPA 72 impose on personnel responsible for maintaining fire alarm systems?**

A. Certification every three years

B. Training must align with the specific systems being maintained

C. Annual workshops on fire safety

D. A licensed technician is required for all maintenance

*The correct answer indicates that training for personnel responsible for maintaining fire alarm systems must be aligned with the specific systems they are tasked with maintaining. This requirement is crucial because various fire alarm systems can have diverse technologies, components, and functionalities. Tailoring training to the specific system ensures that technicians are familiar with the unique features and operational protocols of the equipment they are working with. This competency is vital for effectively performing maintenance, troubleshooting issues, and ensuring compliance with safety standards. By understanding the intricate workings and specific requirements of each system, maintenance personnel can provide the level of service necessary to keep the fire alarm systems functional, reliable, and compliant with NFPA standards. This contextual approach to training enhances the overall safety of facilities and ensures a higher standard of fire protection.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nfpa-72nationalfirealarmandsignalingcode.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE