
NHA PATIENT CARE TECHNICIAN (PCT) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nhapct.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is a key skill a Patient Care Technician should possess to facilitate patient comfort?**

   A. Ability to perform complex procedures

   B. Proficiency in technical jargon

   C. Empathy and understanding of patient feelings

   D. Strict adherence to rules and regulations

2. **A PCT is monitoring a patient's intake and output over 24 hours. Which finding should be reported immediately?**

   A. Pale, yellow-colored urine

   B. Amber-colored urine

   C. Urine output of 1,400 mL

   D. Urine output of 500 mL

3. **Why is cultural awareness important for a Patient Care Technician?**

   A. To ensure compliance with clinical guidelines

   B. To provide respectful, individualized care that honors patient beliefs and practices

   C. To enforce hospital policies

   D. To promote faster healthcare delivery

4. **What should a Patient Care Technician do when encountering an unconscious patient?**

   A. Immediately leave to get assistance

   B. Check for responsiveness and seek emergency help

   C. Utilize lifting techniques to reposition them

   D. Attempt to revive them with verbal commands

5. **For a patient with left-sided paralysis due to a stroke, what position should a hand-wrist splint secure the wrist in?**

   A. Wrist in slight dorsiflexion

   B. Fingers in an extended position

   C. Thumb kept in close proximity to the index finger

   D. Fingers rotated slightly in an external position

SAMPLE

6. What type of personal protective equipment should a patient care technician wear when caring for a patient with pulmonary tuberculosis?

A. N95 respirator

B. Gown

C. Face shield

D. Goggles

7. What is the correct technique for applying a transfer belt?

A. Place it around the patient's knees

B. Place it around the patient's waist and ensure it is secure

C. Place it over the patient's shoulders

D. Place it under the patient's arms

8. What position is best for maintaining proper alignment in a wrist and hand splint?

A. Wrist in slight dorsiflexion

B. Fingers in full extension

C. Thumb in full abduction

D. Fingers in a clenching position

9. What is the first action a PCT should take if they see someone choking?

A. Perform the abdominal thrust maneuver.

B. Ask the visitor if she is able to speak.

C. Get the defibrillator and call for help.

D. Palpate the visitor's pulse and begin CPR.

10. What techniques can be used to assist patients with mobility challenges?

A. Using assistive devices like walkers, canes, or wheelchairs

B. Encouraging them to walk without support

C. Only providing verbal instructions

D. Restricting movement to prevent falls

SAMPLE

Answers

SAMPLE

1. C
2. D
3. B
4. B
5. A
6. A
7. B
8. A
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What is a key skill a Patient Care Technician should possess to facilitate patient comfort?

A. Ability to perform complex procedures

B. Proficiency in technical jargon

C. Empathy and understanding of patient feelings

D. Strict adherence to rules and regulations

A key skill that a Patient Care Technician should possess is empathy and an understanding of patient feelings. This capability is essential in healthcare settings because it allows the technician to connect with patients on a personal level, acknowledging their concerns and fears. When patients feel understood and valued, it significantly enhances their comfort and trust in the healthcare system. This emotional support can alleviate anxiety and improve the overall patient experience, promoting better communication and cooperation during care. While performing complex procedures, having proficiency in technical jargon, and adhering to rules and regulations are important aspects of the role, they do not inherently contribute to the emotional comfort and well-being of patients. Technical skills and regulatory compliance are vital for ensuring safe and effective care, but the heart of patient care lies in the human connection that empathy fosters.

2. A PCT is monitoring a patient's intake and output over 24 hours. Which finding should be reported immediately?

A. Pale, yellow-colored urine

B. Amber-colored urine

C. Urine output of 1,400 mL

D. Urine output of 500 mL

A urine output of 500 mL over a 24-hour period is significant because it indicates oliguria, which is a condition where the urine output is abnormally low. Normal urine output for an adult typically ranges from 800 to 2,000 mL per day. Thus, a measurement of 500 mL suggests that the patient may be at risk for fluid retention, kidney dysfunction, or dehydration. This finding should be reported immediately as it may require further assessment and intervention from the healthcare team to prevent potential complications. In contrast, the other findings do not necessarily indicate an immediate cause for concern. Pale, yellow-colored urine typically suggests normal hydration levels, while amber-colored urine might indicate dehydration but does not require immediate action unless other symptoms are present. A urine output of 1,400 mL is within the normal range and therefore does not necessitate urgent reporting.

SAMPLE

3. Why is cultural awareness important for a Patient Care Technician?

A. To ensure compliance with clinical guidelines

B. To provide respectful, individualized care that honors patient beliefs and practices

C. To enforce hospital policies

D. To promote faster healthcare delivery

Cultural awareness is crucial for a Patient Care Technician as it directly influences the quality of care provided to patients. By being culturally aware, a technician can offer respectful and individualized care that acknowledges and honors the diverse beliefs, practices, and values of each patient. This understanding fosters trust and rapport, which can lead to improved patient satisfaction and cooperation in their care plan. Patients come from varied backgrounds, and their cultural context can significantly shape their perspectives on health, illness, and medical treatment. Being attuned to these differences allows technicians to better communicate, support, and respect patients' choices, preferences, and needs. This individual approach not only enhances the patient's experience but also contributes to better health outcomes because patients are more likely to engage in their care when they feel understood and respected. While compliance with clinical guidelines, enforcing hospital policies, and promoting faster healthcare delivery are important aspects of healthcare, they do not inherently address the personal and cultural dimensions that can affect patient experiences and outcomes. Cultural awareness is essential for creating a holistic approach to patient care that encompasses physical, emotional, and social well-being.

4. What should a Patient Care Technician do when encountering an unconscious patient?

A. Immediately leave to get assistance

B. Check for responsiveness and seek emergency help

C. Utilize lifting techniques to reposition them

D. Attempt to revive them with verbal commands

When encountering an unconscious patient, the appropriate action is to check for responsiveness and seek emergency help. This involves assessing the patient's level of consciousness by gently shaking them and calling out to see if they respond. If there is no response, it is critical to activate emergency protocols, which may include calling for assistance or initiating CPR if the situation warrants. Acting promptly allows for necessary interventions to be initiated quickly, which can be vital in situations of cardiac arrest or other life-threatening conditions. Ensuring that help is on the way is essential in managing the patient's care effectively. Furthermore, while being trained, the Patient Care Technician should maintain a safe environment for both the patient and themselves until professional help arrives. This response not only prioritizes patient safety but also aligns with established protocols in emergency care.

SAMPLE

5. For a patient with left-sided paralysis due to a stroke, what position should a hand-wrist splint secure the wrist in?

A. Wrist in slight dorsiflexion

B. Fingers in an extended position

C. Thumb kept in close proximity to the index finger

D. Fingers rotated slightly in an external position

The correct position for securing the wrist in a hand-wrist splint for a patient with left-sided paralysis due to a stroke is with the wrist in slight dorsiflexion. This position helps maintain optimal function of the hand and wrist by preventing contractures and preserving range of motion. Dorsiflexion allows for better alignment of the wrist, which can facilitate easier hand functions when the patient begins rehabilitation. Keeping the wrist slightly extended also helps promote circulation and can prevent stiffness that may result from prolonged immobility. Maintaining the wrist in this position supports the overall goal of restoring function and mobility, as it allows for more effective use of any residual movement in the hand and fingers. This is particularly important in stroke recovery, where regaining use of the affected side is a primary focus of rehabilitation efforts.

6. What type of personal protective equipment should a patient care technician wear when caring for a patient with pulmonary tuberculosis?

A. N95 respirator

B. Gown

C. Face shield

D. Goggles

In the context of caring for a patient with pulmonary tuberculosis, wearing an N95 respirator is crucial due to the airborne nature of the disease. Tuberculosis (TB) bacteria can be transmitted through airborne droplets that are released when a person coughs, sneezes, or talks. The N95 respirator is specifically designed to filter out at least 95% of very small (0.3 micron) particles, including those that could carry the TB bacteria. This level of respiratory protection is necessary to reduce the risk of the healthcare provider inhaling infectious particles while in close proximity to the patient. Gowns, face shields, and goggles are important in various healthcare scenarios for protecting against fluid exposure and large droplets, but they do not provide the same level of respiratory protection as an N95 respirator when dealing with airborne infectious diseases like tuberculosis. Therefore, while those other forms of personal protective equipment may be used in certain situations, they are not the primary means of protecting against the transmission of TB in the air.

SAMPLE

7. What is the correct technique for applying a transfer belt?

A. Place it around the patient's knees

B. Place it around the patient's waist and ensure it is secure

C. Place it over the patient's shoulders

D. Place it under the patient's arms

The proper technique for applying a transfer belt involves placing it around the patient's waist and ensuring that it is secure. This method provides the necessary support and stability for both the patient and the caregiver during transfers, such as moving the patient from a bed to a chair or assisting them in walking. When the belt is secured around the waist, it allows the caregiver to maintain a firm grip, reducing the risk of slips or falls. Additionally, positioning the belt at the waist is ergonomically beneficial, as it allows the caregiver to use their legs to lift, rather than putting excessive strain on their back. The belt should be snug but not too tight, ensuring comfort and safety for the patient. Other application techniques, such as placing the belt around the knees or over the shoulders, would be ineffective and potentially hazardous. A belt around the knees would not provide adequate support for transfers, while placement over the shoulders could lead to instability and increased risk of falls or injuries. Likewise, positioning the belt under the arms would not support the lower body and could cause discomfort or even potential injury if the patient were to fall. Each of these alternatives lacks the primary focus of safety and support that a properly applied transfer belt around the waist provides.

8. What position is best for maintaining proper alignment in a wrist and hand splint?

A. Wrist in slight dorsiflexion

B. Fingers in full extension

C. Thumb in full abduction

D. Fingers in a clenching position

Maintaining proper alignment in a wrist and hand splint is crucial for effective treatment and optimal function. The best position for achieving this is having the wrist in slight dorsiflexion. This slight upward bending of the wrist ensures that the tendons and ligaments are in a neutral position, minimizing the risk of stiffness and promoting better circulation. When the wrist is positioned in slight dorsiflexion, it creates a functional posture that allows for better mobility and proper alignment of the hand, fingers, and thumb, which is essential for rehabilitation. This position prevents excessive tension on the wrist structures and encourages better hand function post-injury or post-operative care. In other positions provided, such as the fingers in full extension or the thumb in full abduction, there may be limitations in function or issues with comfort and alignment. Similarly, a clenching position for the fingers would not support proper alignment and can lead to increased stiffness or discomfort. Overall, slight dorsiflexion provides the necessary balance to support healing and function while wearing a wrist and hand splint.

SAMPLE

9. What is the first action a PCT should take if they see someone choking?

A. Perform the abdominal thrust maneuver.

B. Ask the visitor if she is able to speak.

C. Get the defibrillator and call for help.

D. Palpate the visitor's pulse and begin CPR.

The appropriate first action for a Patient Care Technician (PCT) to take when witnessing someone choking involves assessing the situation to determine how to respond. Asking the person if they are able to speak serves as a critical step in gauging the severity of the choking incident. If the individual can speak, cough, or breathe, they may not require immediate intervention beyond encouragement to continue coughing, which can help in dislodging the obstruction. This assessment allows the caregiver to tailor their response to the patient's condition, ensuring that emergency measures are reserved for those who need them most. Performing the abdominal thrust maneuver immediately may be necessary in certain scenarios, particularly if the person is unable to breathe or talk, but this action should follow an assessment of the individual's state. Getting a defibrillator or calling for help would typically apply in cases of cardiac arrest rather than choking emergencies, and palpating a pulse and initiating CPR is more appropriate when the person is unresponsive and not breathing. Thus, the initial inquiry about the person's ability to speak is a critical step in the choking response protocol.

10. What techniques can be used to assist patients with mobility challenges?

A. Using assistive devices like walkers, canes, or wheelchairs

B. Encouraging them to walk without support

C. Only providing verbal instructions

D. Restricting movement to prevent falls

Using assistive devices like walkers, canes, or wheelchairs is the most effective and supportive technique to assist patients with mobility challenges. These devices are specifically designed to enhance mobility, provide stability, and reduce the risk of falls, allowing individuals with varying levels of mobility difficulties to navigate their environment more safely and independently. Assistive devices can be tailored to meet the individual needs of patients, enabling them to maintain their independence and engagement in activities. For example, a walker can provide support for individuals who have balance issues, while a wheelchair is vital for those who are unable to walk. The use of these devices encourages patients to move around more freely and confidently, which is crucial for their physical and emotional well-being. In contrast, encouraging patients to walk without any support can increase the risk of falls and injuries, especially for those who already struggle with mobility. Relying solely on verbal instructions would not provide the necessary physical support that assistive devices offer, leaving patients vulnerable while attempting to move. Restricting movement to prevent falls can lead to increased deconditioning and a decline in overall health, counteracting the purpose of promoting mobility. Thus, using assistive devices stands out as the best practice in assisting patients with mobility challenges.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nhapct.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE