NHS 111 ASSESSMENT 1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nhs111assmt1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which genetic condition is associated with an increased risk of aneurysm?

A. Down syndrome

B. Marfans Syndrome

C. Turner syndrome

D. Ehlers-Danlos syndrome

2. In NHS Pathways, if risk is high, where is the patient directed?

A. Self-care

B. Urgent care

C. 999

D. GP appointment

3. What is Gillick competence and how does it apply to under-16 patients in NHS 111?

A. Gillick competence applies only to financial decisions

B. It is not applicable to NHS 111

C. A child may consent to treatment if they have sufficient understanding; treat minors with respect for confidentiality and involve them where appropriate

D. Gillick competence allows any child under 16 to refuse treatment without parental input

4. What is the main purpose of the NHS 111 service?

A. Provide urgent medical advice and triage over phone/online for non-life-threatening symptoms

B. Schedule GP appointments only

C. Provide emergency ambulance dispatch

D. Provide non-urgent information about clinics

5. Name a genetic condition that can increase the likelihood of an aneurysm.

A. Down syndrome

B. Marfans Syndrome

C. Turner syndrome

D. Klinefelter syndrome

SAMPLE

6. In feverish infants, which sign would indicate urgent assessment beyond simply age under 3 months with fever?

A. Poor feeding

B. Lethargy

C. Dehydration

D. All of the above

7. Which of the following is NOT a part of the chain of survival?

A. Early recognition & call for help

B. Early CPR

C. Early defibrillation

D. Providing oxygen in hospital

8. Which of the following is a listed cause of difficulty breathing that starts with D?

A. Heart attack

B. Drowning

C. Severe allergy

D. Poisoning

9. What is the next step if central chest pain persists with shortness of breath?

A. Immediately arrange emergency medical assessment and escalate to emergency services if life-threatening signs are present; do not delay transport.

B. Advise to take antacids and rest.

C. Schedule a follow-up in one week.

D. Reassure and monitor.

10. Which of the following is a symptom of sinusitis?

A. Bad breath

B. Cold symptoms

C. Blurred vision

D. Joint pain

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. A
5. B
6. D
7. D
8. B
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which genetic condition is associated with an increased risk of aneurysm?

A. Down syndrome

B. Marfans Syndrome

C. Turner syndrome

D. Ehlers-Danlos syndrome

The risk of aneurysm arises from weakened arterial walls due to a connective tissue disorder. In Marfan syndrome, a mutation in the FBN1 gene leads to defective fibrillin-1, a key part of elastic fibers in the aorta. This causes weakness of the aortic media and cystic medial necrosis, which allows the aorta to dilate and form an aneurysm, with a higher chance of dissection as well. Clinically, Marfan typically presents with tall stature, long fingers, chest wall deformities, and often lens dislocation, linking these features to the cardiovascular risk. While other listed conditions can affect the heart or vessels in various ways, the classic and strongest association with aneurysm risk is Marfan syndrome.

2. In NHS Pathways, if risk is high, where is the patient directed?

A. Self-care

B. Urgent care

C. 999

D. GP appointment

When risk is high, the situation is considered life threatening or time critical. NHS Pathways is designed to detect those red flag signs and immediately route the caller to emergency services. Directing to 999 ensures an ambulance is dispatched and the patient can be treated urgently, often en route to or at hospital. This contrasts with lower-risk situations where self care, an urgent care service, or a GP appointment would be appropriate. For example, severe chest pain, someone not breathing, or a suspected stroke would be treated as high risk.

3. What is Gillick competence and how does it apply to under-16 patients in NHS 111?

A. Gillick competence applies only to financial decisions

B. It is not applicable to NHS 111

C. A child may consent to treatment if they have sufficient understanding; treat minors with respect for confidentiality and involve them where appropriate

D. Gillick competence allows any child under 16 to refuse treatment without parental input

Gillick competence is about whether a person under 16 has enough understanding to consent to medical treatment. If a young person demonstrates sufficient understanding of the nature, purpose, benefits, risks and alternatives of the proposed care, they can consent to treatment without needing a parent's informed consent. You should treat them with respect for their confidentiality and involve them in decisions to the extent appropriate to their understanding. In NHS 111, this principle applies as you assess the young person over the phone: provide clear information, gauge their understanding, and respect their confidentiality while involving parents or carers where appropriate and necessary. The idea isn't that any under-16 can automatically refuse or that confidentiality never applies; rather, capacity to consent or refuse depends on the individual's understanding, not simply on age. The other statements don't fit because Gillick competence isn't limited to financial decisions, it is relevant to NHS 111, and it doesn't grant an unconditional right for all under-16s to refuse treatment without any parental input.

SAMPLE

4. What is the main purpose of the NHS 111 service?

A. Provide urgent medical advice and triage over phone/online for non-life-threatening symptoms

B. Schedule GP appointments only

C. Provide emergency ambulance dispatch

D. Provide non-urgent information about clinics

The main idea is that NHS 111 is a service that provides urgent medical advice and triage over the phone or online for non-life-threatening symptoms, guiding you to the right next step in care. It's not about handling a true emergency, but about quickly assessing how serious your symptoms are and what to do next. The team ask questions about what you're experiencing, for how long, your age, medical history, and medications, then they categorize the urgency and offer appropriate guidance. That might be self-care at home, arranging a GP or urgent care appointment, or directing you to emergency services if there are dangerous red flags. It's broader than just scheduling GP visits, and it isn't primarily an ambulance dispatch service.

5. Name a genetic condition that can increase the likelihood of an aneurysm.

A. Down syndrome

B. Marfans Syndrome

C. Turner syndrome

D. Klinefelter syndrome

The main idea here is that certain inherited connective tissue disorders can weaken the aorta and raise the risk of an aneurysm. Marfan syndrome does this most clearly: mutations in fibrillin-1 cause weaker connective tissue, including the walls of the aorta, making dilation and dissection more likely. This explains why people with Marfan require regular aortic imaging and may use medications to reduce stress on the vessel wall. The other conditions involve different cardiovascular issues and are not as strongly linked to aneurysm risk as Marfan.

6. In feverish infants, which sign would indicate urgent assessment beyond simply age under 3 months with fever?

A. Poor feeding

B. Lethargy

C. Dehydration

D. All of the above

In very young infants, fever plus potential illness can escalate quickly because their immune systems aren't fully developed, so any red flags push for urgent assessment. Poor feeding is a sign that the baby isn't taking in enough fluid and energy, which can lead to dehydration and indicate a more serious infection. Lethargy means the baby isn't as responsive or active as expected, raising concern for systemic infection or sepsis. Dehydration shows the body is losing fluids faster than it can replace them, which can destabilize a tiny infant rapidly. Because each of these signs independently signals possible serious illness, their presence in a febrile infant under 3 months means urgent assessment is needed, so all of these signs indicate the need for prompt evaluation.

SAMPLE

7. Which of the following is NOT a part of the chain of survival?

A. Early recognition & call for help

B. Early CPR

C. Early defibrillation

D. Providing oxygen in hospital

The chain of survival is a sequence of time-critical actions to restore circulation and breathing after a collapse. It starts with recognizing the event and calling for help, then starting CPR to keep blood flowing, and delivering defibrillation as soon as possible for shockable rhythms. Providing oxygen in hospital, while important for overall care, isn't a distinct link in this immediate sequence; oxygen therapy is part of broader post-arrest or inpatient management rather than one of the rapid, early steps that define the chain.

8. Which of the following is a listed cause of difficulty breathing that starts with D?

A. Heart attack

B. Drowning

C. Severe allergy

D. Poisoning

Drowning is the correct choice because the question relies on a cause of breathing difficulty that starts with the letter D. Drowning is a recognized listed cause of dyspnea, and the scenario involves inhalation of water that impairs the airways and gas exchange, leading to coughing, chest tightness, and reduced oxygen levels. While the other conditions (heart attack, severe allergy, poisoning) can also cause breathing problems, they do not begin with D, so they don't fit the prompt's criterion.

9. What is the next step if central chest pain persists with shortness of breath?

A. Immediately arrange emergency medical assessment and escalate to emergency services if life-threatening signs are present; do not delay transport.

B. Advise to take antacids and rest.

C. Schedule a follow-up in one week.

D. Reassure and monitor.

When chest pain is central and lasts with shortness of breath, it signals a potential life-threatening emergency. This could be a heart attack or another serious condition that can worsen quickly, so the next step must be urgent: arrange emergency medical assessment immediately and escalate to emergency services if there are signs that life might be at risk. Don't wait to see if it goes away or try home remedies. Taking immediate action matters because early assessment can quickly identify a heart attack or other critical conditions and start life-saving care. Delays can lead to poorer outcomes, so transport to an emergency department for prompt evaluation is the correct approach. Other options fail to address the seriousness of the symptoms. Antacids and rest won't reliably treat a potential heart-related emergency, waiting a week is too long, and simply reassuring and monitoring could miss a rapidly evolving condition that needs urgent care.

SAMPLE

10. Which of the following is a symptom of sinusitis?

A. Bad breath

B. Cold symptoms

C. Blurred vision

D. Joint pain

Sinusitis inflames and blocks the sinus passages, causing mucus to stagnate and bacteria to multiply. The infected mucus often has a foul odor, and drainage down the back of the throat can lead to bad breath. This makes halitosis a common symptom of sinusitis. While some people may have a runny nose or fever, those symptoms can occur with many upper respiratory issues and aren't specific to sinusitis. Blurred vision or joint pain aren't typical signs of sinus infection, unless there are rare complications.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nhs111assmt1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE