NIGHTINGALE PATHOPHYSIOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nightingalepathophysio.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which condition is defined by a productive cough for at least 3 months in two consecutive years?

A. Chronic bronchitis

B. Bronchiolitis

C. Pneumonia

D. Emphysema

2. Endometriosis is defined as which?

A. The presence of functional endometrial tissue outside the uterus; it causes an inflammatory reaction at the site of implantation and is a cause of infertility

B. The overdevelopment of breast tissue in a male

C. A congenital descent issue of the testis

D. Inflammation of the glans penis

3. Gastrectomy commonly leads to a deficiency of which vitamin due to decreased intrinsic factor production?

A. Increased intrinsic factor production leads to vitamin B12 overload

B. Decreased vitamin B6 absorption

C. Decreased intrinsic factor production results in decreased vitamin B12

D. Gastric acid deficiency prevents iron absorption

4. Parietal (peritoneum) pain is best described as:

A. It originates in the organs themselves

B. It can be acute or chronic

C. It is always referred to the back

D. It has no relation to the peritoneum

5. Which outcome is most likely to cause death in pernicious anemia if left untreated?

A. Liver failure

B. Stroke

C. Heart failure

D. Kidney failure

SAMPLE

6. To help confirm pulmonary embolus, which laboratory test should be checked?

A. D-dimer levels

B. CBC

C. ABG

D. Serum sodium

7. A patient has a dilated ureter from an obstructed upper urinary tract. Which term describes this condition?

A. Hydroureter

B. Hydronephrosis

C. Ureterocele

D. Ureteritis

8. A set of pins connected to stabilizing bars on the outside of the patient is a type of treatment of fractures called

A. Casting

B. External fixation

C. Traction

D. Internal fixation

9. Which occurs when normally soluble material such as calcium and oxalate supersaturates the urine and begins the process of crystal formation?

A. Urinary tract infection

B. Cystitis

C. Kidney stones

D. Pyelonephritis

10. Which molecule is a mitogen that contributes to vascular smooth muscle proliferation?

A. Insulin

B. Angiotensin II

C. Albumin

D. Glucagon

SAMPLE

Answers

SAMPLE

1. A
2. A
3. C
4. B
5. C
6. A
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which condition is defined by a productive cough for at least 3 months in two consecutive years?

A. Chronic bronchitis

B. Bronchiolitis

C. Pneumonia

D. Emphysema

The essential idea is a clinical definition based on cough duration and sputum production. Chronic bronchitis is defined by a productive cough that lasts at least three months in each of two consecutive years. That persistent, mucus-producing cough is what sets it apart from other lung conditions. Bronchiolitis is an inflammation of the small airways and is not characterized by this long-term cough pattern. Pneumonia is an acute infectious process with fever and focal lung findings, not a chronic, year-after-year cough. Emphysema involves destruction of the alveolar walls and leads to shortness of breath and other features, but its diagnosis isn't based on a prolonged productive cough.

2. Endometriosis is defined as which?

A. The presence of functional endometrial tissue outside the uterus; it causes an inflammatory reaction at the site of implantation and is a cause of infertility

B. The overdevelopment of breast tissue in a male

C. A congenital descent issue of the testis

D. Inflammation of the glans penis

Endometriosis involves functional endometrial tissue located outside the uterus. This ectopic tissue still responds to hormonal cycles, so it can accumulate, bleed, and trigger a localized inflammatory reaction, leading to pain, adhesions, and potential infertility. That combination—endometrial tissue where it doesn't belong plus inflammatory sequelae and impact on fertility—fits this definition best. The other scenarios describe conditions unrelated to endometrial tissue in the pelvis: enlargement of breast tissue in a male (gynecomastia), a congenital descent issue of the testis (cryptorchidism), and inflammation of the glans penis (balanitis).

3. Gastrectomy commonly leads to a deficiency of which vitamin due to decreased intrinsic factor production?

A. Increased intrinsic factor production leads to vitamin B12 overload

B. Decreased vitamin B6 absorption

C. Decreased intrinsic factor production results in decreased vitamin B12

D. Gastric acid deficiency prevents iron absorption

Intrinsic factor, produced by stomach parietal cells, is essential for the absorption of vitamin B12 in the terminal ileum. After gastrectomy, fewer parietal cells remain, so intrinsic factor production drops. Without enough intrinsic factor, vitamin B12 cannot be efficiently absorbed, leading to a deficiency despite adequate dietary intake. This deficiency disrupts DNA synthesis in developing blood cells, causing megaloblastic (macrocytic) anemia and potentially neurological problems if not treated. Gastric acid helps iron absorption, and vitamin B6 absorption doesn't depend on intrinsic factor, so those issues aren't the primary result of gastrectomy. The key idea is that loss of intrinsic factor after gastrectomy leads to decreased vitamin B12 absorption.

SAMPLE

4. Parietal (peritoneum) pain is best described as:

A. It originates in the organs themselves

B. It can be acute or chronic

C. It is always referred to the back

D. It has no relation to the peritoneum

Parietal peritoneum pain is somatic in origin, so it is sharp, well localized, and tends to be aggravated by movement. This pain reflects irritation of the peritoneum itself, and it can present acutely when irritation begins suddenly (as in acute inflammation or peritonitis) or persist as a localized, chronic pain if irritation continues. This contrasts with visceral pain, which comes from an affected organ and is dull and poorly localized. Thus, describing parietal peritoneum pain as something that can be acute or chronic captures its potential duration and its precise, localized nature.

5. Which outcome is most likely to cause death in pernicious anemia if left untreated?

A. Liver failure

B. Stroke

C. Heart failure

D. Kidney failure

Low oxygen delivery from pernicious anemia forces the heart to work harder to meet tissue needs. The body increases cardiac output by raising heart rate and stroke volume, but long-term strain on the heart can lead to high-output heart failure. That progressive cardiac decompensation is the most likely fatal outcome if the condition is not treated. Liver or kidney failure aren't typical primary endpoints of untreated pernicious anemia, and while vascular risk factors like elevated homocysteine can influence stroke risk, the direct, most dangerous consequence here is heart failure from chronic hypoxia and increased cardiac workload.

6. To help confirm pulmonary embolus, which laboratory test should be checked?

A. D-dimer levels

B. CBC

C. ABG

D. Serum sodium

D-dimer testing is used because it detects fibrin degradation products released when a clot forms and is broken down. Its high sensitivity means a normal D-dimer makes pulmonary embolism unlikely in patients with low to intermediate pretest probability, helping to rule out PE without imaging. A positive result, while indicating there may be thrombosis, is not specific to PE and can be seen in many conditions (infection, inflammation, recent surgery, pregnancy, cancer), so it then prompts imaging to confirm. Other options don't relate directly to clot breakdown or thrombotic activity—CBC, ABG, and serum sodium can reflect other issues but not confirm a clot.

SAMPLE

7. A patient has a dilated ureter from an obstructed upper urinary tract. Which term describes this condition?

A. Hydroureter

B. Hydronephrosis

C. Ureterocele

D. Ureteritis

When urine flow is obstructed in the upper urinary tract, pressure backs up and structures proximal to the blockage can dilate. The name used depends on which part is enlarged. If the ureter itself is dilated, the appropriate term is hydroureter. If the dilation involves the kidney's collecting system—the renal pelvis and calyces—that's hydronephrosis. In this scenario the dilation is described as a dilated ureter, so hydroureter is the correct term. Ureterocele refers to a cystic dilation at the distal ureter near the bladder, and ureteritis is inflammation of the ureter, not dilation.

8. A set of pins connected to stabilizing bars on the outside of the patient is a type of treatment of fractures called

A. Casting

B. External fixation

C. Traction

D. Internal fixation

External fixation uses pins or wires that go through the skin into the bone and are connected to an external frame of bars. This outside support holds the fracture in proper alignment while the soft tissues heal, and it allows access for wound care or for staged adjustments. It's especially useful when there's significant soft-tissue injury, contamination, or swelling, or when rapid stabilization is needed and internal hardware would be risky. Casting immobilizes the limb with a cast around the outside, which doesn't involve pins or an external frame. Traction applies a pulling force to align fragments, typically with weights and pulleys, and is not about an external frame with pins. Internal fixation involves hardware placed inside the body, such as plates or rods, rather than an external frame.

9. Which occurs when normally soluble material such as calcium and oxalate supersaturates the urine and begins the process of crystal formation?

A. Urinary tract infection

B. Cystitis

C. Kidney stones

D. Pyelonephritis

Supersaturation of urine with stone-forming substances triggers crystallization. When calcium and oxalate reach concentrations higher than what the urine can keep in solution, they begin to form tiny crystals in the kidney or urinary tract. These crystals can grow and stick together, eventually developing into solid stones. Calcium oxalate stones are the most common type, and they arise precisely from this crystal nucleation and growth process, rather than from infection or inflammation. Urinary infections like those causing cystitis or pyelonephritis involve bacteria and inflammation, not crystal formation, so they don't describe how stones form. This scenario specifically points to stone development from crystallization due to urine supersaturation, i.e., kidney stones.

SAMPLE

10. Which molecule is a mitogen that contributes to vascular smooth muscle proliferation?

A. Insulin

B. Angiotensin II

C. Albumin

D. Glucagon

Angiotensin II acts as a mitogen for vascular smooth muscle cells, driving their proliferation and contributing to vascular remodeling. When Ang II binds to the AT1 receptor on smooth muscle cells, it activates signaling pathways such as MAPK/ERK and PI3K/AKT, and stimulates NADPH oxidase to generate reactive oxygen species. These signals push cells from quiescence into the cell cycle, increasing DNA synthesis and cell division, which thickens the vessel wall and promotes constriction. This mitogenic effect on vascular smooth muscle is a key part of how the renin-angiotensin system contributes to hypertension and vascular disease. By contrast, the other molecules listed are not primary mitogens for vascular smooth muscle in this context; they may have metabolic or transport roles, but they do not robustly drive VSMC proliferation via mitogenic signaling.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nightingalepathophysio.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE