
NMTCB COMPUTED TOMOGRAPHY (CT) BOARD PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nmtcbctboard.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How does the Agatston scoring system classify minimal coronary artery calcium?

A. 0

B. 1-10

C. 11-100

D. 101-400

2. What does INR stand for?

A. International National Ratio

B. International Normalized Ratio

C. Internal Normal Ratio

D. Interventional Normal Ratio

3. What range of mOsm/kg of water is characteristic of high-osmolar contrast?

A. 100-500

B. 500-1000

C. 1000-2400

D. 2400-3000

4. What type of tumors are usually characterized as hypervascular in the context of contrast enhancement?

A. Hypovascular tumors

B. Benign tumors

C. Malignant tumors

D. Neurogenic tumors

5. What is the typical excretion half-life of IV contrast?

A. 30 minutes

B. 1 hour

C. 1-2 hours

D. 3-4 hours

SAMPLE

6. In which axis does the longitudinal dimension of a voxel primarily lie?

A. X-axis

B. Y-axis

C. Z-axis

D. W-axis

7. What is the primary purpose of recording an EKG?

A. To measure blood pressure

B. To assess electrical activity of the heart

C. To evaluate lung function

D. To check oxygen levels in blood

8. What is the typical body temperature range for adults in Fahrenheit?

A. 95.0 - 97.0 degrees

B. 97.7 - 99.5 degrees

C. 98.0 - 100.4 degrees

D. 99.5 - 101.0 degrees

9. What unit is used to measure effective dose in radiation exposure?

A. Gray

B. Sievert

C. Rad

D. Rads

10. What is the Hounsfield Unit (HU) range for muscle tissue?

A. +30 - +35 HU

B. +50 - +65 HU

C. +1500 - +2000 HU

D. 0 - +15 HU

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. C
6. C
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. How does the Agatston scoring system classify minimal coronary artery calcium?

A. 0

B. 1-10

C. 11-100

D. 101-400

The Agatston scoring system is utilized to quantify the amount of coronary artery calcium (CAC), which is an important indicator of coronary artery disease (CAD) risk. The classification of minimal coronary artery calcium score corresponds to a range of 1-10. A score within this range indicates the presence of some calcified plaque but at levels generally considered minimal and not necessarily indicative of significant coronary artery disease. This scoring system aids in risk stratification and helps healthcare providers make informed decisions regarding patient management. A score of 0 indicates no detectable coronary artery calcium, representing a lower risk. Scores of 11-100 indicate more significant levels of calcium deposits, suggesting a higher risk for coronary artery disease. Finally, scores of 101-400 and above represent even more substantial calcium presence, indicating a higher degree of coronary artery involvement. Therefore, the classification of minimal coronary artery calcium is consistent with the understanding that scores from 1-10 reflect the earliest stages of calcification, warranting monitoring rather than immediate intervention.

2. What does INR stand for?

A. International National Ratio

B. International Normalized Ratio

C. Internal Normal Ratio

D. Interventional Normal Ratio

The term INR stands for International Normalized Ratio. This measurement is crucial in the field of medicine, particularly in monitoring the effectiveness of anticoagulant therapy, such as warfarin. The INR is a standardized way of expressing the prothrombin time (PT), which is the time it takes for blood to clot. The purpose of the INR is to provide a consistent measure that can be universally understood, regardless of variations in laboratory testing methods or reagents used across different facilities. By using this standardized ratio, healthcare providers can reliably assess a patient's blood clotting ability and make informed decisions regarding anticoagulant dosing and management. Understanding this concept is essential for ensuring patient safety and effective treatment in various clinical settings.

3. What range of mOsm/kg of water is characteristic of high-osmolar contrast?

A. 100-500

B. 500-1000

C. 1000-2400

D. 2400-3000

High-osmolar contrast agents are characterized by a higher concentration of osmotically active particles per kilogram of water, which can lead to increased osmolarity. The range for high-osmolar contrast is typically 1000-2400 mOsm/kg of water. This high osmolarity can result in higher viscosity and can impact the body's fluid balance, potentially leading to adverse effects when used in certain patient populations. In contrast, other types of contrast agents, such as low-osmolar contrasts, generally fall into a lower osmolarity range, which tends to be less irritating and associated with fewer side effects. Understanding the specific osmolarity of contrast agents is crucial for healthcare professionals as it influences patient safety, the risk of adverse reactions, and the choice of contrast media in imaging studies.

SAMPLE

4. What type of tumors are usually characterized as hypervascular in the context of contrast enhancement?

A. Hypovascular tumors

B. Benign tumors

C. Malignant tumors

D. Neurogenic tumors

In the context of contrast enhancement during imaging studies, malignant tumors are frequently described as hypervascular. This increased vascularity is due to the rapid and abnormal growth of cancerous cells, which often leads to the formation of new blood vessels—a process known as angiogenesis. These new blood vessels are essential for supplying the growing tumor with the necessary nutrients and oxygen, leading to a more pronounced uptake of contrast agents during imaging. Additionally, hypervascularity can be a characteristic feature of certain malignant tumors that enhances their visibility on CT scans. This is in contrast to other types of tumors, such as hypovascular tumors, which show reduced blood flow and consequently exhibit less enhancement. Benign tumors can also show variability in vascularity, but they typically do not demonstrate the aggressive angiogenic characteristics associated with malignant tumors. Neurogenic tumors, while they can be hypervascular, are not exclusively characterized as such, as their vascularity can vary widely depending on their nature and location. Thus, malignant tumors stand out in this context due to their consistent association with hypervascularity and significant contrast enhancement during imaging.

5. What is the typical excretion half-life of IV contrast?

A. 30 minutes

B. 1 hour

C. 1-2 hours

D. 3-4 hours

The typical excretion half-life of intravenous (IV) contrast media is generally considered to be between 1 to 2 hours. This time frame reflects how long it takes for half of the administered dose of the contrast material to be eliminated from the bloodstream, primarily through renal clearance. The pharmacokinetics of IV contrast agents indicate that these substances are initially distributed in the vascular system and then gradually excreted by the kidneys. The 1 to 2-hour half-life aligns with clinical observations and studies indicating that contrast media reaches peak serum concentrations shortly after injection and then decreases as it is filtered through the kidneys and excreted in urine. Understanding this half-life is crucial for timing follow-up imaging studies and managing potential side effects or contraindications related to renal function, especially in patients with diminished renal clearance.

SAMPLE

6. In which axis does the longitudinal dimension of a voxel primarily lie?

A. X-axis

B. Y-axis

C. Z-axis

D. W-axis

The longitudinal dimension of a voxel primarily lies in the Z-axis, which is also commonly referred to as the axis representing depth or height in three-dimensional space. In most CT imaging contexts, the X and Y axes represent the plane dimensions—width and length—while the Z-axis is perpendicular to these two, allowing for the representation of the depth or thickness of the voxel. In computed tomography, a voxel (volume element) is a three-dimensional pixel that represents a value in a three-dimensional space. When imaging, different sections of data are acquired, and as these slices stack along the Z-axis, they accumulate to form the entire volumetric representation of the scanned area. This understanding is important for grasping how image resolution and data acquisition in CT correlate with the structure of a voxel, as well as its implications in 3D reconstructions of the scanned anatomy. The other axes in the context of imaging do not serve to define the longitudinal aspect of a voxel as effectively as the Z-axis does. The X-axis typically runs horizontally, whereas the Y-axis runs vertically in the imaging plane, neither of which conveys the concept of depth as the Z-axis does. Additionally, while the W-axis might imply a fourth dimension, it is generally not applicable in standard

7. What is the primary purpose of recording an EKG?

A. To measure blood pressure

B. To assess electrical activity of the heart

C. To evaluate lung function

D. To check oxygen levels in blood

The primary purpose of recording an EKG (electrocardiogram) is to assess the electrical activity of the heart. An EKG provides a visual representation of the heart's rhythm and electrical conduction pathways, allowing healthcare providers to identify various cardiac conditions, such as arrhythmias, ischemia, and other heart-related issues. By analyzing the electrical impulses that trigger heartbeats, clinicians can gather critical information about the heart's health and functionality. This process is essential in diagnosing conditions like heart attacks or monitoring heart health over time. The other options relate to different physiological measurements that do not involve the assessment of the heart's electrical activity directly. For instance, measuring blood pressure evaluates the force exerted by circulating blood while evaluating lung function relates to respiratory system assessments, and checking oxygen levels examines how well blood is oxygenated, separate from the heart's electrical activity.

SAMPLE

8. What is the typical body temperature range for adults in Fahrenheit?

A. 95.0 - 97.0 degrees

B. 97.7 - 99.5 degrees

C. 98.0 - 100.4 degrees

D. 99.5 - 101.0 degrees

The typical body temperature range for adults is generally recognized to be from about 97.7 to 99.5 degrees Fahrenheit. This range is derived from numerous studies that establish a standard for what is considered normal body temperature in adults. Body temperature can vary depending on a variety of factors, including the individual's age, activity level, time of day, and method of measurement (oral, rectal, axillary, etc.). The range provided encompasses what is commonly accepted as a normal physiological temperature for healthy adults, making it an essential benchmark for health assessments and diagnostics. Understanding this range is crucial for healthcare professionals to make informed decisions about a patient's health status, especially in the context of fever or hypothermia. Knowledge of normal ranges allows practitioners to recognize when a patient's temperature falls outside of these established boundaries, potentially indicating underlying health issues. Consequently, this option accurately reflects the standard reference range for adult body temperatures in Fahrenheit.

9. What unit is used to measure effective dose in radiation exposure?

A. Gray

B. Sievert

C. Rad

D. Rads

Effective dose in radiation exposure is measured in Sieverts. The Sievert is a derived unit that quantifies the biological effects of radiation, taking into account the type of radiation and the sensitivity of the tissues being irradiated. This unit helps in assessing the potential risk associated with exposure to ionizing radiation, thereby providing important information for radiation protection and safety. The effective dose is specifically designed to reflect how the absorbed dose of radiation affects the overall risk of cancer and genetic damage to tissues. It allows for comparison of different types of radiation and their potential harm. Other units such as Gray, Rad, and Rads measure absorbed dose, which refers only to the amount of energy deposited in tissues, without taking into account the biological effects or varying sensitivities of different tissues exposed to radiation. The focus on the Sievert makes it crucial for evaluating risks associated with varying sources and types of radiation exposure in medical settings and occupational safety.

10. What is the Hounsfield Unit (HU) range for muscle tissue?

A. +30 - +35 HU

B. +50 - +65 HU

C. +1500 - +2000 HU

D. 0 - +15 HU

The Hounsfield Unit (HU) range for muscle tissue typically falls between +50 to +65 HU. This range reflects the relative density of muscle in comparison to water, which is assigned a value of 0 HU. Muscle tissue is denser than fat and water, hence the positive HU values. The appropriateness of this range is due to the anatomical composition of muscle, which is primarily water but also contains substantial amounts of protein and other solid components that contribute to its higher density. This higher density results in the correspondingly elevated HU values when imaged using computed tomography. Other options do not accurately represent the typical HU values for muscle; muscle is distinctly denser than low HU values, such as those found in fat or simple fluids. These ranges emphasize the different densities encountered in human tissues, allowing for a clearer differentiation when evaluating images in a clinical setting.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nmtcbctboard.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE