NMTCB POSITRON EMISSION TOMOGRAPHY (PET) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nmtcbpet.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **In terms of cardiac metabolism, what does a normal myocardial blood flow with decreased glucose metabolism indicate?**

   A. Cardiac Reversed Mismatch Pattern

   B. Myocardial infarction

   C. Heart failure

   D. Valvular disease

2. **Which type of thyroid carcinoma is noted for being very aggressive?**

   A. Papillary

   B. Follicular

   C. Medullary

   D. Anaplastic

3. **What is the term for the correction method that accounts for partial-volume effects in PET imaging?**

   A. Recovery Coefficient

   B. Image Registration

   C. Smoothing Algorithm

   D. Deconvolution Technique

4. **How are 18F ions eluted from the cartridge?**

   A. Acetonitrile

   B. Mannose triflate

   C. Potassium carbonate

   D. Alkaline hydrolysis

5. **What does the term 'clear liquid, free of particles' imply in FDG quality control?**

   A. Substantial contamination

   B. Potential mislabeling

   C. Successful filtration

   D. Complete degradation

SAMPLE

6. Stomach reflux disease can lead to FDG uptake at which location?

A. Gastroesophageal Junction

B. Upper esophagus

C. Pyloric sphincter

D. Stomach fundus

7. What measurement technique in PET does the Time of Flight method improve?

A. Spatial Resolution

B. Color Mapping

C. Count Rate

D. Signal Processing Speed

8. What is the maximum dose of radiation allowed to the skin or extremities of workers annually?

A. 50 rem/year

B. 15 rem/year

C. 5 rem/year

D. 0.1 rem/year

9. What is one of the most common types of dementia that can be imaged with PET?

A. Frontal temporal lobular dementia

B. Huntington's disease

C. Vascular dementia

D. Multiple sclerosis

10. Larger body areas or larger patients require _____ kVp settings?

A. Lower

B. Variable

C. Same

D. Higher

SAMPLE

Answers

SAMPLE

1. A
2. D
3. A
4. C
5. C
6. A
7. A
8. A
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. In terms of cardiac metabolism, what does a normal myocardial blood flow with decreased glucose metabolism indicate?

A. Cardiac Reversed Mismatch Pattern

B. Myocardial infarction

C. Heart failure

D. Valvular disease

A normal myocardial blood flow with decreased glucose metabolism is indicative of a "Cardiac Reversed Mismatch Pattern." This pattern occurs when the blood supply to the myocardium is adequate, but the myocardial tissue itself is not effectively utilizing glucose as a primary source of energy. This situation might arise in cases such as stunned myocardium, where the heart muscle has temporarily lost its ability to utilize glucose despite sufficient blood flow. The preservation of blood flow suggests that there are no obstructive issues with perfusion, which distinctly characterizes this pattern. In contrast, conditions like myocardial infarction generally present with both decreased blood flow and altered glucose metabolism, reflecting damage to the cardiac tissue. Heart failure often entails compromised blood flow and energy metabolism abnormalities, not presenting with normal blood flow. Valvular disease could lead to varied blood flow patterns depending on the severity and specifics of the valve dysfunction, making it less likely to have this precise normal blood flow with decreased glucose utilization.

2. Which type of thyroid carcinoma is noted for being very aggressive?

A. Papillary

B. Follicular

C. Medullary

D. Anaplastic

Anaplastic thyroid carcinoma is recognized for its aggressive nature and poor prognosis. It is characterized by rapid growth, local invasion, and a tendency to metastasize quickly, which differentiates it from other types of thyroid cancer. The aggressive behavior of anaplastic carcinoma can lead to significant challenges in treatment, often requiring a combination of surgery, radiation, and chemotherapy, but even with aggressive treatment approaches, the outcomes tend to be quite unfavorable. This type of carcinoma is usually diagnosed in older patients and can often present with symptoms due to compressive effects on surrounding structures in the neck. In contrast, the other types of thyroid carcinoma, such as papillary and follicular, tend to have a more indolent course and are more treatable, with favorable outcomes in many cases. Medullary thyroid carcinoma, while also unique in its characteristics and prognosis, does not exhibit the same level of aggressiveness as anaplastic carcinoma. Thus, the defining hallmark of anaplastic thyroid carcinoma is its aggressive behavior, making it the most critical type to recognize in terms of immediate clinical concerns.

SAMPLE

3. What is the term for the correction method that accounts for partial-volume effects in PET imaging?

A. Recovery Coefficient

B. Image Registration

C. Smoothing Algorithm

D. Deconvolution Technique

The term referring to the correction method that accounts for partial-volume effects in PET imaging is the Recovery Coefficient. Partial-volume effects occur due to the finite spatial resolution of PET scanners, which can lead to the underestimation of radioactivity concentration in small lesions or structures. The Recovery Coefficient quantifies how much the measured activity deviates from the actual activity due to these limitations in spatial resolution. By applying this correction factor, clinicians can enhance the accuracy of quantifying radiotracer concentrations, thereby improving the diagnostic quality of PET images. Understanding this concept is crucial as it allows for more precise interpretation of PET scans, especially in detecting small tumors or assessing response to therapy. The Recovery Coefficient provides a standardized way to correct activity measurements, ultimately aiding in better treatment planning and patient management.

4. How are 18F ions eluted from the cartridge?

A. Acetonitrile

B. Mannose triflate

C. Potassium carbonate

D. Alkaline hydrolysis

The process of eluting 18F ions from the cartridge typically involves using a solution that can effectively release the fluoride ions captured during the preparation stage. Potassium carbonate is an alkaline solution that increases the solubility and allows for a better elution of 18F fluoride from the trapping media. In radiochemistry, the elution process is essential for obtaining high-purity 18F for use in positron emission tomography (PET). The alkaline environment provided by potassium carbonate aids in the release of 18F from the resin or cartridge while stabilizing the fluoride ions. This ensures that the eluted 18F can subsequently be used in the synthesis of radiopharmaceuticals with high radiochemical yields. Other methods and solvents, such as acetonitrile, mannose triflate, or alkaline hydrolysis, may not provide the optimal conditions for eluting the 18F ions, making potassium carbonate a preferred choice in these scenarios due to its effectiveness and compatibility with the chemistry involved in producing PET radiotracers.

5. What does the term 'clear liquid, free of particles' imply in FDG quality control?

A. Substantial contamination

B. Potential mislabeling

C. Successful filtration

D. Complete degradation

The term 'clear liquid, free of particles' in FDG (Fluorodeoxyglucose) quality control indicates that the FDG solution has undergone a successful filtration process. This quality assessment ensures that the FDG is free from particulate contaminants, which could interfere with its efficacy or the safety of the patient during administration. Successful filtration is crucial, as particles or cloudiness in the solution could hinder the accuracy of PET imaging and potentially lead to adverse reactions in patients. The clarity of the liquid signifies that it meets the required quality standards for safe and effective use in imaging procedures, demonstrating that appropriate measures have been taken to maintain the solution's integrity and purity.

SAMPLE

6. Stomach reflux disease can lead to FDG uptake at which location?

A. Gastroesophageal Junction

B. Upper esophagus

C. Pyloric sphincter

D. Stomach fundus

Stomach reflux disease, often known as gastroesophageal reflux disease (GERD), can indeed lead to increased FDG uptake at the gastroesophageal junction. This area is where the esophagus meets the stomach, and it is common for reflux to occur here due to the potential weakening of the lower esophageal sphincter. When evaluating for FDG uptake in conditions associated with GERD, the gastroesophageal junction can show heightened metabolic activity due to inflammation or the potential development of conditions like esophagitis or Barrett's esophagus. FDG (fluorodeoxyglucose) is a radiotracer used in PET imaging, and it accumulates in areas of increased glucose metabolism, which is often the case in inflamed tissues. The upper esophagus, pyloric sphincter, and stomach fundus could be sites of interest in other gastrointestinal conditions, but they typically do not show the same degree of FDG uptake related specifically to reflux disease as the gastroesophageal junction does. Thus, the gastroesophageal junction stands out as the most relevant location for FDG uptake in the context of stomach reflux disease.

7. What measurement technique in PET does the Time of Flight method improve?

A. Spatial Resolution

B. Color Mapping

C. Count Rate

D. Signal Processing Speed

The Time of Flight (TOF) method in PET significantly enhances spatial resolution. This technique utilizes the timing of detected annihilation photons emitted from positron-electron annihilation, allowing for more precise localization of the radioactive tracer's origin. By measuring the difference in the arrival times of these photons at the detectors, the system can reconstruct a more accurate picture of the distribution of the radiotracer in the body. This improved localization reduces the uncertainties in spatial positioning, resulting in clearer and more detailed images. While other factors like count rate and signal processing speed are essential in image acquisition and reconstruction, TOF specifically addresses the challenge of spatial resolution. By reducing the overlap of signals from adjacent sources, TOF helps distinguish between structures that are close together, thereby enhancing the ability to visualize smaller lesions or accurately delineate anatomical features. This is particularly valuable in clinical settings, where high-resolution images can impact diagnosis and treatment planning.

SAMPLE

8. What is the maximum dose of radiation allowed to the skin or extremities of workers annually?

A. 50 rem/year

B. 15 rem/year

C. 5 rem/year

D. 0.1 rem/year

The maximum dose of radiation allowed to the skin or extremities of workers annually is indeed set at 50 rem/year. This threshold is established to ensure that personnel who work with or around radiation maintain exposure levels that do not pose a significant risk to their health. Regulatory bodies like the National Council on Radiation Protection and Measurements (NCRP) provide guidelines that dictate these exposure limits based on scientific research concerning the effects of radiation on biological tissue. The skin and extremities can be exposed to higher levels of radiation compared to other parts of the body since they have a different level of sensitivity and inherent capacity to repair damage. Understanding these limits is vital for occupational safety in medical imaging fields, including PET, where workers may frequently encounter radiation. This maximum dose ensures that while employees can perform their duties effectively, their exposure remains within safe limits to mitigate the risk of radiation-induced health issues over time.

9. What is one of the most common types of dementia that can be imaged with PET?

A. Frontal temporal lobular dementia

B. Huntington's disease

C. Vascular dementia

D. Multiple sclerosis

One of the most common types of dementia that can be effectively imaged with PET is frontal temporal lobular dementia. This form of dementia is characterized by progressive degeneration of the frontal and temporal lobes of the brain, which can lead to significant changes in personality, behavior, and language abilities. PET imaging plays a crucial role in diagnosing and understanding frontal temporal lobular dementia by allowing clinicians to visualize metabolic activity in the brain. Distinct patterns of hypometabolism, particularly in the frontal and anterior temporal regions, are often seen in patients. This can aid in distinguishing frontal temporal lobular dementia from other types of dementia, such as Alzheimer's disease, which typically shows hypometabolism in the parietal and posterior temporal regions. In contrast, while Huntington's disease, vascular dementia, and multiple sclerosis can also affect brain function and structure, they do not have as distinct imaging features on PET that specifically relate to dementia. PET imaging is less commonly associated with these conditions concerning typical dementia imaging. Therefore, frontal temporal lobular dementia stands out as a primary target for assessment through PET imaging.

SAMPLE

10. Larger body areas or larger patients require _____ kVp settings?

A. Lower

B. Variable

C. Same

D. Higher

In Positron Emission Tomography (PET) imaging, larger body areas or larger patients necessitate higher kilovolt peak (kVp) settings to ensure optimal image quality. The kVp setting is crucial as it affects the penetration power of the X-rays produced during the imaging process. Higher kVp values increase the energy of the X-rays, allowing them to penetrate thicker or denser tissues and create clearer images. When imaging larger patients or larger body areas, increased penetration is required to overcome the attenuation of X-rays by tissue. If the kVp is too low, the resulting images may be underexposed or difficult to interpret due to poor contrast. Therefore, setting the kVp higher improves the chances of acquiring diagnostic-quality images even in challenging circumstances associated with larger patients. This principle is fundamental in radiation physics and imaging techniques, ensuring that high-quality diagnostic images can be obtained regardless of the patient's size.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nmtcbpet.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE