NON-RADAR CONTROLLER KNOWLEDGE TEST (CKT) 1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nonradarckt1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following is part of what military flights must communicate when changing from VFR to IFR?**

   A. Position and time

   B. Fuel efficiency

   C. Altitude only

   D. Weather conditions

2. **In both automated and non-automated environments, what is essential regarding aircraft type codes?**

   A. They can be replaced with verbal communication

   B. They should be written in any format

   C. They must conform to approved aircraft type codes from Appendices A-C

   D. They are optional

3. **What information should be forwarded to FSS from airborne military flights?**

   A. Flight delays and cancellations

   B. IFR flight plans and changes to those plans

   C. Weather conditions during the flight

   D. Fuel efficiency metrics

4. **What is the common TCP and communications point for all centers?**

   A. Common boundary

   B. Designated hold point

   C. Main reporting point

   D. Transition altitude

5. **A proposal strip should include which of the following items?**

   A. Flight number and type of weather

   B. Proposed departure time and point of origin

   C. Only the aircraft type

   D. Destination airport and fuel status

SAMPLE

6. Clearance void times are used at airports where?

A. Communications with aircraft are difficult until airborne and there is no control tower

B. Weather conditions are unpredictable and constantly changing

C. The traffic density is extremely high and requires continuous monitoring

D. All flights are conducted under visual flight rules only

7. How soon must a controller verify flight plan data after UTM notification?

A. Within 5 minutes of receipt

B. Immediately upon receipt

C. Within three minutes of the TCP estimate

D. At the end of the flight shift

8. How are pilots advised when individual control is requested during formation flights?

A. They are given landing instructions

B. They receive altitude changes only

C. They receive advisory information

D. They are instructed to land immediately

9. What advantage do bay headers provide for traffic management?

A. Increased aircraft altitude

B. Enhanced communication flow

C. Organized traffic search with one strip per aircraft

D. Reduced operational costs

10. What airspace does ZAE own over MLU Approach during non-radar operations?

A. At or below 6,000 feet

B. At or above 10,000 feet

C. At or above 7,000 feet

D. At or below 5,000 feet

SAMPLE

Answers

SAMPLE

1. A
2. C
3. B
4. A
5. B
6. A
7. C
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following is part of what military flights must communicate when changing from VFR to IFR?

A. Position and time

B. Fuel efficiency

C. Altitude only

D. Weather conditions

When military flights transition from Visual Flight Rules (VFR) to Instrument Flight Rules (IFR), it is essential for them to communicate their position and time to air traffic control. This information allows controllers to maintain situational awareness and to manage traffic effectively, especially in busy airspace where both VFR and IFR operations might be occurring simultaneously. Providing both position and time helps to ensure that the controller can understand where the aircraft is located at that moment and when it plans to reach specific points, facilitating a safe and efficient handoff into the IFR environment. Factors like fuel efficiency, altitude only, and weather conditions, while important in overall flight planning and safety, do not specifically form part of the mandatory communication required when changing from VFR to IFR. Communicating position and time is a critical aspect of ensuring that all aircraft operate safely in the controlled airspace.

2. In both automated and non-automated environments, what is essential regarding aircraft type codes?

A. They can be replaced with verbal communication

B. They should be written in any format

C. They must conform to approved aircraft type codes from Appendices A-C

D. They are optional

The correct response emphasizes that aircraft type codes must conform to approved codes found in Appendices A-C. This is critical for ensuring clarity and consistency in communication among controllers, especially in environments where multiple aircraft types may be operating simultaneously. Using standardized codes allows for quick identification of the aircraft's performance capabilities, which informs decision-making related to spacing, altitude, and routing. Adhering to approved codes helps in minimizing confusion or errors that could arise from unclear or non-standard formats, as different types of aircraft can have vastly different operating characteristics. Accurate identification is vital for safety, efficiency, and effective air traffic management. The requirement for standardized codes fosters a uniform communication protocol across various air traffic control settings, which is essential, whether in a fully automated system or a non-automated environment where verbal communication may also be utilized.

SAMPLE

3. What information should be forwarded to FSS from airborne military flights?

A. Flight delays and cancellations

B. IFR flight plans and changes to those plans

C. Weather conditions during the flight

D. Fuel efficiency metrics

The correct response to what information should be forwarded to the Flight Service Station (FSS) from airborne military flights is IFR flight plans and changes to those plans. This is crucial as FSS acts as a pivotal part of the flight planning and monitoring process, especially for military operations. When a military flight operates under an Instrument Flight Rules (IFR) plan, it is essential that all relevant details concerning the flight plan are communicated to ensure safety and proper coordination with air traffic services. This includes the original flight plan filed and any subsequent amendments or changes made during the flight. These updates allow air traffic controllers and FSS personnel to provide accurate situational awareness, maintain separation between aircraft, and ensure compliance with airspace regulations. The other options, while related to aviation operations, do not hold the same critical importance for submission to FSS during the flight. Flight delays and cancellations are typically communicated directly to the aircraft's operating base. Weather conditions during a flight can be reported, but they are not part of the essential documentation required by the FSS for flight monitoring. Similarly, fuel efficiency metrics, while significant for operational purposes, are not a standard reporting requirement to FSS and do not serve the immediate safety and regulatory coordination needs during a flight's progress.

4. What is the common TCP and communications point for all centers?

A. Common boundary

B. Designated hold point

C. Main reporting point

D. Transition altitude

The correct answer identifies the common TCP, or Traffic Control Point, as the common boundary. This term refers to a specific geographical line or waypoint where all centers involved in air traffic control converge to coordinate and manage aircraft movements effectively. The common boundary facilitates communication and procedural coordination across different jurisdictions or airspace sectors, ensuring that air traffic controllers can implement seamless transitions and maintain safety during operations. In this context, the term "common boundary" highlights the significance of collaborative traffic management among air traffic control centers, ensuring that there is clarity in the transfer and handling of aircraft as they move between different areas of authority. It serves as an essential reference point for controllers, aiding in the synchronization of altitude assignments, flight routes, and other critical operational tasks. The other options, while related to air traffic control procedures, do not accurately represent the point where all centers converge for communication and traffic management. Designated hold points pertain to specific locations where aircraft may be instructed to hold, main reporting points are specific spots pilots report to air traffic control, and transition altitudes are levels that dictate how airspace is divided between different classes of air traffic, but none of these serve the same purpose as a common boundary for managing communications across centers.

SAMPLE

5. A proposal strip should include which of the following items?

A. Flight number and type of weather

B. Proposed departure time and point of origin

C. Only the aircraft type

D. Destination airport and fuel status

The inclusion of the proposed departure time and point of origin on a proposal strip is essential for effective flight management and coordination. These details provide critical information for air traffic controllers to plan and manage airflow, ensuring that departures are timed appropriately and that aircraft can be efficiently routed from their starting locations. By having clear visibility of when an aircraft plans to depart and where it is departing from, controllers can make informed decisions regarding airspace usage, sequencing of departures, and potential coordination with other flights. The other options do not encompass the critical information needed for managing flights in the proposal phase. While elements like flight number and weather conditions, aircraft type, or fuel status are important in specific contexts, they do not serve the primary function of giving a clear picture of the flight's planned initiation and origin, which is essential for a proposal strip that serves to pre-plan air traffic operations.

6. Clearance void times are used at airports where?

A. Communications with aircraft are difficult until airborne and there is no control tower

B. Weather conditions are unpredictable and constantly changing

C. The traffic density is extremely high and requires continuous monitoring

D. All flights are conducted under visual flight rules only

Clearance void times are implemented at airports where communications with aircraft are difficult until they are airborne and where there is no control tower present. This situation often occurs in uncontrolled airspace or at airports where there is limited communication capability, which can impede the ability to provide timely and effective air traffic control instructions. In these circumstances, a clearance void time allows pilots to accept a clearance for departure but requires them to take off within a specified time. If they are unable to depart within that timeframe, they must contact ATC again for a new clearance. This procedure helps to ensure safety and maintain an orderly flow of air traffic in environments where real-time direct communication is tricky, such as those without a control tower. The other options suggest conditions that do not directly relate to the need for clearance void times. Unpredictable weather, high traffic density, or the operation of flights solely under visual flight rules may present their own challenges, but they do not specifically necessitate clearance void times as a solution.

SAMPLE

7. How soon must a controller verify flight plan data after UTM notification?

A. Within 5 minutes of receipt

B. Immediately upon receipt

C. Within three minutes of the TCP estimate

D. At the end of the flight shift

The requirement to verify flight plan data within three minutes of the Tactical Control Point (TCP) estimate aligns with the need for timely and accurate information in air traffic management. This time frame is critical because it ensures that controllers have the latest and most relevant data at their fingertips as traffic conditions change. Effective air traffic control relies on the ability to quickly and accurately assess flight plans to maintain safety and efficiency in the airspace. By focusing on the TCP estimate, controllers can confirm that they have the correct information related to the specific route and altitude of an aircraft. This verification process is essential for making informed decisions regarding separation, sequencing, and potential conflicts. Other time frames, such as immediately upon receipt or within five minutes, may not provide the urgent attention required by the operational context, while verifying data at the end of the flight shift does not allow for real-time adjustments and could compromise safety. Therefore, the three-minute guideline serves as a focused standard aimed at optimizing safety and operational efficiency in an environment where conditions can change rapidly.

8. How are pilots advised when individual control is requested during formation flights?

A. They are given landing instructions

B. They receive altitude changes only

C. They receive advisory information

D. They are instructed to land immediately

In formation flying, when individual control is requested, pilots are typically provided with advisory information. This approach allows pilots to maintain their situational awareness while ensuring safe separation and communication among the formation members. The advisory information may include updates on traffic, weather, or other pertinent details that might affect the flight path, helping pilots make informed decisions during the transition from a coordinated formation to individual control. This method promotes safety and efficiency, as it ensures that pilots are not only aware of their own aircraft's needs but are also mindful of the environment around them. In contrast, landing instructions or immediate landing directives do not align with the purpose of transitioning to individual control, nor do altitude changes alone provide comprehensive situational awareness. Therefore, advisory information is crucial for supporting pilots in making safe, effective maneuvers while flying individually within a previously coordinated formation.

SAMPLE

9. What advantage do bay headers provide for traffic management?

A. Increased aircraft altitude

B. Enhanced communication flow

C. Organized traffic search with one strip per aircraft

D. Reduced operational costs

Bay headers play a significant role in traffic management by providing an organized approach to handling aircraft information and movements. The key advantage they offer is the ability to streamline operations with a dedicated flight progress strip for each aircraft. This organization allows controllers to easily track and manage each aircraft's status and actions, which is crucial in a busy airspace environment. By having one strip per aircraft, controllers can maintain clarity and reduce the chances of miscommunication or errors regarding aircraft positions, intentions, or instructions. This method promotes a systematic workflow, enhancing safety and efficiency as controllers can quickly reference and update information about each flight. The other options do not directly relate to the primary benefit offered by bay headers. Increased altitude, enhanced communication flow, and reduced operational costs are important aspects of air traffic control but do not specifically address the organizational aid in tracking aircraft that bay headers provide. Thus, the correct choice highlights the importance of clear, organized traffic management in maintaining safety and efficiency in air traffic control operations.

10. What airspace does ZAE own over MLU Approach during non-radar operations?

A. At or below 6,000 feet

B. At or above 10,000 feet

C. At or above 7,000 feet

D. At or below 5,000 feet

The correct response indicates that ZAE owns the airspace at or above 7,000 feet over the Monroe (MLU) Approach during non-radar operations. This is significant because airspace ownership determines responsibility for air traffic control and separation standards in areas lacking radar coverage. In many sectors, specific altitudes are assigned to different air traffic control facilities to manage air traffic effectively. At 7,000 feet and above, ZAE is likely to have the necessary authority to ensure safe and efficient operations, considering the air traffic patterns and the types of aircraft operating in that altitude range. This approach helps in maintaining orderly flow and minimizes the risk of conflicts between aircraft. Typically, airspace below a certain altitude is managed differently, often involving different controllers or procedures, making it essential to understand the specific altitude thresholds for airspace ownership. The answer reflects a situation where the non-radar environment requires clear definition of boundaries for effective coordination and safety.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nonradarckt1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE