NREMT CARDIOLOGY & RESUSCITATION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nremtcardiologyresuscitation.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is the recommended action if you encounter a patient with sudden onset chest pain?**

   A. Administer aspirin and monitor the patient

   B. Activate the emergency response system and provide oxygen if available

   C. Encourage the patient to drink water

   D. Move the patient to a comfortable position and wait

2. **An 85-year-old male wakes up sweating and nauseated with vague chest discomfort. What should be your initial action?**

   A. Administer oxygen

   B. Assess for orthostatic hypotension

   C. Assess blood glucose level

   D. Assist with nitroglycerin

3. **Why should aspirin be given to a patient suspected of cardiac issues?**

   A. To dissolve a ruptured coronary plaque

   B. To reduce clotting at the site of a ruptured coronary plaque

   C. To provide analgesic effects at the site of a ruptured coronary plaque

   D. To dilate coronary arteries at the site of the ruptured plaque

4. **What is a common sign of a stroke in an elderly patient presenting with facial droop?**

   A. Asystole

   B. Confusion

   C. Severe headache

   D. Equal pupils

5. **What is the rescue technique for an adult choking victim?**

   A. Back blows

   B. Abdominal thrusts

   C. Jaw thrust maneuver

   D. Chest thrusts

SAMPLE

6. In a cardiac emergency, what is the role of nitroglycerin?

A. To improve blood pressure

B. To relieve chest pain by vasodilation

C. To slow heart rate

D. To increase heart output

7. What vital sign change is most concerning in the context of potential acute coronary syndrome?

A. Increased heart rate

B. Low blood pressure

C. Irregular pulse

D. Elevated respiratory rate

8. An 84-year-old male complains of chest pain that woke him from sleep. What should you suspect?

A. acute coronary syndrome.

B. costochondritis.

C. respiratory distress.

D. emphysema.

9. What is the primary purpose of cardiopulmonary resuscitation (CPR)?

A. To restore the normal heartbeat

B. To maintain blood circulation and oxygenation

C. To provide oxygen directly to the brain

D. To monitor heart activity

10. An 80-year-old female experiences an irregular heartbeat and weakness. Which condition is most likely?

A. Stroke

B. Ventricular fibrillation

C. Cardiac arrhythmia

D. Cardiogenic shock

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. B
5. B
6. B
7. C
8. A
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What is the recommended action if you encounter a patient with sudden onset chest pain?

A. Administer aspirin and monitor the patient

B. Activate the emergency response system and provide oxygen if available

C. Encourage the patient to drink water

D. Move the patient to a comfortable position and wait

In the scenario of encountering a patient with sudden onset chest pain, activating the emergency response system and providing oxygen if available is critical. Chest pain may be indicative of a serious condition such as a myocardial infarction (heart attack) or other cardiac emergencies that require immediate medical intervention. By activating the emergency response system, you ensure that advanced medical help is on the way to provide further assessment and treatment. Providing supplemental oxygen can help improve oxygenation, especially if the patient is in distress or has any difficulty breathing, as hypoxia is a common concern in cardiac events. Immediate action is essential in such cases, as time can significantly impact the patient's prognosis. Delaying care or taking less appropriate actions could result in worsened outcomes. Thus, the recommended response aligns with the need for swift evaluation and treatment of potential life-threatening conditions.

2. An 85-year-old male wakes up sweating and nauseated with vague chest discomfort. What should be your initial action?

A. Administer oxygen

B. Assess for orthostatic hypotension

C. Assess blood glucose level

D. Assist with nitroglycerin

In this scenario, the initial action of administering oxygen is appropriate due to the patient's presentation, which includes sweating, nausea, and vague chest discomfort. These symptoms raise concern for a potential cardiac event, such as myocardial infarction. Administering oxygen can help ensure adequate tissue perfusion, especially if the patient is experiencing compromised cardiovascular function. In cases of suspected cardiac distress, supplemental oxygen increases the amount of oxygen available to the heart muscle and other vital organs, which may be deprived of sufficient oxygen due to reduced blood flow. Oxygen therapy is a standard and important intervention in pre-hospital settings for patients presenting with chest pain or other signs of cardiac distress, as it can mitigate the risk of further complications while additional assessments and treatments are prepared or implemented. Other actions, such as assessing for orthostatic hypotension, checking blood glucose levels, or assisting with nitroglycerin, may be necessary depending on the patient's overall situation and findings, but the immediate need to ensure adequate oxygenation makes oxygen administration the priority in this case.

SAMPLE

3. Why should aspirin be given to a patient suspected of cardiac issues?

A. To dissolve a ruptured coronary plaque

B. To reduce clotting at the site of a ruptured coronary plaque

C. To provide analgesic effects at the site of a ruptured coronary plaque

D. To dilate coronary arteries at the site of the ruptured plaque

Aspirin is administered to patients suspected of experiencing cardiac issues primarily because it acts as an antiplatelet agent. This means that it helps to inhibit the aggregation of platelets, thereby reducing clot formation in the blood vessels. When there is a rupture of a coronary plaque, the body's natural response is to form a clot at that site. If platelets aggregate excessively, it can lead to the formation of a thrombus (blood clot) that can further obstruct blood flow to the heart muscle, resulting in a myocardial infarction (heart attack). By taking aspirin, the risk of this excessive clotting is decreased, which can help to preserve coronary circulation and potentially save myocardial tissue. This therapeutic intervention is crucial during acute coronary syndromes or suspected heart attacks, as it can reduce the extent of damage to the heart and improve outcomes for the patient. The other choices focus on mechanisms that either don't align with the action of aspirin or are not its primary function. Thus, the rationale for using aspirin in this context centers on its role in reducing the risk of clotting at the site of a ruptured coronary plaque.

4. What is a common sign of a stroke in an elderly patient presenting with facial droop?

A. Asystole

B. Confusion

C. Severe headache

D. Equal pupils

A common sign of a stroke in an elderly patient presenting with facial droop is confusion. Confusion can manifest as disorientation, difficulty speaking, or impaired understanding, which are typical neurological deficits associated with a stroke. When there's interruption of blood flow to a part of the brain, it can lead to various cognitive impairments, including change in consciousness or mental status. In the context of a stroke, facial droop typically indicates that one hemisphere of the brain is affected, which can simultaneously cause confusion or difficulty communicating. This is reflective of the broader implication of a cerebrovascular event affecting cognitive functions. It's important to note that while severe headache may occur in certain types of strokes (such as a hemorrhagic stroke), it is not as commonly associated with ischemic strokes, which are more prevalent in the elderly. Moreover, equal pupils generally indicate that there is no significant pressure or damage in the brain impacting the optokinetic reflex; thus, they would not be a sign of stroke. Asystole, which refers to a complete lack of electrical activity in the heart, is a critical situation but does not directly relate to the signs of a stroke.

SAMPLE

5. What is the rescue technique for an adult choking victim?

A. Back blows

B. Abdominal thrusts

C. Jaw thrust maneuver

D. Chest thrusts

The rescue technique for an adult choking victim is abdominal thrusts, commonly known as the Heimlich maneuver. This technique is employed when a person is experiencing a severe airway obstruction, meaning that they are unable to speak, cough, or breathe effectively. During this procedure, the rescuer stands behind the victim, wraps their arms around the abdomen, and delivers quick, inward and upward thrusts. This motion is designed to create enough pressure to expel the obstruction from the airway, allowing the individual to breathe again and restore normal airflow. Abdominal thrusts are specifically recommended for adult victims because they provide the most effective means of dislodging an object from the airway when performed correctly. The technique prioritizes the use of abdominal pressure, which is more effective than other methods that may be used for different situations or populations.

6. In a cardiac emergency, what is the role of nitroglycerin?

A. To improve blood pressure

B. To relieve chest pain by vasodilation

C. To slow heart rate

D. To increase heart output

The purpose of nitroglycerin in a cardiac emergency primarily revolves around its effectiveness in relieving chest pain through vasodilation. Nitroglycerin is a nitrate medication that works by relaxing and widening blood vessels. This process reduces the workload on the heart and increases blood flow to the heart muscle itself, which is particularly beneficial in conditions like angina or myocardial infarction. When the coronary arteries are narrowed or obstructed, they may not deliver enough oxygen-rich blood to the heart muscle, leading to pain. By causing vasodilation, nitroglycerin allows for increased oxygen delivery and helps alleviate that chest pain, providing symptomatic relief for patients experiencing angina or similar conditions. While vasodilation can have an impact on blood pressure, its primary role in this scenario is specifically targeted at relieving pain and improving perfusion to the heart, rather than merely improving blood pressure on its own or modulating heart rate or output directly.

7. What vital sign change is most concerning in the context of potential acute coronary syndrome?

A. Increased heart rate

B. Low blood pressure

C. Irregular pulse

D. Elevated respiratory rate

In the context of potential acute coronary syndrome (ACS), an irregular pulse is particularly concerning because it can indicate underlying arrhythmias, which are common in individuals experiencing heart ischemia or myocardial infarction. Arrhythmias can lead to ineffective heart pumping, reduced cardiac output, and may precipitate more severe outcomes such as sudden cardiac arrest. While changes in heart rate, blood pressure, and respiratory rate can also be significant, an irregular pulse suggests that the electrical activity of the heart is compromised. This disruption can lead to life-threatening conditions, making it a key vital sign indicator in the assessment of someone suspected of experiencing ACS. In clinical scenarios, an irregular pulse may necessitate immediate intervention to stabilize the patient and restore normal heart rhythm, whereas other vital sign changes, while still important, may not indicate imminent danger with the same urgency.

SAMPLE

8. An 84-year-old male complains of chest pain that woke him from sleep. What should you suspect?

A. acute coronary syndrome.

B. costochondritis.

C. respiratory distress.

D. emphysema.

When evaluating an 84-year-old male who experiences chest pain that awakens him from sleep, acute coronary syndrome should be suspected as the primary concern. This scenario often indicates a serious underlying cardiovascular issue, particularly in older adults, who are at a higher risk for heart problems. Acute coronary syndrome encompasses a range of conditions related to sudden reduced blood flow to the heart, including unstable angina and myocardial infarction (heart attack). The nature of the pain, particularly if it is severe and disruptive enough to awaken someone from sleep, is characteristic of cardiac events. Elderly patients frequently present atypically, which can make it challenging to recognize these conditions. Thus, the combination of age, the type of pain described, and the timing (being awakened from sleep) strongly points toward a potential heart-related emergency. The other options, while they could cause chest pain, do not typically align as closely with the alarm signal presented by this patient, especially considering his age and the nature of the complaint. Conditions like costochondritis, respiratory distress, or emphysema are less likely to present in such an acute and serious manner as acute coronary syndrome.

9. What is the primary purpose of cardiopulmonary resuscitation (CPR)?

A. To restore the normal heartbeat

B. To maintain blood circulation and oxygenation

C. To provide oxygen directly to the brain

D. To monitor heart activity

The primary purpose of cardiopulmonary resuscitation (CPR) is to maintain blood circulation and oxygenation to vital organs, particularly the brain and heart, during a cardiac arrest. When the heart stops beating effectively, blood flow to the body ceases, leading to a lack of oxygen in the tissues and organs. CPR involves chest compressions and, in some cases, rescue breaths, which help to artificially circulate blood and deliver oxygen. The goal is to keep the blood flowing until advanced medical help can arrive and restore a normal heartbeat, ideally minimizing brain damage and increasing the chances of survival. While restoring a normal heartbeat is a critical goal of resuscitation efforts, CPR itself primarily aims to sustain circulation and oxygenation during the critical moments before more comprehensive medical interventions can take place. Monitoring heart activity does not contribute to the immediate physical actions required in CPR, and providing oxygen directly to the brain is a beneficial outcome but not the primary function of the procedure.

SAMPLE

10. An 80-year-old female experiences an irregular heartbeat and weakness. Which condition is most likely?

A. Stroke

B. Ventricular fibrillation

C. Cardiac arrhythmia

D. Cardiogenic shock

The chosen condition of cardiac arrhythmia is the most likely diagnosis for an 80-year-old female experiencing an irregular heartbeat and weakness. Cardiac arrhythmias are a common occurrence in elderly patients due to age-related changes in heart tissue, electrical conduction pathways, and other factors such as underlying cardiovascular disease, electrolyte imbalances, or medication effects. The symptoms of an irregular heartbeat alongside weakness suggest that the heart is not maintaining an effective rhythm, leading to decreased cardiac output, which can manifest as weakness and fatigue. In older adults, arrhythmias may present as a variety of symptoms, ranging from palpitations to syncope, and can indicate more significant underlying heart conditions. Since this patient exhibits both an irregular heartbeat and weakness, the presence of an arrhythmia is a fitting explanation for her symptoms. Other conditions listed can cause similar symptoms but do not fit as snugly with the specific combination of an irregular heartbeat and weakness in an elderly patient. For instance, while a stroke could lead to weakness, it typically presents with more distinct neurological signs rather than solely an irregular heartbeat. Ventricular fibrillation is a life-threatening condition but would present more acutely with loss of consciousness and no pulse rather than with just weakness. Cardiogenic shock involves

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nremtcardiologyresuscitation.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE