NRFSP INTERNATIONAL CERTIFIED (IC) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nrfspic.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What are the steps in the cleaning process?

A. Rinse, Wash, Sanitize, Air-dry

B. Wash, Sanitize, Rinse, Air-dry

C. Wash, Rinse, Sanitize, Air-dry

D. Wash, Rinse, Air-dry, Sanitize

2. When reheating, what temperature and time ensure safety within required time frames?

A. Reheat to 145°F (63°C) for 5 seconds; within 1 hour

B. Reheat to 135°F (57°C) for 0 seconds

C. Reheat to 165°F (74°C) for at least 15 seconds within 2 hours of removal from refrigeration; hold at safe temperatures; avoid re-reheating multiple times

D. Reheat to 200°F (93°C) for 60 seconds

3. Which action directly helps prevent cross-contamination when moving from raw meat to other foods?

A. Defrost meat at room temperature

B. Wash hands thoroughly

C. Use same cutting board for everything

D. Place raw meat near cooked foods

4. Glass in food preparation is an example of which type of contamination?

A. Biological contamination

B. Chemical contamination

C. Physical contamination

D. Allergen contamination

5. Which pathogens are most commonly associated with foodborne illness?

A. Hepatitis A and Norovirus.

B. E. coli O157:H7 and Salmonella

C. Listeria and Campylobacter

D. Clostridium botulinum and Vibrio

SAMPLE

6. What factors affect sanitizer effectiveness?

A. Water Temperature; Contact Time; Concentration

B. Concentration, Water Temperature, Contact Time

C. Contact Time, Concentration, Water Temperature

D. Temperature Only

7. Which activity is an example of monitoring?

A. Cleaning equipment

B. Hiring new staff

C. Measuring temperatures at critical control points

D. Designing menu

8. Which item is NOT typically part of a handwashing station?

A. Hot/Cold water

B. Soap

C. Towels/Dryer

D. Dishwashing detergent

9. Name the major categories of food safety hazards and give an example for each.

A. Biological (Salmonella), Chemical (cleaning agents or pesticides), Physical (glass shard or packaging fragment).

B. Nutritional (calories), Environmental (noise), Social (dress code).

C. Mechanical (wheels), Optical (color).

D. Regulatory (codes), Economic (cost).

10. Which statement about jewelry policy in food handling is true?

A. Any jewelry is acceptable

B. Jewelry should be worn at all times

C. Only plain bands with no stones or ridges can be worn

D. All rings must be removed during handling

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. A
6. B
7. C
8. D
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What are the steps in the cleaning process?

A. Rinse, Wash, Sanitize, Air-dry

B. Wash, Sanitize, Rinse, Air-dry

C. Wash, Rinse, Sanitize, Air-dry

D. Wash, Rinse, Air-dry, Sanitize

The main idea is to follow a sequence that ensures soils are removed first, then the surface is properly sanitized and finally allowed to dry so it won't be recontaminated. Start with washing to physically remove dirt and food residues from the surface. If you skip this step or don't wash thoroughly, soil can shield microorganisms and reduce sanitizer effectiveness. Next, rinse to remove the soap, loosened debris, and any remaining soil so the surface is clean before sanitizing. Applying sanitizer on a dirty surface wastes the sanitizing step and can leave microbes protected by soils. Then sanitize so that microorganisms are killed or greatly reduced; sanitizer needs to contact a clean, wet surface for the required contact time. If you rinse again or dry before sanitizing, you undermine this step. Finally, air-dry the surface; leaving it to dry prevents recontamination and completes the process because many sanitizers require the surface to remain wet for their stated contact time, and moisture after sanitizing is part of the effective cleaning routine.

2. When reheating, what temperature and time ensure safety within required time frames?

A. Reheat to 145°F (63°C) for 5 seconds; within 1 hour

B. Reheat to 135°F (57°C) for 0 seconds

C. Reheat to 165°F (74°C) for at least 15 seconds within 2 hours of removal from refrigeration; hold at safe temperatures; avoid re-reheating multiple times

D. Reheat to 200°F (93°C) for 60 seconds

Safe reheating relies on heating leftovers to a high enough temperature quickly enough to kill potential pathogens, and doing it within a time frame that keeps food out of the danger zone. Reheating to 165°F (74°C) for at least 15 seconds ensures any bacteria that grew during storage are destroyed, and doing this within 2 hours of removing the food from refrigeration reduces the time the food spends in the temperature range where bacteria multiply. After reheating, keeping the food hot at a safe temperature and avoiding multiple reheating cycles minimizes the chance of recontamination and further bacterial growth. That's why this option is the best: it specifies the correct temperature and minimum time, requires the reheating to occur within the 2-hour window, and emphasizes holding at safe temperatures and not re-reheating multiple times. The other choices fail because they propose temperatures or timings that don't reliably achieve safety, omit the time window, or overlook the guidance against repeated reheating.

SAMPLE

3. Which action directly helps prevent cross-contamination when moving from raw meat to other foods?

A. Defrost meat at room temperature

B. Wash hands thoroughly

C. Use same cutting board for everything

D. Place raw meat near cooked foods

Preventing cross-contamination hinges on stopping the transfer of bacteria from raw meat to other foods, surfaces, or utensils. Washing hands thoroughly after handling raw meat removes any bacteria that may be on the skin, so you don't carry them to ready-to-eat foods or clean surfaces. This direct action interrupts the contamination pathway before it can spread, which is why it's the best safeguard when moving from raw meat to other foods. Other practices can still pose risks. Defrosting meat at room temperature lets bacteria multiply, increasing danger. Using the same cutting board for raw and ready-to-eat foods provides a route for bacteria to transfer, and placing raw meat near cooked foods creates proximity for contamination. Keeping hands clean is the most immediate, effective step to prevent those transfers.

4. Glass in food preparation is an example of which type of contamination?

A. Biological contamination

B. Chemical contamination

C. Physical contamination

D. Allergen contamination

Physical contamination occurs when a foreign object ends up in food, creating a tangible hazard. Glass in food preparation is a classic example because broken glass or glass fragments can inadvertently fall into dishes during handling, serving, or storage. This type stands apart from biological contamination, which involves microorganisms; chemical contamination, which involves toxins or cleaners; and allergen contamination, which is the unintended presence of an allergen. Protecting against it means using intact glassware, checking for cracks, keeping lids on containers, opting for safer materials when possible, and training staff to report damaged items so they can be removed before they reach food.

5. Which pathogens are most commonly associated with foodborne illness?

A. Hepatitis A and Norovirus.

B. E. coli O157:H7 and Salmonella

C. Listeria and Campylobacter

D. Clostridium botulinum and Vibrio

Foodborne illness is most often driven by pathogens that spread easily through contaminated food, especially via the fecal-oral route. Norovirus stands out as the leading cause of gastroenteritis outbreaks linked to food because it requires only a tiny infectious dose and remains stable in the food chain and on surfaces; outbreaks frequently occur in food-service settings when an infected person handles prepared foods. Hepatitis A is another well-known foodborne virus transmitted in the same way, often tied to contaminated foods or infected food handlers and certain shellfish. Together, these two pathogens account for a large share of common foodborne illness events observed in practice, which is why they are considered the most commonly associated with foodborne illness. The other options involve important bacteria or toxins, but they typically cause outbreaks or illnesses that are less representative of the everyday, widespread pattern seen with norovirus and Hepatitis A.

SAMPLE

6. What factors affect sanitizer effectiveness?

A. Water Temperature; Contact Time; Concentration

B. Concentration, Water Temperature, Contact Time

C. Contact Time, Concentration, Water Temperature

D. Temperature Only

Sanitizer effectiveness depends on three factors working together: the concentration of the sanitizer, the temperature of the water, and the contact time—the length of time the surface remains wet with the sanitizer. If the concentration is too low, there isn't enough active ingredient to kill germs. Temperature matters because warmer conditions generally speed up how quickly the sanitizer works, while too-cold conditions can slow disinfection and extreme heat can degrade the product. And without sufficient contact time, microbes on the surface won't be exposed long enough to be killed. Together, these three factors determine how well a sanitizer performs, which is why listing all three is the most accurate reflection of what affects sanitizer performance. Focusing on temperature alone misses the importance of concentration and contact time.

7. Which activity is an example of monitoring?

A. Cleaning equipment

B. Hiring new staff

C. Measuring temperatures at critical control points

D. Designing menu

Monitoring involves the ongoing observation or measurement of a process to ensure it stays within established critical limits. Measuring temperatures at critical control points provides real-time data on whether each control point remains in range, which allows for timely corrective actions if a deviation occurs. This is the practical data-gathering aspect that defines monitoring in HACCP and food-safety contexts. Cleaning equipment is a sanitation task aimed at removing dirt and contaminants, not continuously tracking process parameters. Hiring new staff is a staffing decision, not about observing or measuring process performance. Designing a menu relates to product planning and development, not to monitoring the actual operation. So, measuring temperatures at critical control points exemplifies monitoring because it continuously, or at regular intervals, verifies that the process stays under control and provides the evidence needed to respond if something drifts out of range.

8. Which item is NOT typically part of a handwashing station?

A. Hot/Cold water

B. Soap

C. Towels/Dryer

D. Dishwashing detergent

The key idea is understanding what components properly support effective hand hygiene. A handwashing station is equipped with water, soap, and a way to dry hands so that hands are cleaned thoroughly without recontaminating them. Hot and cold water helps rinse away oils and dirt; soap breaks down oils and lifts particles from the skin; towels or a dryer provide a clean, sanitary way to dry hands. Dishwashing detergent, while great for cleaning dishes, is formulated differently and can be harsher on skin or leave residues not intended for personal hygiene. It's not typically included at a handwashing station for those reasons, even though it has its place in dishwashing areas.

SAMPLE

9. Name the major categories of food safety hazards and give an example for each.

A. Biological (Salmonella), Chemical (cleaning agents or pesticides), Physical (glass shard or packaging fragment).

B. Nutritional (calories), Environmental (noise), Social (dress code).

C. Mechanical (wheels), Optical (color).

D. Regulatory (codes), Economic (cost).

Food safety hazards are grouped into three broad categories: biological, chemical, and physical. A biological hazard involves microorganisms or their toxins, such as Salmonella, which can cause illness if present in food. A chemical hazard covers harmful chemicals that may be found in foods, like residues from cleaning agents or pesticides. A physical hazard refers to foreign objects in food, such as a glass shard or a fragment from packaging that could injure or injure if ingested. This three-part framework is the standard way we categorize hazards in food safety, which is why the described set fits best. The other options mix concepts not used as hazard categories in food safety (nutritional, environmental, social; mechanical, optical; regulatory, economic).

10. Which statement about jewelry policy in food handling is true?

A. Any jewelry is acceptable

B. Jewelry should be worn at all times

C. Only plain bands with no stones or ridges can be worn

D. All rings must be removed during handling

Jewelry policy in food handling focuses on reducing contamination risk by limiting adornments that can trap dirt, harbor bacteria, or interfere with gloves. The statement that only plain bands with no stones or ridges can be worn is best because plain bands are smooth and easy to clean, making them less likely to collect food particles or harbor microbes. Rings with stones, ridges, or settings create crevices where buildup can occur and can also snag gloves, increasing the chance of contamination. Other options would either permit more risk or require removing all rings, which isn't necessary when a simple plain band is allowed.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nrfspic.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE