
NUCLEAR CARDIOLOGY BOARDS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nuclearcardiology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Uniformity correction testing is necessary because gamma cameras commonly exhibit nonuniformities or distortions at which location?**

   A. Center of the field of view

   B. Edge of the field of view

   C. Edge of the detector field of view

   D. Throughout the detector

2. **Which characteristic contributes to 99Mo being a poor tracer for medical imaging?**

   A. 67 hour half-life

   B. Decays by beta and gamma emission (740 and 780 keV)

   C. Long half life with beta emissions is dangerous

   D. All of the above

3. **Which medication in the inhibitor list is an alpha-adrenergic blocker?**

   A. Prazosin

   B. Hydralazine

   C. Methyldopa

   D. Digoxin

4. **Which expression represents the exponential attenuation relation used for half-value layer?**

   A. Exp = Exp0 * e^{-0.693 t / T_half}

   B. Exp = Exp0 * e^{+0.693 t / T_half}

   C. Exp = Exp0 / e^{0.693 t / T_half}

   D. Exp = Exp0 / (1 + t / T_half)

5. **Hormesis describes what?**

   A. Presumptive protective effect of exposure to low amounts of ionizing radiation

   B. Direct cellular damage increases with dose

   C. No effect at any dose

   D. Increased cancer risk at all doses

SAMPLE

6. What is a normal variant in the myocardial distribution of nitrogen-13 ammonia?

A. May be a decrease in uptake in the inferolateral region of the ventricle

B. Increased uptake in the apex

C. Uniform uptake across the ventricle

D. Increased uptake in the inferolateral region

7. Large amounts of radioactivity require which type of packaging?

A. Type D

B. Type B

C. Type A

D. Type C

8. Which emissions characterize 99Mo decay that are relevant to its safety as a tracer?

A. Alpha particles only

B. Beta and gamma emissions around 740 and 780 keV

C. Neutron emissions

D. Positron emission

9. Arms down imaging can cause what type of error in interpretation?

A. False positives

B. False negatives

C. No effect on interpretation

D. Improved resolution

10. In the two-day Tc99m-MIBI protocol, for vasodilator stress, how long after the stress injection is the image acquired?

A. 15 minutes

B. 45-60 minutes

C. 1 hour

D. 2 hours

SAMPLE

Answers

SAMPLE

1. C
2. D
3. A
4. A
5. A
6. A
7. B
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Uniformity correction testing is necessary because gamma cameras commonly exhibit nonuniformities or distortions at which location?

A. Center of the field of view

B. Edge of the field of view

C. Edge of the detector field of view

D. Throughout the detector

Uniformity testing is driven by the fact that gamma cameras tend to show nonuniform detector response most prominently at the edges of the detector. As photons strike the outer parts of the detector, geometric factors like parallax, incomplete light collection, gaps between detector elements, and edge-related collimator effects cause the response to deviate from the center. This rim or edge region of the detector field of view is where the flood image often shows measurable nonuniformities, so correction maps are needed to normalize the response there. The center of the field is usually the most uniform, and nonuniformities are not typically spread uniformly across the entire detector, which is why the edge of the detector field of view is the focus.

2. Which characteristic contributes to 99Mo being a poor tracer for medical imaging?

A. 67 hour half-life

B. Decays by beta and gamma emission (740 and 780 keV)

C. Long half life with beta emissions is dangerous

D. All of the above

The main idea is that a good imaging tracer should deliver clear images with minimal radiation dose to the patient. A long half-life means the radioactive material stays in the body—and in the environment—much longer, increasing the cumulative radiation dose and waste concerns. If the tracer decays by beta emission as well as gamma emission, that adds unnecessary radiation dose without contributing to image formation, since imaging relies on gamma photons detected by the camera. The gamma photons at energies around 740–780 keV are far higher than the energies typically used for gamma-camera imaging (which favors lower, around 140 keV for Tc-99m). Higher-energy photons require thicker collimators, reducing sensitivity and image quality while still delivering dose. Taken together, these characteristics make 99Mo a poor tracer for medical imaging, so all of the above factors contribute.

3. Which medication in the inhibitor list is an alpha-adrenergic blocker?

A. Prazosin

B. Hydralazine

C. Methyldopa

D. Digoxin

Alpha-adrenergic blockers prevent norepinephrine from activating alpha receptors on vascular smooth muscle, which stops vasoconstriction and allows vessels to dilate, lowering peripheral resistance and blood pressure. Prazosin is a selective alpha-1 blocker, so it produces arterial dilation and BP reduction, a hallmark of this drug class. The other medications act by different mechanisms: hydralazine dilates arterioles directly without blocking alpha receptors; methyldopa lowers sympathetic outflow in the brain (acts like an alpha-2 agonist) rather than blocking receptors; digoxin improves cardiac contractility and conductivity without involving alpha-adrenergic receptors. Thus, prazosin is the alpha-adrenergic blocker.

SAMPLE

4. Which expression represents the exponential attenuation relation used for half-value layer?

A. Exp = Exp0 * e^{-0.693 t / T_half}

B. Exp = Exp0 * e^{+0.693 t / T_half}

C. Exp = Exp0 / e^{0.693 t / T_half}

D. Exp = Exp0 / (1 + t / T_half)

Attenuation through matter follows an exponential decay with thickness, and the half-value layer (T_half) is the thickness that halves the original quantity. The decay constant μ is related to T_half by μ = ln2 / T_half ≈ 0.693 / T_half. The transmitted quantity through a thickness t is Exp = Exp0 e^(−μ t). Substituting μ gives Exp = Exp0 e^(−0.693 t / T_half). This form ensures that when t equals T_half, Exp = Exp0/2, as required for a half-value layer. The negative exponent reflects the diminishing intensity with greater thickness. The other forms either imply growth with thickness (positive exponent) or represent non-exponential attenuation; the standard, correct expression uses the negative exponential with 0.693 in the numerator.

5. Hormesis describes what?

A. Presumptive protective effect of exposure to low amounts of ionizing radiation

B. Direct cellular damage increases with dose

C. No effect at any dose

D. Increased cancer risk at all doses

Hormesis is a biphasic response to a stressor, where a small amount of exposure can trigger adaptive, protective mechanisms that may reduce harm, while larger doses cause damage. In the context of ionizing radiation, low doses can stimulate DNA repair, antioxidant defenses, and immune responses, potentially lowering risk relative to baseline in some situations. As the dose increases, these protective effects are overwhelmed and cellular damage accumulates, leading to increased cancer risk and other harms. So the statement describing a presumptive protective effect at low doses captures this idea, whereas the other descriptions imply harm at all doses, no effect, or universal cancer risk, which do not fit hormesis.

6. What is a normal variant in the myocardial distribution of nitrogen-13 ammonia?

A. May be a decrease in uptake in the inferolateral region of the ventricle

B. Increased uptake in the apex

C. Uniform uptake across the ventricle

D. Increased uptake in the inferolateral region

Nitrogen-13 ammonia PET myocardial perfusion images can show small, nonpathologic regional variations because of attenuation and motion. A common normal variant is a mild decrease in tracer uptake in the inferolateral wall, typically related to diaphragmatic attenuation or related imaging artifacts. This appearance is not a true perfusion defect and often improves with attenuation correction or when reviewing rest versus stress studies. The other patterns described (increased apex uptake, uniform uptake, or increased inferolateral uptake) are less typical as recognized normal variants and would raise concern for artifact or true abnormality rather than a benign variant.

SAMPLE

7. Large amounts of radioactivity require which type of packaging?

A. Type D

B. Type B

C. Type A

D. Type C

When transporting radioactive material, the packaging class is driven by how much activity needs to be transported. For large quantities, a robust containment is required, with thick shielding and a design that can withstand severe accident conditions. Type B packaging is built and certified for high activity levels and undergoes rigorous testing that simulates extreme scenarios such as drops, crushes, punctures, intense fires, and immersion. This level of protection ensures that the radioactive contents remain contained and shielded even if something goes wrong during transit, protecting people and the environment. Smaller amounts are handled with Type A packaging, which is not intended for high activity, and Type C packaging is reserved for specific air-transport needs. Therefore, large amounts of radioactivity require Type B packaging.

8. Which emissions characterize 99Mo decay that are relevant to its safety as a tracer?

A. Alpha particles only

B. Beta and gamma emissions around 740 and 780 keV

C. Neutron emissions

D. Positron emission

When evaluating safety of 99Mo as a tracer, the important emissions are those that contribute to radiation dose from the decay itself: beta particles and gamma rays released during the decay to the daughter nucleus. In this case, 99Mo primarily undergoes beta minus decay to 99mTc, so each decay emits a beta particle. The beta radiation is a dose concern if the material is inside the body, but externally the penetrating gamma rays matter most for shielding and exposure control. The characteristic gamma photons from 99Mo decay appear around 740–780 keV, and these relatively high-energy gamma rays dominate external exposure risk from the parent material. Neutron or alpha emissions are not produced by 99Mo, and positron emission is not part of its decay scheme. The 140 keV gamma from 99mTc is associated with the imaging step after the generator has produced 99mTc, not directly a safety feature of the 99Mo decay itself.

9. Arms down imaging can cause what type of error in interpretation?

A. False positives

B. False negatives

C. No effect on interpretation

D. Improved resolution

Attenuation of photons by arm and chest tissues changes the image when the arms are down, creating artificial areas that look like reduced perfusion. This shows up as defects on the scan even though the blood flow is normal, so interpretation is falsely positive for ischemia. Arms-up positioning reduces these attenuation effects, improving accuracy. The other options don't fit because attenuation in arms-down imaging does affect the study, and it tends to produce artificial defects rather than improve resolution.

SAMPLE

10. In the two-day Tc99m-MIBI protocol, for vasodilator stress, how long after the stress injection is the image acquired?

A. 15 minutes

B. 45-60 minutes

C. 1 hour

D. 2 hours

After injecting Tc-99m MIBI during vasodilator stress, you image about 45–60 minutes later. This timing takes advantage of the tracer's behavior: it is taken up by myocardium in proportion to blood flow, and waiting this interval allows the tracer to be well trapped in the myocardial tissue while blood pool activity diminishes. The result is a higher myocardial-to-background contrast and sufficient counts for reliable SPECT perfusion imaging. imaging sooner would show more blood pool activity and less defined uptake, while waiting much longer can reduce counts and degrade image quality. In the two-day protocol, this 45–60 minute window is the standard for the stress image.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nuclearcardiology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE