NURSING ASSISTANT CERTIFICATION (NAC) AMCA PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://nursingassistantcertification-amca.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What word is used to describe the breakdown of red blood cells?

A. Erythma

B. Erythrocytosis

C. Hemostasis

D. Hemolysis

2. When transferring a person to a bed, chair, or toilet, which side of the person moves first?

A. The person's strong side

B. The weak side

C. Pillows are used for support

D. The transfer belt is removed

3. What is the immediate need for a person in shock?

A. Rescue breathing

B. To be kept lying down

C. Clothes removed

D. The recovery position

4. In a CPR situation, which of the following is a key assessment for ventilation success?

A. Listening for lung sounds

B. Counting the number of compressions

C. Reviewing the patient's health history

D. Watching for chest rise and fall

5. Which of the following is not a common symptom of infection?

A. Fever

B. Fatigue

C. Increased appetite

D. Swelling

SAMPLE

6. The artery most commonly used for taking a patient's pulse is:

A. Carotid

B. Apical

C. Radial

D. Temporal

7. Unauthorized release of confidential patient information is called:

A. A type of negligence

B. Failure to use due care

C. Invasion of privacy

D. Violation of discovery

8. Instruments that come in contact only with a patient's mucous membranes should be:

A. Sanitized

B. Disinfected

C. Sterilized

D. Treated with antiseptics

9. In which of the following positions, used for the examination of the rectum, does the patient lie on the left side with the left leg slightly flexed?

A. Sims'

B. Prone

C. Lithotomy

D. Dorsal Recumbent

10. Why is it important for a person to wear nonskid footwear during transfers?

A. To keep the shoes clean

B. To enhance patient dignity

C. To prevent slipping

D. To improve circulation

SAMPLE

Answers

SAMPLE

1. D
2. A
3. B
4. D
5. C
6. C
7. C
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What word is used to describe the breakdown of red blood cells?

A. Erythma

B. Erythrocytosis

C. Hemostasis

D. Hemolysis

The term that describes the breakdown of red blood cells is "hemolysis." This process involves the destruction of erythrocytes, leading to the release of hemoglobin into the surrounding fluid. Hemolysis can occur for various reasons, including autoimmune disorders, infections, blood transfusion reactions, or certain medical conditions like hemolytic anemia. Understanding this term is vital in the field of nursing, as it can relate to patient assessments, lab results, and potential treatment pathways. The other terms provided are distinct in meaning. Erythema refers to redness of the skin due to increased blood flow to an area, often associated with inflammation or infection, rather than the destruction of blood cells. Erythrocytosis indicates an increase in the number of red blood cells, which is the opposite of breakdown. Hemostasis refers to the process of stopping bleeding or maintaining blood fluidity, focusing on the prevention of blood loss rather than the breakdown of cells. Knowing these definitions helps clarify the specific processes related to blood cell dynamics and their implications for patient care.

2. When transferring a person to a bed, chair, or toilet, which side of the person moves first?

A. The person's strong side

B. The weak side

C. Pillows are used for support

D. The transfer belt is removed

Transferring a person involves careful consideration of their mobility and safety. The correct approach is to move the person's strong side first. This is because the strong side typically has more strength and coordination, making it easier to carry the weight and support the person during the transfer. When initiating a transfer, leading with the strong side helps maintain stability and balance, which is crucial for preventing falls or injury. Additionally, moving the weak side last allows for better control and assistance, as the caregiver can provide more support when the weaker side is being moved into position. The other choices do not align with safe transfer practices. Using pillows for support is not a primary method for transferring and may not provide the necessary stability. Removing the transfer belt prior to completing the transfer could pose a safety risk, as the belt is designed to offer support and security during the process. Therefore, focusing on moving the strong side first establishes a solid foundation for safe and effective transfers.

SAMPLE

3. What is the immediate need for a person in shock?

A. Rescue breathing

B. To be kept lying down

C. Clothes removed

D. The recovery position

In a situation where a person is in shock, the immediate need is to keep them lying down. This positioning helps to promote adequate blood flow to vital organs, particularly the brain and heart, which is crucial since shock often results in a significant drop in blood pressure and circulation. By keeping the person horizontal, gravity assists in maintaining blood flow to major organs, which can help prevent further complications or deterioration of their condition. Other options may have their applications in different scenarios. For instance, rescue breathing is important for someone who is not breathing, but it is not the primary concern for a person experiencing shock. Removing clothing can be beneficial in a case of overheating, but it is not directly relevant to shock management. The recovery position is critical for unresponsive individuals to keep their airways clear, yet it may not be immediately necessary for someone in shock who is still conscious and breathing. Therefore, lying down is the most effective and immediate response to enhance circulation and stabilize the individual in shock.

4. In a CPR situation, which of the following is a key assessment for ventilation success?

A. Listening for lung sounds

B. Counting the number of compressions

C. Reviewing the patient's health history

D. Watching for chest rise and fall

In a CPR situation, observing for chest rise and fall is crucial for assessing the success of ventilation. This observation indicates whether effective breaths are being delivered and whether air is reaching the lungs, which is fundamental to restoring adequate oxygenation. When the chest rises, it signifies that the air is entering the lungs; a lack of chest rise suggests that ventilation is not effective, possibly due to airway obstruction or improper technique. The other options, while relevant in different contexts, do not directly assess the effectiveness of ventilation. Listening for lung sounds might be performed in a clinical setting after CPR but is impractical and not immediate during the process. Counting the number of compressions is essential for maintaining the appropriate rhythm of CPR but does not provide information about ventilation success. Reviewing the patient's health history can be important for understanding underlying health conditions but is not relevant at the moment of assessing how well ventilation is working during CPR. Thus, watching for chest rise and fall remains the most reliable immediate indicator of successful ventilation.

SAMPLE

5. Which of the following is not a common symptom of infection?

A. Fever

B. Fatigue

C. Increased appetite

D. Swelling

Infections typically manifest through a variety of symptoms as the body responds to the invading pathogens. Common symptoms include fever, fatigue, and swelling. Fever is a common response that occurs as the body's immune system works to fight off infection, raising the body temperature to create an environment less hospitable to pathogens. Fatigue often accompanies infections as the body directs energy towards combating the illness, leading to a sense of exhaustion. Swelling, particularly in the area where the infection is localized, can occur due to increased blood flow and fluid accumulation as immune cells mobilize to the site of infection. In contrast, increased appetite is not a common symptom of infection. Instead, individuals with infections typically experience a decrease in appetite. This is due to a variety of factors such as the body's need to conserve energy to fight the infection, feelings of illness that can lead to nausea or discomfort, and changes in metabolism caused by the immune response. Thus, the choice of increased appetite stands out as being inconsistent with the common reactions of the body to infection.

6. The artery most commonly used for taking a patient's pulse is:

A. Carotid

B. Apical

C. Radial

D. Temporal

The radial artery is the most commonly used site for taking a patient's pulse due to its accessibility and ease of use. Located on the wrist, on the thumb side, the radial artery allows for a straightforward and non-invasive way to assess heart rate. When taking a pulse at this site, the examiner can easily press down on the artery just beneath the skin to feel the rhythmic beating. The radial pulse is not only practical for monitoring pulse rate but also provides a reliable assessment of overall circulation in adults. It can be conveniently palpated by patients themselves, making it an ideal choice for self-monitoring at home. The site is often favored over others for routine assessments in both clinical settings and home healthcare. While other arteries, such as the carotid, apical, or temporal, can also be used for pulse checks, they may be less convenient or appropriate in various situations. For example, the carotid is central and can be used in emergency situations, but it requires more caution and is less commonly utilized in standard evaluations. The apical pulse provides a more precise measurement of heart activity and is typically taken with a stethoscope, making it less convenient for quick checks. The temporal artery is also accessible, but it is generally used less frequently compared to

SAMPLE

7. Unauthorized release of confidential patient information is called:

A. A type of negligence

B. Failure to use due care

C. Invasion of privacy

D. Violation of discovery

The unauthorized release of confidential patient information is referred to as invasion of privacy. This occurs when an individual's personal information is disclosed without their consent, breaching their right to keep that information private. In the context of healthcare, patient confidentiality is crucial, as it protects sensitive information that could impact a patient's dignity and trust in the healthcare system. Invasion of privacy can lead to significant consequences for both the patient and the healthcare provider, including loss of trust, potential legal ramifications, and damage to the provider's reputation. It is essential for nursing assistants and other healthcare professionals to understand the importance of maintaining patient confidentiality to prevent such breaches. The other options provided, while related to the broader topic of legal and ethical responsibilities in healthcare, do not specifically address the unauthorized release of information. For example, negligence involves a failure to act with the care that a reasonable person would exercise, and a failure to use due care refers generally to not taking appropriate precautions. A violation of discovery generally pertains to legal proceedings and does not directly apply to the release of patient information in a healthcare setting.

8. Instruments that come in contact only with a patient's mucous membranes should be:

A. Sanitized

B. Disinfected

C. Sterilized

D. Treated with antiseptics

Instruments that come into contact with a patient's mucous membranes need to be disinfected to eliminate pathogens that could potentially cause infection. Disinfection is a critical process that involves using chemical agents to kill most microorganisms, but not necessarily all spores. Since mucous membranes are more susceptible to infection than intact skin, it is essential to ensure that the instruments are free from harmful microorganisms, thus minimizing the risk of transmitting infections. While sterilization would fully eliminate all forms of microbial life, including spores, it is generally reserved for instruments that penetrate body tissues or are used in invasive procedures. On the other hand, sanitization typically reduces the number of microorganisms to a safe level but does not guarantee that all pathogens are eliminated, making it insufficient for items that contact mucous membranes. Treating with antiseptics is applicable to skin surfaces or wounds but is not the appropriate method for cleaning instruments. Therefore, disinfection strikes the right balance for instruments utilized in contact with mucous membranes, ensuring they are safe for use without the necessity for sterilization.

SAMPLE

9. In which of the following positions, used for the examination of the rectum, does the patient lie on the left side with the left leg slightly flexed?

A. Sims'

B. Prone

C. Lithotomy

D. Dorsal Recumbent

The position where the patient lies on the left side with the left leg slightly flexed is known as the Sims' position. This position is particularly useful for procedures or examinations involving the rectum as it allows for better access and visualization of the anal and rectal areas. By having the left leg flexed, it opens the pelvic region, facilitating the examination or intervention. In contrast, the prone position would have the patient lying flat on their stomach, which is not suitable for rectal examinations. The lithotomy position involves the patient lying on their back with legs raised and supported in stirrups, primarily used for gynecological examinations. The dorsal recumbent position also has the patient lying on their back, with knees bent and feet flat on the table, making it less appropriate for rectal examination compared to the Sims' position.

10. Why is it important for a person to wear nonskid footwear during transfers?

A. To keep the shoes clean

B. To enhance patient dignity

C. To prevent slipping

D. To improve circulation

Wearing nonskid footwear during transfers is crucial primarily because it serves to prevent slipping. Nonskid footwear is designed with materials and patterns that provide traction on various surfaces, thereby reducing the risk of falls during movement. This is especially important in a healthcare setting where patients may have weakened stability or mobility issues. Transfers usually involve moving a patient from one position to another—such as from a bed to a wheelchair or a chair—and maintaining a stable footing is key to ensuring both the patient's safety and the caregiver's ability to perform the transfer effectively. Maintaining clean shoes, enhancing dignity, or improving circulation may have their own importance, but these factors do not directly address the immediate risks associated with transfers. The primary goal with nonskid footwear is to create a safer environment by minimizing the possibility of slips and falls, which can lead to serious injuries for both patients and caregivers during the handling process.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://nursingassistantcertification-amca.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE