
NURSING CARE FOR DISORDERS OF THE ENDOCRINE AND EXOCRINE SYSTEMS (NDEE) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ndeeendocrineexocrine.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Why are steroids administered before a bilateral adrenalectomy?

A. They foster accumulation of glycogen in the liver.

B. They increase inflammatory action to promote scar formation.

C. They facilitate urinary excretion of salt and water following surgery.

D. They compensate for sudden lack of these hormones following surgery.

2. Which hormone is primarily responsible for lowering blood calcium levels?

A. Parathyroid hormone

B. Calcitonin

C. Insulin

D. Glucagon

3. What is the primary risk factor for developing type 2 diabetes?

A. Genetics

B. Stress

C. Obesity

D. Age

4. What is the significance of the liver in the endocrine system?

A. Produces insulin and glucagon

B. Metabolizes hormones and produces substances that modulate hormone activity

C. Stores excess glucose as glycogen

D. Regulates blood calcium levels

5. Which statement indicates that further teaching is necessary regarding hypophysectomy in a client with acromegaly?

A. "I will be sterile for the rest of my life."

B. "I will require larger doses of insulin after the surgery."

C. "I will have to take cortisone for the rest of my life."

D. "I must take thyroxine on a similar medication for life."

SAMPLE

6. Which gland is responsible for producing cortisol?

A. Thyroid gland

B. Pancreas

C. Adrenal gland

D. Pituitary gland

7. What condition is characterized by excessive secretion of cortisol?

A. Diabetes insipidus

B. Cushing's syndrome

C. Addison's disease

D. Hypoglycemia

8. How is type 2 diabetes primarily managed?

A. With insulin injections

B. With lifestyle changes and oral medications

C. With hormone replacements

D. With surgery

9. What is the primary action of insulin in the body?

A. To lower blood glucose levels

B. To increase blood glucose levels

C. To regulate fat metabolism

D. To promote protein synthesis

10. For clients with insulin-dependent diabetes who undergo a hypophysectomy, what medication adjustment may be necessary?

A. Potential increase in insulin dosage

B. Requirement of anticoagulants

C. Decrease in oral hypoglycemics

D. Introduction of growth hormone therapy

SAMPLE

Answers

SAMPLE

1. D
2. B
3. C
4. B
5. B
6. C
7. B
8. B
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Why are steroids administered before a bilateral adrenalectomy?

A. They foster accumulation of glycogen in the liver.

B. They increase inflammatory action to promote scar formation.

C. They facilitate urinary excretion of salt and water following surgery.

D. They compensate for sudden lack of these hormones following surgery.

Steroids are administered before a bilateral adrenalectomy primarily to compensate for the sudden lack of adrenal hormones that will occur after the removal of the adrenal glands. The adrenal glands produce critical hormones, including cortisol, aldosterone, and adrenal androgens, which play significant roles in metabolism, immune response, and fluid balance. Following the surgery, the body will not be able to produce these hormones naturally due to the removal of the glands. Preoperative steroid administration helps to ensure that adequate hormone levels are maintained, which is crucial for the patient's physiological stability and recovery. This practice reduces the risk of adrenal crisis, a potentially life-threatening condition caused by insufficient levels of cortisol in the body. The other options do not effectively capture the primary reason for steroid administration in this context. While glycogen accumulation, inflammatory action, and urinary excretion processes are important factors in the overall management of a patient's health, they do not directly relate to the immediate hormonal support needed after the adrenal glands are removed. Hence, the focus remains on compensating for the loss of adrenal hormone production, which substantiates the rationale for administering steroids prior to the procedure.

2. Which hormone is primarily responsible for lowering blood calcium levels?

A. Parathyroid hormone

B. Calcitonin

C. Insulin

D. Glucagon

The hormone primarily responsible for lowering blood calcium levels is calcitonin. Calcitonin is produced by the parafollicular cells (also known as C cells) of the thyroid gland. Its main function is to inhibit the activity of osteoclasts, which are cells that break down bone and release calcium into the bloodstream. By inhibiting these cells, calcitonin decreases the release of calcium from the bones, thereby reducing blood calcium levels. Additionally, calcitonin increases the excretion of calcium in the kidneys, contributing further to the lowering of serum calcium levels. This process is particularly important during periods when calcium levels in the blood are elevated, helping to maintain calcium homeostasis in the body. In contrast, parathyroid hormone, which is produced by the parathyroid glands, has the opposite effect by increasing blood calcium levels. Insulin and glucagon are hormones that primarily influence glucose metabolism and have no direct role in the regulation of blood calcium levels. Therefore, calcitonin is the correct choice for the hormone that lowers blood calcium levels.

SAMPLE

3. What is the primary risk factor for developing type 2 diabetes?

A. Genetics

B. Stress

C. Obesity

D. Age

The primary risk factor for developing type 2 diabetes is obesity. Excess body fat, particularly around the abdomen, is strongly linked to insulin resistance, which is a key component in the development of type 2 diabetes. When the body becomes resistant to insulin, it requires more insulin to keep blood glucose levels within a normal range. Over time, the pancreas may struggle to keep up with this increased demand, leading to elevated blood glucose levels and eventually diabetes. Obesity can also lead to various metabolic changes, such as increased inflammation and changes in hormone production, which further contribute to insulin resistance. The prevalence of obesity in the population has been rising, paralleling an increase in the incidence of type 2 diabetes, making it a critical public health concern. While factors such as genetics, stress, and age also play a role in the risk for type 2 diabetes, obesity is often considered the most significant modifiable risk factor. Maintaining a healthy weight through diet and physical activity can significantly reduce the risk of developing this condition.

4. What is the significance of the liver in the endocrine system?

A. Produces insulin and glucagon

B. Metabolizes hormones and produces substances that modulate hormone activity

C. Stores excess glucose as glycogen

D. Regulates blood calcium levels

The liver plays a crucial role in the endocrine system primarily through its ability to metabolize hormones and produce substances that modulate hormone activity. This function is significant because the liver helps maintain homeostasis by ensuring that hormones are properly regulated within the body. It breaks down hormones such as insulin and glucagon, thereby influencing their levels in circulation and their overall effects on metabolism. Additionally, the liver synthesizes and secretes proteins such as sex hormone-binding globulin (SHBG) and cortisol-binding globulin, which can bind excess hormones and help regulate their bioavailability and activity. This modulation is essential for maintaining balance in hormone levels, especially in conditions where hormonal fluctuations can lead to disorders. Understanding the liver's role in metabolizing hormones can highlight its importance in conditions such as diabetes or hormonal imbalances, where the proper function of the liver can significantly impact disease management and treatment outcomes.

SAMPLE

5. Which statement indicates that further teaching is necessary regarding hypophysectomy in a client with acromegaly?

A. "I will be sterile for the rest of my life."

B. "I will require larger doses of insulin after the surgery."

C. "I will have to take cortisone for the rest of my life."

D. "I must take thyroxine on a similar medication for life."

The correct answer highlights the need for further teaching because individuals who undergo a hypophysectomy, which is the surgical removal of the pituitary gland, typically experience significant hormonal changes post-surgery. Acromegaly, often caused by excess growth hormone from a pituitary tumor, necessitates this procedure to reduce growth hormone levels. After the surgery, the body may not produce sufficient amounts of certain hormones due to the loss of the pituitary gland's function. This can lead to potential complications and changes in insulin metabolism, but it does not inherently mean that insulin doses must be increased. In fact, some patients may find they require less insulin if their growth hormone levels normalize, as growth hormone can antagonize insulin action and lead to insulin resistance. The other statements reflect accurate information regarding the consequences of the hypophysectomy. Surgical removal of the pituitary gland can lead to permanent sterility due to the loss of gonadotropin secretion, necessitating lifelong hormone replacement therapy with cortisone for adrenal insufficiency, and potentially requiring thyroid hormone replacement. Each of these statements indicates a reasonable expectation of life post-surgery, while the assertion of needing larger doses of insulin demonstrates a misunderstanding of how the surgery affects the body's hormone regulation and insulin requirements.

6. Which gland is responsible for producing cortisol?

A. Thyroid gland

B. Pancreas

C. Adrenal gland

D. Pituitary gland

The adrenal gland is responsible for producing cortisol, a steroid hormone crucial for various bodily functions, especially in response to stress. Cortisol plays a significant role in regulating metabolism, reducing inflammation, and controlling the body's sleep-wake cycle. This gland is located on top of each kidney and consists of several layers, with the zona fasciculata specifically producing cortisol. The secretion of this hormone is part of the hypothalamic-pituitary-adrenal (HPA) axis, wherein the hypothalamus triggers the release of adrenocorticotropic hormone (ACTH) from the pituitary gland, which then stimulates the adrenal cortex to produce cortisol. Other glands, like the thyroid, pancreas, and pituitary, have different functions. The thyroid gland primarily regulates metabolism through hormones like thyroxine. The pancreas produces insulin and glucagon, which are key in glucose regulation. The pituitary gland, often termed the "master gland," regulates various hormones but does not produce cortisol directly; it influences the adrenal glands through ACTH. Understanding the distinct roles of these glands emphasizes why the adrenal gland is indeed the correct answer regarding cortisol production.

SAMPLE

7. What condition is characterized by excessive secretion of cortisol?

A. Diabetes insipidus

B. Cushing's syndrome

C. Addison's disease

D. Hypoglycemia

Cushing's syndrome is characterized by excessive secretion of cortisol, which is a steroid hormone produced by the adrenal glands. This condition can arise due to various factors, including tumors on the pituitary gland that stimulate the adrenal glands, tumors on the adrenal glands themselves, or even ectopic production of adrenocorticotropic hormone (ACTH) from non-endocrine tumors. Elevated cortisol levels lead to a range of clinical manifestations, including weight gain, particularly in the abdominal area, a rounded face (often referred to as "moon facies"), easy bruising, skin changes, muscle weakness, and hypertension. In contrast, diabetes insipidus is related to insufficient production or action of antidiuretic hormone (ADH), Addison's disease involves insufficient cortisol production, and hypoglycemia results from low blood sugar levels rather than hormone overproduction. Each of these conditions presents distinctly and is influenced by different hormonal imbalances, making Cushing's syndrome the clear choice when identifying a condition marked by excessive cortisol secretion.

8. How is type 2 diabetes primarily managed?

A. With insulin injections

B. With lifestyle changes and oral medications

C. With hormone replacements

D. With surgery

Type 2 diabetes management primarily focuses on lifestyle modifications and the use of oral medications. Lifestyle changes include implementing a balanced diet, increasing physical activity, maintaining a healthy weight, and monitoring blood glucose levels. These adjustments can significantly improve insulin sensitivity and overall metabolic health, potentially reducing the need for more invasive treatments. Oral medications, such as metformin, are commonly prescribed to help manage blood sugar levels by improving insulin sensitivity and decreasing glucose production in the liver. These medications are often effective in conjunction with lifestyle changes, allowing many individuals to achieve good glycemic control without the immediate need for insulin injections. In contrast, insulin injections are typically associated with type 1 diabetes or advanced cases of type 2 diabetes where oral medications and lifestyle changes are insufficient. Hormone replacements are not a standard treatment for managing type 2 diabetes, and surgical interventions may be considered for weight loss in certain patients but are not a primary management strategy for diabetes itself. Thus, the combination of lifestyle changes and oral medications represents the cornerstone of type 2 diabetes management.

SAMPLE

9. What is the primary action of insulin in the body?

A. To lower blood glucose levels

B. To increase blood glucose levels

C. To regulate fat metabolism

D. To promote protein synthesis

The primary action of insulin in the body is to lower blood glucose levels. Insulin is a hormone produced by the beta cells of the pancreas and plays a crucial role in carbohydrate metabolism. When blood glucose levels rise, such as after meals, insulin is released into the bloodstream. It facilitates the uptake of glucose by cells, particularly in muscle and adipose (fat) tissue, allowing cells to use glucose for energy or store it as glycogen for later use. By promoting glucose uptake and inhibiting gluconeogenesis — the process by which the liver produces glucose — insulin effectively lowers the concentration of glucose in the bloodstream, maintaining homeostasis and preventing hyperglycemia. Other options may relate to insulin's broader metabolic effects, such as promoting protein synthesis and regulating fat metabolism, but the central and direct action of insulin specifically pertains to lowering blood sugar levels, which is vital for preventing complications associated with diabetes and maintaining overall metabolic health.

10. For clients with insulin-dependent diabetes who undergo a hypophysectomy, what medication adjustment may be necessary?

A. Potential increase in insulin dosage

B. Requirement of anticoagulants

C. Decrease in oral hypoglycemics

D. Introduction of growth hormone therapy

In clients with insulin-dependent diabetes who undergo a hypophysectomy, an increase in insulin dosage may be necessary due to the surgical removal of the pituitary gland and its role in hormonal regulation. The pituitary gland is responsible for secreting several hormones, including those that influence glucose metabolism and insulin sensitivity. After the hypophysectomy, the loss of these regulatory hormones can lead to changes in the body's metabolic state, often resulting in reduced insulin sensitivity and increased blood glucose levels. As a compensatory mechanism, the insulin production may need to be adjusted—most frequently upward—to maintain glycemic control. It's also crucial to closely monitor blood glucose levels during this period to ensure adjustments in insulin therapy are appropriate. The other choices do not address the immediate concerns related to the removal of the pituitary gland and its effect on the insulin-regulating hormones, therefore they would not be relevant adjustments in this clinical scenario.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ndeeendocrineexocrine.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE