# OCFR SELF-CONTAINED BREATHING APPARATUS (SCBA) PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://ocfrscba.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. **What is the required humidity limit for SCBA air supply?**
   - A. No more than 50% relative humidity
   - B. No more than 30% relative humidity
   - C. No more than 70% relative humidity
   - D. No limit on humidity levels

2. **What is a primary consideration before entering a hazardous area with an SCBA?**
   - A. Check the weight of the SCBA
   - B. Ensure sufficient air supply
   - C. Verify the temperature of the environment
   - D. Calculate the time of use

3. **When is it important to check the HUD for status indicators?**
   - A. Before and during use
   - B. Only before use
   - C. Only during use
   - D. After use

4. **What is the typical duration of air supply for a standard SCBA cylinder?**
   - A. 10 to 20 minutes
   - B. 20 to 30 minutes
   - C. 30 to 60 minutes
   - D. 60 to 90 minutes

5. **At what pressure are SCBA bottles typically filled?**
   - A. 3000 PSI
   - B. 4000 PSI
   - C. 4500 PSI
   - D. 5000 PSI

6. **Which respiratory protection standard references the use of SCBA?**
   - A. 29 CFR 1910.134 (OSHA Respiratory Protection Standard)
   - B. 29 CFR 1926.800 (Construction Respiratory Protection)
   - C. OSHA 3000 (General Industry Standards)
   - D. ANSI Z88.2 (Respiratory Protection Program)

SAMPLE

**7. What are the big black circles below the inhalation valves on the mask known as?**

A. Voice emitter

B. Reflectors

C. Exhalation valves

D. Neck dam

**8. When does the vibe-alert stop vibrating?**

A. 0 PSI

B. When the bottle is empty

C. When less than 1/3 of a bottle is remaining or 1500 PSI

D. At 500 PSI

**9. On what side of the SCBA is the RIC/UAC typically located?**

A. Right side

B. Front side

C. Left side

D. Back side

**10. What are the main components of an SCBA?**

A. Air cylinder, pressure regulator, facepiece, and harness

B. Air tank, oxygen valve, mask, and belt

C. Breathing tube, oxygen tank, helmet, and gloves

D. Breathable gas cylinder, mouthpiece, regulator, and backpack

SAMPLE

# Answers

SAMPLE

1. A
2. B
3. A
4. C
5. C
6. A
7. A
8. C
9. C
10. A

SAMPLE

# Explanations

SAMPLE

## 1. What is the required humidity limit for SCBA air supply?

A. No more than 50% relative humidity

B. No more than 30% relative humidity

C. No more than 70% relative humidity

D. No limit on humidity levels

*The required humidity limit for SCBA air supply is no more than 50% relative humidity. Maintaining this level is crucial for ensuring the integrity of the SCBA system and the comfort of the user. Excess humidity can lead to water condensation inside the SCBA unit, which may result in corrosion of internal components, malfunction of the equipment, or even contamination of the air supply. Thus, the 50% relative humidity limit is set to promote optimal functioning and safety for personnel relying on SCBA during hazardous operations. This standard helps to prevent issues associated with moisture, ensuring that the air being provided remains clean and breathable.*

## 2. What is a primary consideration before entering a hazardous area with an SCBA?

A. Check the weight of the SCBA

B. Ensure sufficient air supply

C. Verify the temperature of the environment

D. Calculate the time of use

*Ensuring a sufficient air supply is crucial before entering a hazardous area with an SCBA. This step guarantees that the individual has enough breathable air for the duration they plan to be in the hazardous environment. The air supply is the lifeline for the wearer, and inadequate air could lead to unconsciousness or worse if an emergency arises while inside, where access to fresh air is impossible. Checking air quality parameters or environmental factors such as temperature and weight is important but secondary to ensuring you have an adequate amount of air to breathe. If a person has an insufficient air supply, no other considerations will matter if they cannot breathe adequately while performing their duties. This is why confirming the air supply is the first and foremost step in preparation for entering hazardous conditions.*

## 3. When is it important to check the HUD for status indicators?

A. Before and during use

B. Only before use

C. Only during use

D. After use

*Checking the Heads-Up Display (HUD) for status indicators is crucial both before and during the use of the Self-Contained Breathing Apparatus (SCBA). Prior to use, verifying the HUD ensures that all systems are functioning correctly, including confirming the air supply and overall readiness of the apparatus. This pre-emptive check helps to prevent any unexpected failures while on the job, which could compromise safety. During use, continuously monitoring the HUD provides real-time feedback about the air supply, breathing conditions, and other critical system statuses. This information allows the user to manage remaining air levels and maintain situational awareness, which is vital, especially in a high-risk environment. By keeping an eye on these indicators throughout the operation, the wearer can make informed decisions and take necessary actions if any changes in performance are noted. Thus, checking the HUD status indicators at both stages is essential for safe and effective SCBA use.*

SAMPLE

## 4. What is the typical duration of air supply for a standard SCBA cylinder?

A. 10 to 20 minutes

B. 20 to 30 minutes

C. 30 to 60 minutes

D. 60 to 90 minutes

*The typical duration of air supply for a standard SCBA cylinder generally falls within the range of 30 to 60 minutes. This duration can vary based on several factors including a user's physical activity level, the cylinder's pressure, and the specific model of the SCBA. Standard SCBA cylinders are commonly designed to hold high-pressure air that can provide a sufficient air supply for firefighting operations or hazardous environments for an estimated 30 to 60 minutes, allowing firefighters and responders to perform critical tasks while ensuring their safety. Understanding this time frame is essential for effective planning and operation during emergencies where air supply is crucial.*

## 5. At what pressure are SCBA bottles typically filled?

A. 3000 PSI

B. 4000 PSI

C. 4500 PSI

D. 5000 PSI

*SCBA bottles are typically filled to a pressure of 4500 PSI. This high-pressure filling is necessary to ensure a sufficient volume of breathable air is stored in a compact cylinder, allowing for extended use in environments where fresh air is not available, such as in firefighting or hazardous material situations. The 4500 PSI filling capability provides a balance between portability and air supply duration, enabling users to operate for significant periods in high-stress scenarios without the immediate need for refills. Additionally, this standard ensures compatibility with most breathing apparatus systems used across various emergency response agencies.*

## 6. Which respiratory protection standard references the use of SCBA?

A. 29 CFR 1910.134 (OSHA Respiratory Protection Standard)

B. 29 CFR 1926.800 (Construction Respiratory Protection)

C. OSHA 3000 (General Industry Standards)

D. ANSI Z88.2 (Respiratory Protection Program)

*The OSHA Respiratory Protection Standard, specifically 29 CFR 1910.134, directly addresses the use of Self-Contained Breathing Apparatus (SCBA) among other respiratory protective equipment. This standard outlines the requirements for proper respiratory protection in various environments, ensuring that workers are adequately safeguarded against inhaling harmful contaminants. One significant aspect of the standard is the stipulation that when employees are working in environments where respiratory hazards are present, particularly in IDLH (Immediately Dangerous to Life or Health) situations, the use of SCBA is mandated due to its ability to provide a safe and breathable atmosphere. The standard details the necessary programs, training, and equipment that must be in place to facilitate the safe use of SCBA. Other standards mentioned do discuss respiratory protection but do not reference SCBA specifically or are applicable in different contexts, such as construction or general guidelines on respiratory programs. Thus, the OSHA standard is the most relevant and comprehensive regarding the implementation and use of SCBAs in occupational settings.*

SAMPLE

## 7. What are the big black circles below the inhalation valves on the mask known as?

A. Voice emitter

B. Reflectors

C. Exhalation valves

D. Neck dam

*The big black circles located below the inhalation valves on the SCBA mask are known as voice emitters. Voice emitters are an important feature of breathing apparatus masks, as they allow the wearer to communicate more effectively while using the SCBA. They enable sound to transmit through the mask, allowing spoken words to be heard clearly even in noisy environments, which is crucial for safety and coordination during firefighting or rescue operations. Voice emitters are designed to minimize the obstruction that the mask may create when trying to communicate. This feature enhances situational awareness and teamwork, which are vital in emergency scenarios. Understanding the role of voice emitters can help users appreciate how communication plays a critical role in the effectiveness of their operations while using SCBA equipment.*

## 8. When does the vibe-alert stop vibrating?

A. 0 PSI

B. When the bottle is empty

C. When less than 1/3 of a bottle is remaining or 1500 PSI

D. At 500 PSI

*The vibe-alert system is designed to provide a clear and effective warning to the user about the air supply in the SCBA. It stops vibrating when there is less than 1/3 of the bottle remaining or when the pressure drops to 1500 PSI. This feature is important because it helps ensure that the user is aware of their remaining air supply and can make informed decisions about exit timing and safety. The threshold of 1500 PSI is generally accepted as a critical point, as it indicates that the pressure is low enough that the user should consider leaving the hazardous environment. By stopping at this level, the vibe-alert serves as an effective reminder for the wearer to prioritize their safety and begin preparing for exit. This warning system is crucial during emergency situations where awareness of air supply can directly impact survival.*

## 9. On what side of the SCBA is the RIC/UAC typically located?

A. Right side

B. Front side

C. Left side

D. Back side

*The Rapid Intervention Crew/Universal Air Connection (RIC/UAC) is typically located on the left side of the SCBA. This placement is strategically designed to ensure that it is easily accessible in emergency situations, allowing for quick connection to another SCBA cylinder or air supply. It is vital for enhancing safety and facilitating rapid rescues in hazardous environments. By having the RIC/UAC on the left side, it aligns with the common practice of firefighter operations, where the left side is often more accessible due to the way firefighters position themselves and how they frequently operate in structured or confined environments. This design consideration helps streamline rescue operations and allows for a swift response when a downed firefighter needs assistance.*

SAMPLE

## 10. What are the main components of an SCBA?

A. Air cylinder, pressure regulator, facepiece, and harness

B. Air tank, oxygen valve, mask, and belt

C. Breathing tube, oxygen tank, helmet, and gloves

D. Breathable gas cylinder, mouthpiece, regulator, and backpack

*The main components of a Self-Contained Breathing Apparatus (SCBA) are crucial for its effectiveness in providing breathable air in hazardous environments. The air cylinder is a high-pressure tank that stores breathable air, allowing the wearer to obtain the oxygen necessary for survival in situations where the air is contaminated or lacks oxygen. The pressure regulator is responsible for reducing the high pressure of the air in the cylinder to a safe, usable level for the user. This regulation ensures that the wearer receives a constant flow of air without experiencing pressure fluctuations that could hinder their ability to breathe. The facepiece, or mask, is designed to completely cover the wearer's nose and mouth, providing a secure seal to prevent contaminated air from entering. It often comes equipped with a speaking diaphragm, allowing for communication while using the SCBA. The harness is the component that secures the SCBA to the user's body, making it easier to carry and ensuring that the air cylinder and other components remain in place during use. These elements work together to ensure the safety and efficiency of the SCBA in emergency situations, providing the necessary support to individuals working in harmful conditions.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ocfrscba.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE