


OFFICER OF THE WATCH (OOW) CERTIFICATE OF COMPETENCY – COLREGS PRACTICE TEST (SAMPLE)

STUDY GUIDE



**SAMPLE STUDY GUIDE
WITH LIMITED QUESTIONS**

**VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE**

<https://oowcoloregs.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What is required of vessels in a head-on situation?**
 - A. To keep a close distance to each other
 - B. Both vessels must alter course
 - C. One vessel must yield to the other
 - D. Both vessels should maintain their current course
- 2. If the steering fails while at sea with other vessels nearby, what should be your primary action?**
 - A. Maintain course and speed
 - B. Communicate the situation to other vessels
 - C. Use emergency steering if possible
 - D. Drop anchor immediately
- 3. What is the minimum diameter of a bell or gong on a vessel of 20m or more in length?**
 - A. 150mm
 - B. 200mm
 - C. 250mm
 - D. 300mm
- 4. What does 'Towing light' refer to?**
 - A. A light indicating a vessel is underway
 - B. A light indicating a vessel is towing
 - C. A light used for signaling
 - D. A light indicating a vessel at anchor
- 5. What is the correct positioning for all-round lights on a vessel?**
 - A. They must be located near the bow of the vessel
 - B. They should be fitted on the mast with a minimum height of 4 meters
 - C. They need to be located in a way to ensure visibility from all directions
 - D. They must be placed on the stern only

- 6. What does the term 'whistle' mean in maritime context?**
- A. A device used for signaling
 - B. A type of horn
 - C. A type of fog signal
 - D. A type of light signal
- 7. What type of assistance might be requested in a distress message?**
- A. Fuel resupply
 - B. Help with navigation
 - C. Medical advice or assistance
 - D. Local fishing regulations
- 8. What are the requirements for spacing and minimum visibility of additional lights on fishing vessels?**
- A. 150 meters apart, visible for 2 nautical miles
 - B. 200 meters apart, visible for 3 nautical miles
 - C. 100 meters apart, visible for 1 nautical mile
 - D. 250 meters apart, visible for 4 nautical miles
- 9. What is the main purpose of the rules regarding lights on vessels?**
- A. For aesthetic appeal
 - B. To ensure vessels are visible to each other
 - C. To comply with international treaties
 - D. To enhance operational speed
- 10. As the relieving Officer of the Watch, what should you do if you encounter an instruction in the Master's orders that you do not understand?**
- A. Follow the instruction as best as you can
 - B. Ask the Master for clarification
 - C. Consult the previous OOW for guidance
 - D. Ignore the instruction if it seems unclear

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. C
6. A
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is required of vessels in a head-on situation?

- A. To keep a close distance to each other
- B. Both vessels must alter course**
- C. One vessel must yield to the other
- D. Both vessels should maintain their current course

In a head-on situation, as defined by the COLREGs (International Regulations for Preventing Collisions at Sea), both vessels are required to alter course to avoid a collision. This requirement stems from Rule 14 of the COLREGs, which specifically addresses head-on encounters. In such scenarios, each vessel should take early and substantial action to steer clear of the other by turning to starboard (the right side) to pass port to port. This collaborative action helps to ensure safety by reducing the risk of collision from unexpected maneuvers. The reason for this requirement is that when two vessels are approaching head-on, each vessel is at an increased risk of not being aware of the other's intentions. By altering course, they can better predict and manage their paths, ensuring safe navigation in close quarters.

2. If the steering fails while at sea with other vessels nearby, what should be your primary action?

- A. Maintain course and speed
- B. Communicate the situation to other vessels
- C. Use emergency steering if possible**
- D. Drop anchor immediately

The primary action to take when steering fails while at sea, especially when other vessels are nearby, is to use emergency steering if possible. Employing emergency steering methods can help regain some control of the vessel, allowing you to maneuver and navigate safely even with a malfunction in the primary steering system. This is critical in avoiding collisions or other dangerous situations with nearby vessels. Maintaining course and speed, while seemingly a stable choice, might not be prudent in an emergency scenario where steering is lost. This could exacerbate the risk of collision if another vessel is directly in the path of your vessel. Communicating the situation to other vessels is certainly vital for situational awareness, but it should be done in conjunction with attempts to regain control, rather than as the sole action taken. Taking control of the situation through emergency steering remains the immediate priority to avert danger. Dropping anchor immediately might not be appropriate in all scenarios, especially in busy waters, where it can pose additional risks. Anchoring without control may lead to your vessel drifting or dragging anchor, further complicating an already critical situation. In summary, utilizing emergency steering techniques represents the best course of action as it addresses the immediate need for control over the vessel, which is crucial for safe navigation and collision avoidance.

3. What is the minimum diameter of a bell or gong on a vessel of 20m or more in length?

- A. 150mm
- B. 200mm**
- C. 250mm
- D. 300mm

The minimum diameter of a bell or gong on a vessel of 20 meters or more in length is 200 mm. This specification is part of the International Regulations for Preventing Collisions at Sea (COLREGs) that outline the sound signaling devices required for vessels of different sizes. The use of sound signals is essential for ensuring safety in navigation, especially in conditions of restricted visibility. For vessels that are 20 meters or longer, a bell or gong serves as an audible signal to indicate their presence to other vessels nearby. The diameter of 200 mm has been established to ensure that the sound produced is adequate for being heard at a sufficient distance, which is crucial for maintaining safe distances and preventing collisions at sea. This size requirement reflects a balance between being loud enough to be effective in alerting other vessels while still being manageable for the crew to maintain and operate.

4. What does 'Towing light' refer to?

- A. A light indicating a vessel is underway
- B. A light indicating a vessel is towing**
- C. A light used for signaling
- D. A light indicating a vessel at anchor

'Towing light' refers specifically to a light displayed by a vessel that is engaged in towing another vessel. According to the International Regulations for Preventing Collisions at Sea (COLREGs), the towing light is typically a yellow light that indicates to other vessels that the towing vessel is longer than usual due to the presence of a tow, which might affect navigation and maneuverability. This light is critical for ensuring that other vessels are aware of the towing operation, as it allows for better situational awareness and helps prevent potential collisions. The correct understanding of a towing light is essential for maintaining safety at sea, and it differentiates the towing vessel's operational status from other types of vessels. In contrast, the other options refer to different navigational indicators that serve separate purposes, such as indicating a vessel underway or at anchor, but they do not specifically denote the special status of a vessel that is towing.

5. What is the correct positioning for all-round lights on a vessel?

- A. They must be located near the bow of the vessel
- B. They should be fitted on the mast with a minimum height of 4 meters
- C. They need to be located in a way to ensure visibility from all directions**
- D. They must be placed on the stern only

The positioning of all-round lights on a vessel is essential for ensuring that they are visible from all angles, especially during times of reduced visibility such as at night or in bad weather. They serve to indicate the presence and heading of the vessel to other mariners. For all-round lights, the requirement is that they must be situated so as to provide visibility from all directions. This means that the lights must be placed strategically to ensure that they can be seen not only from the front or the sides but also from the rear. This aspect of placement enhances safety and communication on the water, allowing other vessels to determine the orientation and movement of the vessel displaying the light. The other options do not fully meet the guidelines outlined in the COLREGs. For instance, lights placed only near the bow would restrict visibility from other angles, and stating a specific height, like 4 meters, does not necessarily consider the design and height of the vessel overall. Additionally, the only placement on the stern would mean that those approaching from different directions would not be able to see the light, leading to potential safety risks.

6. What does the term 'whistle' mean in maritime context?

A. A device used for signaling

B. A type of horn

C. A type of fog signal

D. A type of light signal

In a maritime context, the term 'whistle' refers to a device used for signaling. Whistles are commonly employed to communicate important information or instructions between vessels or between a vessel and shore facilities, especially in situations where visibility is limited or where other forms of communication may not be effective. Their primary function is to enhance safety by providing a clear auditory signal that can be recognized over distances, particularly in busy harbors or during adverse weather conditions. The use of a whistle is important in maintaining awareness of the movements and intentions of vessels in the vicinity. While the other choices involve forms of signaling, they do not specifically address the definition of 'whistle' in the maritime context. A type of horn can indeed be a signaling device, but it typically refers to a broader category of sound-producing apparatus, which may include whistles. A type of fog signal specifically refers to signals designed for use in foggy conditions, which could include whistles or horns but is not limited to them. A type of light signal pertains to visual communication methods used in maritime environments, further distancing it from the definition of a whistle.

7. What type of assistance might be requested in a distress message?

A. Fuel resupply

B. Help with navigation

C. Medical advice or assistance

D. Local fishing regulations

In a distress message, the primary focus is on immediate safety and urgent needs arising from a situation where there is a threat to life, the ship, or the cast of emergency circumstances. Medical advice or assistance is a critical component in such scenarios because injuries or medical emergencies often arise during distress situations at sea. A distress message would typically include specific requests for medical help, as timely assistance can be vital to saving lives. Other types of assistance, such as fuel resupply, help with navigation, and inquiries regarding local fishing regulations, do not align with the urgent nature of a distress call. These matters can be important under other operational circumstances but are not priorities when a vessel is in imminent danger or facing life-threatening situations. The focus in a distress scenario is explicitly on immediate survival and addressing any medical concerns that arise during the crisis.

8. What are the requirements for spacing and minimum visibility of additional lights on fishing vessels?

- A. 150 meters apart, visible for 2 nautical miles
- B. 200 meters apart, visible for 3 nautical miles**
- C. 100 meters apart, visible for 1 nautical mile
- D. 250 meters apart, visible for 4 nautical miles

The requirements for spacing and minimum visibility of additional lights on fishing vessels are essential for safe navigation and collision avoidance. According to the International Regulations for Preventing Collisions at Sea (COLREGs), the proper spacing of additional lights is specified to ensure that they are sufficiently recognizable to other vessels. In this context, the correct choice indicates that the additional lights should be spaced 200 meters apart and have a visibility range of 3 nautical miles. This distance between lights ensures that they can be easily distinguished from one another, which helps in identifying the size and type of fishing vessel, and reducing the risk of collision during the night or in conditions with reduced visibility. The requirement of 3 nautical miles for visibility helps ensure that other vessels have adequate time to perceive the lights from a significant distance, providing an added layer of safety in navigation. This visibility range is important for various operational considerations, including the speed and maneuverability of approaching vessels. By meeting these specifications, fishing vessels enhance their visibility and safety while at sea, helping to prevent dangerous situations.

9. What is the main purpose of the rules regarding lights on vessels?

- A. For aesthetic appeal
- B. To ensure vessels are visible to each other**
- C. To comply with international treaties
- D. To enhance operational speed

The main purpose of the rules regarding lights on vessels is to ensure vessels are visible to each other. This visibility is crucial to prevent collisions and enhance maritime safety. According to the International Regulations for Preventing Collisions at Sea (COLREGs), specific lighting configurations indicate the type, size, and direction of a vessel's movement. By adhering to these regulations, vessels can communicate their status to others navigating in the vicinity, allowing for safer passage, especially during periods of low visibility, such as nighttime or in poor weather conditions. The rules around lights serve a functional role rather than an aesthetic one, meaning that they are not designed for decoration or visual appeal. While compliance with international treaties is an essential aspect of maritime operations, it directly relates to safety and avoiding maritime accidents. Operational speed, while important for the efficiency of a vessel, is not a primary concern addressed by these lighting regulations.

10. As the relieving Officer of the Watch, what should you do if you encounter an instruction in the Master's orders that you do not understand?

- A. Follow the instruction as best as you can
- B. Ask the Master for clarification**
- C. Consult the previous OOW for guidance
- D. Ignore the instruction if it seems unclear

When you encounter an instruction in the Master's orders that you do not understand, the most effective course of action is to seek clarification from the Master. This approach ensures that you have a full and accurate understanding of the task or procedure indicated by the instruction. The Master's orders reflect critical decisions regarding the safety and operation of the vessel, and it is essential that you comprehend them thoroughly to carry them out effectively. By asking for clarification, you are taking responsibility for your duties and demonstrating professionalism. Communication is vital in a maritime environment, especially regarding safety and navigational matters. Ensuring you clearly understand what is expected prevents potential errors that could arise from misinterpretation. While consulting the previous Officer of the Watch may provide insight, it is not a substitute for directly verifying with the Master, who has the final authority and understanding of the specific situation at hand. Following an unclear instruction, even as best as you can, leaves room for misinterpretation and possible complications. Ignoring the instruction entirely is not advisable, as it could lead to serious safety concerns and operational issues. Engaging directly with the Master for clarification ensures that the operations proceed smoothly and safely.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://oowcoloregs.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE