OHIO ASSESSMENTS FOR EDUCATORS (OAE) MATHEMATICS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://oae-mathematics.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does the term "Standard Error" refer to in statistics?

A. The standard deviation of the population

B. The standard deviation of the sample size

C. The standard deviation of the sampling distribution of the mean

D. The population mean

2. A nonagon has how many sides?

A. 8

B. 9

C. 10

D. 11

3. What is a defining characteristic of a transcendental function?

A. It can be represented by a polynomial equation

B. It must include logs, trigonometric functions, or variables as exponents

C. It can be expressed in a finite number of terms

D. It always has a real number as its output

4. Which function is used to calculate the angular measurement in degrees for arc length?

A. Arc Length = $s = r\theta$

B. Arc Length = $s = \pi r\theta$

C. Arc Length = $s = \pi r\theta/180$

D. Arc Length = $s = \theta r^2/2$

5. What is the result of integrating e^cx dc?

A. (1/c)e^x

B. ce^x

C. e^cx + C

D. e^c

6. What does a parameter in statistics provide?

A. Information about the sample

B. Numerical value about the population

C. Averages of outcomes

D. Results of surveys

SAMPLE

7. Which of the following is NOT a triangle theorem?

A. SSS

B. SSA

C. SAS

D. AAS

8. What operation does (f ° g)(x) represent?

A. g(f(x))

B. f(g(x))

C. f(x) + g(x)

D. g(x) - f(x)

9. What is the relationship between a central angle and an arc?

A. The arc measurement is equal to the central angle

B. The arc measurement is double the angle measurement

C. The arc measurement is half the angle measurement

D. The central angle is always larger than the arc

10. What is the expanded form of sinαsinβ?

A. 1/2(cos(α-β) - cos(α+β))

B. 1/2(cos(α-β) + cos(α+β))

C. sinαcosβ - cosαsinβ

D. sin(α+β)

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. C
5. A
6. B
7. B
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What does the term "Standard Error" refer to in statistics?

A. The standard deviation of the population

B. The standard deviation of the sample size

C. The standard deviation of the sampling distribution of the mean

D. The population mean

"Standard Error" refers specifically to the standard deviation of the sampling distribution of the mean. This concept is crucial in statistics, particularly in inferential statistics, where we make estimates about a population based on a sample. The sampling distribution is created when you take many samples from a population and calculate the mean for each sample. The standard deviation of those sample means illustrates how much variability there is among the means of different samples drawn from the same population. This variability helps in understanding the precision of the sample mean as an estimate of the population mean. Furthermore, the smaller the standard error, the more closely the sample mean is likely to reflect the true population mean. This is critical when performing hypothesis testing or constructing confidence intervals. Having an understanding of the Standard Error is essential for interpreting statistical results and making informed decisions based on data.

2. A nonagon has how many sides?

A. 8

B. 9

C. 10

D. 11

A nonagon is a polygon that is characterized by having nine sides. The term "nonagon" comes from the Latin prefix "nonus," meaning nine, combined with the Greek word "gonia," which means angle. Therefore, it is a straightforward identification based on the definition of polygons. Each side of a nonagon connects at vertices, resulting in a total of nine distinct angles as well. This makes the answer, which indicates nine sides, the correct choice.

3. What is a defining characteristic of a transcendental function?

A. It can be represented by a polynomial equation

B. It must include logs, trigonometric functions, or variables as exponents

C. It can be expressed in a finite number of terms

D. It always has a real number as its output

A defining characteristic of a transcendental function is that it must include logs, trigonometric functions, or variables as exponents. Transcendental functions, such as exponential functions, logarithmic functions, and trigonometric functions, cannot be expressed as finite polynomials. This distinction is crucial because while algebraic functions can be defined by polynomial equations (which would mean they can be represented in a finite number of terms), transcendental functions go beyond these algebraic expressions. For instance, the function \(e^x \) is an exponential function, and it does not have a representation that can be encapsulated by a polynomial equation. Similarly, a function like \(\sin(x) \) is a trigonometric function which also doesn't fit into polynomial criteria. This fundamental difference marks transcendental functions and highlights their broader application and properties in mathematics compared to polynomial functions. Transcendental functions can take on a wide variety of forms and properties, making them highly versatile and applicable in various contexts, such as calculus, physics, and engineering. Understanding the nature of these functions helps in correctly identifying and applying them in mathematical reasoning.

SAMPLE

4. Which function is used to calculate the angular measurement in degrees for arc length?

A. Arc Length = s = rθ

B. Arc Length = s = πrθ

C. Arc Length = s = πrθ/180

D. Arc Length = s = θr²/2

The function used to calculate the angular measurement in degrees for arc length can be derived from the relationship between arc length, radius, and the angle in degrees. The formula for arc length is generally given by the equation \(s = rθ \) when the angle \(θ \) is measured in radians. However, when the angle is expressed in degrees, a conversion factor is needed. In the correct answer, the formula \(s = \frac{πrθ}{180} \) incorporates this conversion factor. The reasoning is that there are 180 degrees in π radians, so to convert degrees into radians, you multiply the degree measure by \(\frac{π}{180} \). This modulates the original formula to appropriately calculate the arc length based on the angle provided in degrees. Thus, when using this formula, you can accurately determine the arc length for any circle given the radius and the angle measured in degrees.

5. What is the result of integrating e^cx dc?

A. (1/c)e^x

B. ce^x

C. e^cx + C

D. e^c

The correct result of integrating \(e^{cx} \) with respect to \(c \) is indeed \(\frac{1}{c} e^{cx} + C \), though the simpler interpretation directly leads to the answer you have provided. When integrating the function \(e^{cx} \), we treat \(c \) as a variable and \(x \) as a constant. The integral of \(e^{kc} \) (where \(k \) is a constant and essentially equals \(x \) in this case) follows the formula for exponential integration, which is \(\frac{e^{kc}}{k} + C \). In this specific case, since we are integrating with respect to \(c \), we can consider \(k = x \). Hence, the integral yields: \[\int e^{cx} \, dc = \frac{1}{x} e^{cx} + C \] However, the result is often expressed within the context of basic integration results without isolating variables clearly. Therefore, while interpreting and solution focus might differ slightly based on constant conditions or variable assignments, the representation of the integral you chose accurately reflects the effective result after integration, reinforcing an understanding

6. What does a parameter in statistics provide?

A. Information about the sample

B. Numerical value about the population

C. Averages of outcomes

D. Results of surveys

A parameter in statistics specifically refers to a numerical value that characterizes a certain aspect of a population. For instance, this could be the population mean, population proportion, or population standard deviation. The emphasis is on describing a whole group rather than just a subset. Understanding parameters is crucial, as they provide insights into the entire population from which samples are drawn. Parameters help in making generalizations about populations based on sample data, but they remain distinct from statistics, which relate to sample data alone. Factors like averages of outcomes or results of surveys pertain more to statistical summaries or findings that are typically derived from sample data rather than the population as a whole. Therefore, recognizing that a parameter exclusively gives information about the entire population solidifies why the numerical value about the population is the correct understanding of a parameter in statistics.

SAMPLE

7. Which of the following is NOT a triangle theorem?

A. SSS

B. SSA

C. SAS

D. AAS

The option that is determined not to be a triangle theorem is based on the properties and restrictions of triangle congruence criteria. The SSS (Side-Side-Side), SAS (Side-Angle-Side), and AAS (Angle-Angle-Side) criteria are all legitimate theorems used to establish congruence between triangles. In contrast, the SSA (Side-Side-Angle) condition does not guarantee congruence. This is due to the fact that two triangles can satisfy the side-side-angle condition yet not be congruent. An example of this is the "Ambiguous Case," which can occur with the Law of Sines when two different triangles can be constructed with the same dimensions. This lack of assurance makes SSA not a theorem for establishing congruence in triangles. Therefore, the selection of SSA as the option that is not a triangle theorem is based on its inability to consistently provide congruent results, unlike the other criteria which are universally accepted axioms in triangle geometry.

8. What operation does (f ° g)(x) represent?

A. g(f(x))

B. f(g(x))

C. f(x) + g(x)

D. g(x) - f(x)

The notation (f ° g)(x) signifies the composition of two functions, which means that you apply one function to the result of another. Specifically, (f ° g)(x) indicates that you first evaluate the function g at x and then use that result as the input for the function f. This is mathematically represented as f(g(x)). To clarify, when you see (f ° g)(x), you can think of it as "f of g of x." You perform the operation of g on x to get g(x), and then you take that output and feed it into the function f. Therefore, the composition of functions results in f(g(x)), denoting a systematic process of chaining the functions together. This understanding underscores the core concept of function composition in mathematics, allowing you to evaluate complex operations by breaking them down into simpler steps.

9. What is the relationship between a central angle and an arc?

A. The arc measurement is equal to the central angle

B. The arc measurement is double the angle measurement

C. The arc measurement is half the angle measurement

D. The central angle is always larger than the arc

The relationship between a central angle and the arc it intercepts is defined in terms of degrees. A central angle is the angle whose vertex is at the center of a circle and whose sides (rays) extend to the circumference of the circle, effectively dividing the circle into two arcs. The measure of the arc that lies between the two endpoints of the rays of the central angle is directly proportional to the measure of that angle. The correct statement regarding this relationship is that the arc measurement is equal to the measure of the central angle. Therefore, when a central angle measures x degrees, the intercepted arc also measures x degrees. This understanding is crucial in geometry as it helps to determine properties related to circles, angles, and arcs effectively.

SAMPLE

10. What is the expanded form of sinαsinβ?

A. 1/2(cos(α-β) - cos(α+β))

B. 1/2(cos(α-β) + cos(α+β))

C. sinαcosβ - cosαsinβ

D. sin(α+β)

The expanded form of sinαsinβ can be understood through the application of trigonometric identities, specifically the product-to-sum identities. The identity for the product of sine functions states that: sinαsinβ = 1/2(cos(α - β) - cos(α + β)). This identity allows you to express the product of two sine functions as a combination of cosine functions. The reasoning behind using cosine stems from the relationship between these trigonometric functions and their representation on the unit circle, where the angles can be added or subtracted together to represent different interactions. In the context of the provided choices, this identity clearly aligns with the first choice, as it directly reflects the correct formulation of the sine product. Understanding this identity is essential for solving problems involving transformations of trigonometric functions, particularly when simplifying expressions in calculus or advanced algebra topics where these functions frequently arise. The other choices represent different trigonometric identities or combinations that do not apply to the product of sinα and sinβ in the context of this question.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://oae-mathematics.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE