
OKLAHOMA PIT AND FISSURE SEALANTS STATE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://oklahomapitandfissuresealants.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What type of handpiece should be used with a prophy angle with a cup or brush?

A. High speed

B. Low speed

C. Ultrasound

D. Electric

2. What is the primary benefit of light cured sealants?

A. Easy removal

B. Quick setting time

C. Low cost

D. High durability

3. How might improperly placed sealants affect a patient's bite?

A. They can improve bite stability

B. They can cause occlusal discrepancies and discomfort

C. They won't impact the bite at all

D. They can lead to teeth shifting

4. What is a common disadvantage of using glass ionomer in sealants?

A. High cost

B. Fragility

C. Lack of fluoride release

D. Poor aesthetics

5. What is the expected outcome shortly after sealant placement?

A. The sealant should begin to discolor

B. The sealant should remain intact, free from wear

C. The sealant should need immediate repair

D. There should be noticeable sensitivity

SAMPLE

6. In terms of sealing properties, what is the main feature of self-adjusting unfilled resin?

A. Increased adhesion

B. Minimal occlusal interference

C. Enhanced color matching

D. Superior strength

7. How do sealants differ from fluoride varnish in caries prevention?

A. Sealants are more expensive than fluoride varnish

B. Sealants enhance remineralization

C. Sealants form a physical barrier, fluoride varnish enhances remineralization

D. There is no significant difference

8. Do sealants cause pain during the procedure?

A. Yes, they can be uncomfortable

B. No, they are painless

C. It depends on the patient

D. Yes, they require numbing

9. Which of the following indicates a sealant should be applied?

A. Pits and fissures are shallow

B. History of caries in primary or permanent dentition

C. Age over 18

D. Presence of braces

10. What is a significant reason for the low rate of children protected by dental sealants?

A. A lack of available dental services

B. High cost of sealants

C. Lack of public awareness

D. Preference for other dental treatments

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. C
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What type of handpiece should be used with a prophy angle with a cup or brush?

A. High speed

B. Low speed

C. Ultrasound

D. Electric

The appropriate handpiece to use with a prophy angle that has a cup or brush is a low-speed handpiece. This is because low-speed handpieces are specifically designed for procedures that involve polishing and prophylaxis, which require controlled, gentle movements to avoid damage to the tooth structure or surrounding tissues. The low-speed handpiece can operate at the slower rotations necessary for effectively applying prophylaxis paste to the teeth, helping to remove plaque and stains while providing a thorough cleaning. The use of a prophy angle, which fits onto the low-speed handpiece, allows for a more ergonomic approach to tooth polishing, enabling the dental professional to maneuver easily and apply the paste efficiently. In contrast, high-speed handpieces are primarily used for procedures that involve cutting or shaping tooth structure, such as cavity preparation, which requires much higher rotational speeds and is not suitable for routine polishing. Ultrasound handpieces are intended for specific procedures such as periodontal therapy and do not align with the task of using prophy angles. Electric handpieces may enhance precision and control but are not specifically designed for the use of prophy angles in the same manner as low-speed handpieces. Overall, low-speed handpieces are the standard choice for tasks that involve prophy angles due to their

2. What is the primary benefit of light cured sealants?

A. Easy removal

B. Quick setting time

C. Low cost

D. High durability

The primary benefit of light-cured sealants is their quick setting time. This is primarily due to the polymerization process that occurs when the sealant is exposed to a specific light wavelength, typically blue light. This leads to rapid hardening of the material, enabling dental professionals to complete the sealing procedure efficiently. The fast curing time minimizes the chairside time for patients and allows for immediate use of the sealed area, which is beneficial in a busy clinical setting. In contrast, while other aspects such as easy removal, cost, and durability are important factors to consider when evaluating sealant options, they do not overshadow the immediate efficiency gained through the quick setting ability of light-cured sealants. Thus, rapid curing is a significant reason why many practitioners prefer this type of sealant for pit and fissure sealing.

3. How might improperly placed sealants affect a patient's bite?

A. They can improve bite stability

B. They can cause occlusal discrepancies and discomfort

C. They won't impact the bite at all

D. They can lead to teeth shifting

Improperly placed sealants can lead to occlusal discrepancies and discomfort because they may create elevated areas on the tooth surface. When sealants are applied, they should be contoured and polished correctly to match the natural occlusion of the teeth. If the sealants are too high or not adequately smoothed down, they can interfere with the way the upper and lower teeth come together during bites. This misalignment can cause uneven pressure on certain teeth, leading to discomfort, pain, or even temporomandibular joint issues over time. Additionally, the alteration in the bite can disrupt normal chewing patterns, potentially leading to further dental problems. Addressing sealant placement correctly is crucial for maintaining the function and comfort of the patient's bite.

SAMPLE

4. What is a common disadvantage of using glass ionomer in sealants?

A. High cost

B. Fragility

C. Lack of fluoride release

D. Poor aesthetics

The mention of fragility as a disadvantage of using glass ionomer in sealants is accurate. Glass ionomer materials tend to be less durable and more susceptible to wear compared to other materials, such as resin-based sealants. This fragility can lead to a higher chance of abrasion and chipping over time, diminishing their effectiveness in protecting the tooth surface against caries. While glass ionomers do have some aesthetic limitations, especially in comparison to more tooth-colored materials, it is primarily their physical property of fragility that presents a significant concern for their long-term application as sealants. The wear resistance and structural integrity of the sealant material are crucial in ensuring ongoing protection for the pits and fissures on the tooth surface, making fragility a notable disadvantage.

5. What is the expected outcome shortly after sealant placement?

A. The sealant should begin to discolor

B. The sealant should remain intact, free from wear

C. The sealant should need immediate repair

D. There should be noticeable sensitivity

The expected outcome shortly after sealant placement is that the sealant should remain intact and free from wear. Sealants are designed to adhere securely to the tooth surface and provide a protective barrier against cavities by sealing off the grooves and pits where food particles and bacteria can accumulate. When properly applied, a sealant creates a smooth surface that shields the tooth structure from mechanical wear and environmental factors. This protective feature is essential, as the purpose of sealants is to lower the risk of decay in vulnerable areas of the teeth, especially in children and adolescents whose teeth are still developing. The other outcomes listed do not align with the functional expectations of sealants. Discoloration soon after placement can indicate an issue with the sealant's curing process or that it is degrading, which should not happen if the sealant is applied correctly. Similarly, an immediate need for repair or noticeable sensitivity would suggest an improper application or reaction, which are not typical results when sealants are placed correctly. Therefore, the ideal outcome is a well-adhered sealant that remains intact and continues to protect the tooth surfaces effectively.

SAMPLE

6. In terms of sealing properties, what is the main feature of self-adjusting unfilled resin?

A. Increased adhesion

B. Minimal occlusal interference

C. Enhanced color matching

D. Superior strength

The main feature of self-adjusting unfilled resin is that it allows for minimal occlusal interference. This characteristic is crucial because, during the application of pit and fissure sealants, ensuring that the sealant does not disrupt the normal bite or occlusion is essential for patient comfort and functionality. Self-adjusting properties mean that the material can adapt or conform to the contours of the tooth surface, thereby minimizing the potential for any high points that could lead to discomfort or issues with chewing. This feature is particularly important for maintaining the integrity of the sealant while ensuring that the patient's occlusion remains intact and comfortable after placement. The other attributes, while beneficial, do not specifically focus on the primary sealing quality related to occlusal interference. For example, increased adhesion improves the bond between the sealant and the tooth, but it does not directly pertain to how the sealant interacts with occlusal surfaces. Enhanced color matching is about aesthetic considerations rather than functional performance, and superior strength relates to the durability of the sealant but doesn't address the fitting within the occlusal scheme directly. Thus, the focus on minimizing occlusal interference captures the essential functional aspect of self-adjusting unfilled resin sealants.

7. How do sealants differ from fluoride varnish in caries prevention?

A. Sealants are more expensive than fluoride varnish

B. Sealants enhance remineralization

C. Sealants form a physical barrier, fluoride varnish enhances remineralization

D. There is no significant difference

Sealants serve a distinct function in caries prevention compared to fluoride varnish. Specifically, sealants form a physical barrier on the occlusal surfaces of teeth, particularly in pits and fissures, where plaque and bacteria can accumulate and lead to decay. This barrier is designed to prevent food particles and bacteria from reaching the tooth surface, thereby significantly reducing the likelihood of caries development in these areas. On the other hand, fluoride varnish works by releasing fluoride ions that help promote remineralization of the tooth enamel, making it more resistant to acids produced by bacteria. While both treatments aim to prevent cavities, their mechanisms are quite different: sealants act as a physical shield, whereas fluoride varnish aids in remineralizing existing enamel and strengthening it against future decay. Understanding these differences highlights why sealants are particularly vital in caries prevention, particularly in children with deeper pits and fissures that are harder to clean effectively. The correct response identifies this fundamental difference in approach versus function in the context of caries prevention strategies.

SAMPLE

8. Do sealants cause pain during the procedure?

A. Yes, they can be uncomfortable

B. No, they are painless

C. It depends on the patient

D. Yes, they require numbing

Sealants are applied to the chewing surfaces of teeth, primarily to prevent cavities. The application process involves cleaning the tooth, etching the surface, applying the sealant, and curing it with a special light. This procedure is generally quick and minimally invasive, which is why it is typically classified as painless. Patients often report feeling pressure or mild sensations during the procedure, but these are usually tolerable and do not equate to pain. The lack of any need for anesthesia or numbing agents further supports the notion that the application of sealants is painless. While it is true that individual experiences may vary based on anxiety levels, sensitivity, or prior dental experiences, the procedure itself, when performed correctly, does not typically lead to pain. Therefore, it accurately reflects the general consensus that sealants are applied without causing pain.

9. Which of the following indicates a sealant should be applied?

A. Pits and fissures are shallow

B. History of caries in primary or permanent dentition

C. Age over 18

D. Presence of braces

The rationale for selecting a history of caries in primary or permanent dentition as the correct indication for sealant application lies in the primary purpose of sealants, which is to prevent caries (tooth decay) in vulnerable teeth. A history of caries indicates that an individual is at a greater risk for developing cavities due to previous dental decay. The application of sealants on teeth with deep pits and fissures can help protect them from bacteria and food particles, effectively reducing the risk of future caries. When considering other options, although shallow pits and fissures may not typically require sealant application since they are less prone to trapping debris and bacteria, they do not create a strong justification for applying sealants. An age over 18 generally suggests that the teeth have fully erupted and may no longer require sealants if they have already been applied in childhood; thus, this does not serve as a valid indicator for sealant application. The presence of braces can complicate the orthodontic management but is not a direct indication for sealant application unless there is a specific concern about preventing decay during orthodontic treatment. Therefore, a history of caries directly showcases a preventative need for sealants more robustly than the other options.

10. What is a significant reason for the low rate of children protected by dental sealants?

A. A lack of available dental services

B. High cost of sealants

C. Lack of public awareness

D. Preference for other dental treatments

A significant reason for the low rate of children protected by dental sealants is the lack of public awareness. Many parents and guardians may not be fully informed about the benefits of dental sealants in preventing cavities, particularly in children's back teeth where decay often occurs. This lack of awareness can lead to missed opportunities for children to receive sealants, which are an effective preventive measure in dental care. When communities and families are not educated about dental sealants and their role in oral health, they may not pursue this treatment option, despite its effectiveness in reducing tooth decay. Increased public awareness can lead to a higher acceptance and utilization of sealants, ultimately improving children's dental health.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://oklahomapitandfissuresealants.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE