ON-SITE SEWAGE FACILITIES (OSSF) – INSTALLER II PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ossfinstaller2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does TSS stand for in wastewater treatment?

A. Total Solids Suspended

B. Total Solid State

C. Total Suspended Solids

D. Temperature Suspended Solids

2. What is a common misconception about the use of garbage disposals in reducing waste?

A. They Are Essential for Waste Management

B. They Help Reduce Trash Output

C. They Are Always Environmentally Friendly

D. They Can Completely Replace Composting

3. Which should NOT be allowed over an OSSF treatment unit or drainfield?

A. Vegetation

B. Mowing

C. Earth fill

D. Rainfall runoff

4. On what basis are OSSF systems normally sized?

A. Lot Size

B. Soil Profile

C. Hydraulic Loading

D. Homeowner's Preference

5. Which component in a surface application system is crucial for proper operation?

A. The clarifier

B. The aeration chamber

C. The ground absorption area

D. The pump tank

SAMPLE

6. What role does a drain field play in relation to the soil?

A. It stores wastewater indefinitely

B. It allows treated effluent to be absorbed

C. It serves as a chemical filter

D. It prevents soil erosion

7. What habit can homeowners adopt to save water when doing laundry?

A. Using Smaller Loads

B. Waiting for Full Loads

C. Running the Machine More Frequently

D. Using Hot Water Settings

8. Which of the following is true of an intermittent sand filter?

A. Provides secondary wastewater treatment

B. Has a maximum surface loading rate of 1.2 gal./day/ft.2

C. Requires at least 24 in. of filter media that meets definite specifications (ASTM C - 33)

D. All the above

9. Which plumbing device is NOT considered water-saving?

A. Flow Restrictors

B. Reduced Flow Shower Heads

C. Standard Faucets

D. Pressure Reducing Valves

10. In compliance with design specifications, what feature should sprinklers exhibit?

A. Ability to function without regular maintenance

B. Capacity for varying pressure levels

C. Efficiency at not exceeding the maximum inlet pressure

D. Installation flexibility in any terrain

SAMPLE

Answers

SAMPLE

1. C
2. A
3. D
4. C
5. D
6. B
7. B
8. D
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What does TSS stand for in wastewater treatment?

A. Total Solids Suspended

B. Total Solid State

C. Total Suspended Solids

D. Temperature Suspended Solids

The term TSS stands for Total Suspended Solids. In wastewater treatment, TSS is a critical measurement that refers to the solid particles suspended in water that can include a variety of materials such as organic matter, sediment, and microorganisms. Monitoring TSS is important because high levels can indicate pollution and can affect the treatment process's efficiency, as well as the quality of the effluent released into the environment. Understanding TSS also helps in operational decisions regarding the treatment system, such as determining the need for pre-treatment processes, optimization of aeration, and proper sizing of treatment components like clarifiers and filters. Accurate measurement and management of Total Suspended Solids are essential for ensuring that wastewater treatment facilities comply with environmental regulations and operate within their designed capacity.

2. What is a common misconception about the use of garbage disposals in reducing waste?

A. They Are Essential for Waste Management

B. They Help Reduce Trash Output

C. They Are Always Environmentally Friendly

D. They Can Completely Replace Composting

The belief that garbage disposals are essential for waste management stems from the assumption that they significantly contribute to reducing the amount of waste sent to landfills. However, in reality, while they do allow food waste to be managed in a different way—by grinding it up and flushing it down the drain—they do not eliminate waste altogether. Food waste still must be treated by wastewater systems, and in many cases, this can lead to increased costs for sewage treatment and can create additional environmental concerns. Garbage disposals can also facilitate the breakdown of food waste, but they do not necessarily reduce the total volume of waste generated in a household. Rather, they often contribute to additional water usage and the potential for clogging or overloading sewage systems. This misconception can lead to inadequate waste management practices since people might rely too heavily on these disposals without integrating more sustainable practices, such as composting, which effectively recycles organic waste and returns nutrients to the soil. Understanding these nuances highlights the importance of considering how different waste management methods interact with environmental systems rather than assuming one method is a cure-all.

SAMPLE

3. Which should NOT be allowed over an OSSF treatment unit or drainfield?

A. Vegetation

B. Mowing

C. Earth fill

D. Rainfall runoff

Rainfall runoff should not be allowed over an OSSF treatment unit or drainfield because it can interfere with the proper functioning of the system. The primary concern with runoff is that it can lead to over-saturation of the drainfield area, affecting the natural absorption and treatment processes of the effluent. When a drainfield becomes too saturated, it may cause the treated effluent to surface, potentially contaminating the surrounding area and groundwater and posing a health risk. In contrast, vegetation is beneficial as it helps with soil stability and can absorb excess moisture, while mowing is typically acceptable to maintain access and manage plant growth without compromising the system. Earth fill is not permitted because it can add weight and restrict aeration, leading to system failure. Each of these considerations is vital in maintaining the effectiveness and longevity of an OSSF system.

4. On what basis are OSSF systems normally sized?

A. Lot Size

B. Soil Profile

C. Hydraulic Loading

D. Homeowner's Preference

On-site sewage facilities (OSSF) systems are typically sized based on hydraulic loading, which refers to the amount of wastewater generated per unit of time that the system must handle effectively. Hydraulic loading takes into account factors such as the number of bedrooms in a home, expected water usage, and the type of practices for wastewater treatment and disposal. Sizing the system correctly based on hydraulic loading ensures that it can adequately treat and disperse the wastewater without causing a hazard to public health or the environment. When hydraulic loading is properly assessed, it provides a reliable metric for determining the capacity of various components of the OSSF, including the septic tank and the drain field. This consideration helps to prevent issues such as system overload, which can lead to system failures, odors, and contamination of groundwater. While lot size, soil profile, and homeowner's preference may influence the overall design and installation of an OSSF, they do not primarily dictate the sizing of the system in terms of its capacity to handle wastewater. Therefore, hydraulic loading stands out as the key factor in sizing OSSF systems effectively.

SAMPLE

5. Which component in a surface application system is crucial for proper operation?

A. The clarifier

B. The aeration chamber

C. The ground absorption area

D. The pump tank

In a surface application system for on-site sewage facilities, the pump tank plays a crucial role in the system's operation. This component is responsible for collecting effluent from the treatment process and ensuring that it is properly distributed to the ground absorption area or surface application area. The pump tank typically contains a submersible pump that lifts the effluent to the required application level. Its proper functioning is critical for maintaining adequate pressure and flow rates, which directly affect the distribution of treated wastewater. Without a properly operating pump tank, the system would be unable to effectively transport effluent, leading to potential backup issues or inefficient treatment of wastewater. While other components like the clarifier, aeration chamber, and ground absorption area are important in their respective roles, their effectiveness largely depends on the pump tank's ability to manage and direct the flow of effluent appropriately. Therefore, ensuring the pump tank is well-maintained and operational is vital for the overall effectiveness of a surface application system in handling and treating wastewater.

6. What role does a drain field play in relation to the soil?

A. It stores wastewater indefinitely

B. It allows treated effluent to be absorbed

C. It serves as a chemical filter

D. It prevents soil erosion

The drain field, also known as a leach field, is a critical component of an on-site sewage facility system. Its primary function is to allow treated effluent—water that has been processed to remove harmful contaminants—to be absorbed into the soil. This absorption process is essential for filtering and further treating the wastewater before it returns to the groundwater or surface water systems. The soil in the drain field acts as a natural filter, breaking down remaining pathogens and nutrients in the effluent through biological processes. This not only helps to safeguard environmental health but also contributes to the overall effectiveness of the sewage treatment system. The treated effluent is evenly distributed through the perforated pipes within the drain field, allowing for maximum contact with soil, which aids in purification. Focusing on the other options, while the drain field does provide some level of filtration, it is not designed to store wastewater indefinitely, as it is meant for temporary absorption. It is not specifically a chemical filter in the sense that it does not remove contaminants through chemical reactions; rather, it relies on biological processes. Lastly, while the drain field may have some impact on soil stability, its main purpose is not to prevent soil erosion, but rather to facilitate the safe disposal of treated wastewater.

SAMPLE

7. What habit can homeowners adopt to save water when doing laundry?

A. Using Smaller Loads

B. Waiting for Full Loads

C. Running the Machine More Frequently

D. Using Hot Water Settings

Homeowners can significantly save water by waiting for full loads before doing laundry. Washing machines use a substantial amount of water for each cycle, regardless of the load size. By filling the machine to its capacity, the amount of water used per item of clothing is minimized, leading to a more efficient water consumption practice overall. This approach not only conserves water but also maximizes the efficiency of the energy used in heating the water and running the machine. By combining garments in full loads, homeowners can reduce the frequency of washes and thus the total water used over time. In contrast, washing smaller loads or running the machine more frequently can lead to increased overall water use, as each cycle typically consumes a similar amount of water. Similarly, using hot water settings does not save water; it can actually increase water usage and energy consumption, negating the goal of saving resources. Therefore, waiting for full loads is the most effective habit for conserving water during laundry.

8. Which of the following is true of an intermittent sand filter?

A. Provides secondary wastewater treatment

B. Has a maximum surface loading rate of 1.2 gal./day/ft.2

C. Requires at least 24 in. of filter media that meets definite specifications (ASTM C - 33)

D. All the above

An intermittent sand filter indeed serves multiple important functions in wastewater treatment, and all of the statements provided highlight different essential characteristics concerning its operation. The use of an intermittent sand filter for secondary wastewater treatment is pivotal because it effectively removes contaminants that primary treatment may not fully address. This process enhances the overall quality of the effluent, making it safer for discharge or further use. In terms of the loading rate, the statement regarding the maximum surface loading rate of 1.2 gallons per day per square foot is significant. This specific measurement is critical for maintaining the effectiveness of the filter and ensuring that it operates efficiently without overwhelming the system, which could lead to clogging or reduced treatment efficacy. The requirement for at least 24 inches of filter media that complies with specifications, such as ASTM C-33, ensures that the materials used in the filter provide adequate treatment capacity and longevity. Proper filter media not only facilitates effective filtration but also supports the biological processes necessary for treating the wastewater. By encompassing all these accurate statements, the correct answer reflects a comprehensive understanding of the operational parameters and requirements for an intermittent sand filter in the context of on-site sewage facilities. Each point addresses a key aspect that contributes to the overall effectiveness and safety of the system.

SAMPLE

9. Which plumbing device is NOT considered water-saving?

A. Flow Restrictors

B. Reduced Flow Shower Heads

C. Standard Faucets

D. Pressure Reducing Valves

Standard faucets are typically designed without specific features aimed at reducing water consumption. Unlike flow restrictors and reduced flow shower heads, which are intentionally engineered to limit the amount of water that flows through them, standard faucets operate at full capacity without any restrictions. This can lead to higher water usage, especially compared to alternatives that are explicitly designed for water efficiency. Flow restrictors and reduced flow shower heads help conserve water by minimizing flow rates while still providing adequate performance, making them inherently more water-efficient options. Pressure reducing valves, while not directly altering water consumption rates themselves, help regulate system pressure, which can indirectly support water conservation efforts when appropriately calibrated. In summary, standard faucets do not incorporate inherent water-saving features, thus making them less efficient in terms of water usage compared to the other options listed.

10. In compliance with design specifications, what feature should sprinklers exhibit?

A. Ability to function without regular maintenance

B. Capacity for varying pressure levels

C. Efficiency at not exceeding the maximum inlet pressure

D. Installation flexibility in any terrain

In the context of on-site sewage facilities, the feature that sprinklers should exhibit, in compliance with design specifications, is their efficiency at not exceeding the maximum inlet pressure. This is crucial because exceeding the maximum inlet pressure can lead to system failures, leaks, or even damage to the sprinklers and associated piping. Maintaining pressure within specified limits ensures proper operation of the sprinkler system, allowing it to distribute effluent appropriately and effectively irrigate the designated area. Furthermore, controlling the pressure helps to optimize performance while safeguarding the longevity and functionality of the entire system. If pressure exceeds recommendations, it can result in uneven application of effluent, potential backflow issues, or hydraulic overloading, undermining the system's intended efficiency and increasing the risk of environmental contamination. In contrast, while regular maintenance is vital for any irrigation system, the specific characteristic described here emphasizes pressure management over maintenance frequency. Varying pressure levels can be part of system design but maintaining efficient operation at the maximum allowable inlet pressure is a more critical design compliance factor. Installation flexibility may also be important, but it does not directly relate to the operational safety and efficiency that pressure management does.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ossfinstaller2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE