
ONCOLOGY BOLDED INFORMATION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://oncologyboldedinfo.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does Ann Arbor Stage III signify?

A. One organ involved

B. Two or more lymph node regions on the same side of the diaphragm

C. Two or more lymph node regions both above and below the diaphragm

D. Multiple organs without lymph node involvement

2. Rectal bleeding is considered an indication of which condition until proven otherwise?

A. Hemorrhoids

B. Anal fissure

C. Colorectal cancer

D. Gastrointestinal infection

3. Which symptom is commonly associated with pancreatic cancer regarding gallbladder examination?

A. Painful jaundice

B. Painless distension

C. Swollen abdomen

D. Ascites

4. What system is primarily used for staging breast cancer?

A. FIGO

B. AJCC

C. TNM

D. UICC

5. The decline in breast cancer incidence is partly due to a reduction in what?

A. Chemotherapy

B. Postmenopausal hormone replacement therapy (HRT)

C. Radiation therapy

D. Preventive mastectomies

SAMPLE

6. A corrected serum calcium level of _____ mg/dL may cause a cardiac arrhythmia which can lead to sudden death.

A. 10

B. 11

C. 12

D. 13

7. What is a key component of Systemic Inflammatory Response Syndrome (SIRS)?

A. High blood glucose

B. Fever

C. Hyperlipidemia

D. Low blood pressure

8. Which of the following biomarkers is not typically associated with breast cancer?

A. HER-2

B. PR

C. AFP

D. ER

9. Which biomarker is noted for being elevated in cases of ovarian cancer?

A. CA19-9

B. CA15-3

C. CA125

D. AFP

10. What condition is often a significant concern in the treatment of ALL due to its high prevalence?

A. Liver disease

B. CNS disease

C. Bone marrow failure

D. Platelet dysfunction

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. B
6. C
7. B
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What does Ann Arbor Stage III signify?

A. One organ involved

B. Two or more lymph node regions on the same side of the diaphragm

C. Two or more lymph node regions both above and below the diaphragm

D. Multiple organs without lymph node involvement

Ann Arbor Stage III is indicative of lymphoma that involves multiple lymph node regions both above and below the diaphragm, meaning that the disease has spread beyond a localized area. This stage reflects a more advanced state of the disease compared to earlier stages, suggesting a greater extent of lymphatic involvement. The classification is pivotal for determining the appropriate treatment plan and understanding the prognosis, as Stage III signifies systemic rather than localized involvement. In contrast to the other options, which either describe fewer lymph node regions or involvement of organs without lymph node participation, Stage III specifically highlights the comprehensive dissemination of lymphatic involvement across the diaphragm.

2. Rectal bleeding is considered an indication of which condition until proven otherwise?

A. Hemorrhoids

B. Anal fissure

C. Colorectal cancer

D. Gastrointestinal infection

Rectal bleeding raises significant concern in clinical practice because it can be a symptom of various underlying conditions, some of which can be serious. When rectal bleeding occurs, it is essential to consider colorectal cancer as a leading possibility until ruled out, especially in adults over a certain age or those with risk factors such as a family history of colorectal cancer or certain genetic syndromes. Colorectal cancer can present in various ways, including rectal bleeding, changes in bowel habits, and unexplained weight loss. The presence of blood in the stool should prompt a thorough evaluation, often with colonoscopy, to assess for malignancy. By recognizing colorectal cancer as the condition to rule out initially, we prioritize the need for prompt diagnosis and management, as early detection significantly improves treatment outcomes and prognosis. In contrast, while hemorrhoids, anal fissures, and gastrointestinal infections can also cause rectal bleeding, they are typically more benign conditions. Hemorrhoids and anal fissures tend to produce bright red blood, often related to pain and straining. Gastrointestinal infections might cause bloody stool as a result of inflammation or infection but are not as commonly prioritized as a diagnosis in the presence of rectal bleeding compared to colorectal cancer. Thus, in the context of

SAMPLE

3. Which symptom is commonly associated with pancreatic cancer regarding gallbladder examination?

A. Painful jaundice

B. Painless distension

C. Swollen abdomen

D. Ascites

In pancreatic cancer, particularly when the tumor is located in the head of the pancreas, it can obstruct the common bile duct, leading to a condition known as biliary obstruction. This obstruction can cause the gallbladder to become distended with bile because the bile cannot flow normally into the small intestine. Painless distension of the gallbladder, often observed during a physical examination, can be indicative of this obstructed bile flow rather than inflammation or infection. Although patients may also experience jaundice due to the imbalance of bile acids in the bloodstream, it is important to distinguish that the pain typically associated with jaundice is not a prominent feature in cases directly linked to pancreatic cancer. Other options like ascites and swollen abdomen may also be observed in advanced stages of malignancy but are less specific to the gallbladder examination and more related to general tumor burden or peritoneal spread. In contrast, painless distension directly points to the obstruction caused by the underlying pancreatic pathology, making it a significant finding during gallbladder examination.

4. What system is primarily used for staging breast cancer?

A. FIGO

B. AJCC

C. TNM

D. UICC

The correct system used for staging breast cancer is the TNM system, which stands for Tumor, Node, Metastasis. This classification system evaluates the extent of cancer in a standardized way, allowing for a comprehensive and clear picture of the disease's progression. In the TNM system, the 'T' describes the size and extent of the primary tumor, 'N' indicates whether the cancer has spread to nearby lymph nodes, and 'M' denotes the presence of distant metastasis. This detailed assessment provides crucial information that assists healthcare professionals in determining the stage of the cancer, which is vital for guiding treatment decisions and predicting patient outcomes. While the AJCC (American Joint Committee on Cancer) system does incorporate the TNM classification in its staging guidelines, the specific focus here is on the actual method of staging, which is the TNM system itself. The FIGO (International Federation of Gynecology and Obstetrics) system is typically used for gynecological cancers and not breast cancer. The UICC (Union for International Cancer Control) also aligns with the AJCC guidelines but primarily functions to provide cancer classification on a global scale, rather than specifically for breast cancer staging. Consequently, the emphasis on TNM as the primary system for staging

SAMPLE

5. The decline in breast cancer incidence is partly due to a reduction in what?

A. Chemotherapy

B. Postmenopausal hormone replacement therapy (HRT)

C. Radiation therapy

D. Preventive mastectomies

The decline in breast cancer incidence is largely attributed to a reduction in postmenopausal hormone replacement therapy (HRT). Over the years, studies have shown that the use of HRT, particularly combined estrogen and progestin therapy, is associated with an increased risk of developing breast cancer. In 2002, results from the Women's Health Initiative study revealed this alarming connection, leading to a significant decrease in the use of HRT among postmenopausal women. This decline in HRT usage has been correlated with a subsequent decrease in breast cancer rates, as fewer women exposed to hormones that can stimulate the growth of hormone-receptor-positive breast cancers may ultimately lead to lower incidence rates in the population. The other options, such as chemotherapy, radiation therapy, and preventive mastectomies, are treatments or preventive measures that do not have a direct causal relationship with the overall incidence of breast cancer; rather, they are typically applied after a diagnosis has been made or used as interventions to reduce risk in specific, high-risk populations.

6. A corrected serum calcium level of _____ mg/dL may cause a cardiac arrhythmia which can lead to sudden death.

A. 10

B. 11

C. 12

D. 13

A corrected serum calcium level of 12 mg/dL is associated with significant disturbances in cardiac function. Elevated calcium levels can lead to alterations in neuromuscular excitability and, more critically, impact the electrical conduction system of the heart. When serum calcium drops significantly below or rises above normal physiological levels, it can lead to cardiac arrhythmias, which increase the risk of life-threatening events such as sudden cardiac arrest. Normal serum calcium levels are typically considered to be within a range of approximately 8.5 to 10.5 mg/dL. Levels approaching or exceeding 12 mg/dL indicate hypercalcemia, raising the likelihood of complications like arrhythmias, which may manifest as prolonged QT intervals or other forms of dysrhythmias. Therefore, a corrected serum calcium level of 12 mg/dL is critically important to monitor in clinical practice for its potential to lead to severe cardiovascular consequences.

SAMPLE

7. What is a key component of Systemic Inflammatory Response Syndrome (SIRS)?

A. High blood glucose

B. Fever

C. Hyperlipidemia

D. Low blood pressure

A key component of Systemic Inflammatory Response Syndrome (SIRS) is fever. SIRS is characterized by a systemic response to infection, trauma, or other inflammatory stimuli, and fever is one of the defining clinical features. It indicates an elevation in the body's temperature as part of the immune response aimed at fighting off potential threats, such as infections. Fever in the context of SIRS is important because it helps differentiate systemic inflammation from localized infections or other conditions. It is considered one of the criteria used to diagnose SIRS when accompanied by other factors such as increased heart rate, tachypnea, or abnormal white blood cell counts. While other options such as high blood glucose, hyperlipidemia, and low blood pressure might occur in various clinical situations, they are not consistent or defining characteristics of SIRS. Instead, fever stands out as a hallmark sign indicative of the systemic inflammatory process, highlighting the body's attempt to respond to an insult.

8. Which of the following biomarkers is not typically associated with breast cancer?

A. HER-2

B. PR

C. AFP

D. ER

The correct choice in this question is associated with alpha-fetoprotein (AFP), which is not typically linked to breast cancer. AFP is primarily a biomarker used in the diagnosis and monitoring of liver cancer and germ cell tumors. In contrast, the other biomarkers listed—HER-2, PR (progesterone receptor), and ER (estrogen receptor)—are commonly associated with breast cancer. HER-2 refers to a protein that can promote the growth of cancer cells, and its overexpression is a significant factor in a subtype of breast cancer. PR and ER are hormone receptors that indicate how well breast cancer cells respond to hormone therapy, which plays a crucial role in managing certain breast cancer types. Therefore, while HER-2, PR, and ER are integral to breast cancer characterization and treatment strategies, AFP does not have a recognized role in breast cancer, reinforcing its identification as the outlier in this context.

SAMPLE

9. Which biomarker is noted for being elevated in cases of ovarian cancer?

A. CA19-9

B. CA15-3

C. CA125

D. AFP

CA125 is considered a key biomarker for ovarian cancer, as it is often found at elevated levels in women diagnosed with this type of cancer. This glycoprotein is produced by a variety of tissues and is notably associated with ovarian epithelium. In clinical practice, testing for CA125 levels is commonly utilized to assist in diagnosing ovarian cancer, monitoring treatment effectiveness, and checking for recurrence after treatment. Elevated CA125 levels can be seen not only in ovarian cancer but also in other conditions, including endometriosis and pelvic inflammatory disease. However, its specificity and sensitivity make it particularly valuable in the context of ovarian malignancies, where it serves as an important tool for oncologists when assessing a patient who presents with symptoms suggestive of ovarian cancer, such as abdominal bloating or pelvic pain. In contrast, the other biomarkers like CA19-9 and CA15-3 are more commonly associated with gastrointestinal cancers and breast cancer, respectively, while AFP (alpha-fetoprotein) is primarily used as a marker in liver cancer and germ cell tumors. Thus, CA125 stands out specifically for its relevance to ovarian cancer, making it the correct choice in this context.

10. What condition is often a significant concern in the treatment of ALL due to its high prevalence?

A. Liver disease

B. CNS disease

C. Bone marrow failure

D. Platelet dysfunction

The treatment of acute lymphoblastic leukemia (ALL) is particularly concerned with central nervous system (CNS) disease because of its high prevalence among patients. ALL, especially in its more aggressive forms, has a tendency to infiltrate the CNS, leading to symptoms such as headaches, neurological deficits, and signs of increased intracranial pressure. Prophylactic measures such as intrathecal chemotherapy are often employed to prevent CNS involvement during the treatment of ALL. This is crucial because once the disease has spread to the CNS, it can complicate treatment and adversely affect prognosis. The focus on CNS disease highlights the need for rigorous monitoring and intervention in managing patients with ALL, ensuring that this high-risk area is adequately addressed throughout the treatment process. In contrast, while conditions such as liver disease, bone marrow failure, and platelet dysfunction may also pose challenges in various contexts of cancer treatment, the specific concern of CNS involvement in ALL stands out due to its direct implications for treatment efficacy and patient outcomes.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://oncologyboldedinfo.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE