ONCOLOGY CERTIFIED NURSE (OCN) NURSING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ocn-oncc.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which tumors are commonly associated with malignant pericardial effusions?**

   A. Breast tumors

   B. Colorectal tumors

   C. Lung tumors

   D. Prostate tumors

2. **What is included in the triple test for diagnosing breast cancer?**

   A. Physical Exam

   B. Mammography

   C. Fine Needle Aspiration (FNA)

   D. All of the above

3. **What term describes the effective management of pain through teamwork among oncology nurses and other healthcare members?**

   A. Collaboration

   B. Mentoring

   C. Professional development

   D. Peer review

4. **Which of the following conditions is defined as having a non-standard number of chromosomes?**

   A. Translocation

   B. Polymorphisms

   C. Aneuploidy

   D. In-Situ Cancer

5. **When reviewing patient care, what do ASCO and ONS safety standards address?**

   A. Staffing issues and chemotherapy preparation

   B. Available treatment options and side effects

   C. Patient education and support

   D. Cancer types and research advancements

SAMPLE

6. What is selective screening designed to do?

A. Identify individuals needing immunization

B. Screen every demographic equally

C. Look for specific issues in high-risk groups

D. Provide treatment plans for all patients

7. What condition results from the accumulation of excessive fluid in the pericardial space?

A. Heart attack

B. Cardiac tamponade

C. Pneumonia

D. Congestive heart failure

8. What effect does hypocalcemia have on neuromuscular function?

A. Increases reflexes

B. Decreases reflexes

C. Improves muscle strength

D. Muscle cramps

9. What is the primary focus of a Phase 2 clinical trial?

A. Assess response rate of treatment

B. Determine the toxicity of new drugs

C. Compare new drugs to existing treatments

D. Identify molecular targets

10. What is the most frequent cause of sepsis?

A. Fungal infections

B. Gram (-) bacteria

C. Viral infections

D. Gram (+) bacteria

SAMPLE

Answers

SAMPLE

1. C
2. D
3. A
4. C
5. A
6. C
7. B
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Which tumors are commonly associated with malignant pericardial effusions?

A. Breast tumors

B. Colorectal tumors

C. Lung tumors

D. Prostate tumors

Malignant pericardial effusions are commonly associated with lung tumors due to several factors related to the pathophysiology of lung malignancies. Lung cancer, particularly non-small cell lung cancer and small cell lung cancer, has a propensity to spread to adjacent structures, including the pericardium. This can lead to inflammation and the accumulation of fluid in the pericardial space, resulting in a malignant effusion. Additionally, lung tumors often metastasize more aggressively than some other cancers, contributing to the development of effusions as a complication of the disease. The presence of a malignant pericardial effusion can indicate advanced disease and may present with symptoms such as dyspnea, chest pain, or even cardiac tamponade, which requires prompt diagnosis and management. In contrast, while breast, colorectal, and prostate tumors can also lead to effusions, they are less frequently associated with malignant pericardial effusions specifically compared to lung tumors. Each type of cancer has its own patterns of spread and associated complications, but lung cancer stands out as one of the more common sources of malignant pericardial effusions in clinical practice.

2. What is included in the triple test for diagnosing breast cancer?

A. Physical Exam

B. Mammography

C. Fine Needle Aspiration (FNA)

D. All of the above

The triple test for diagnosing breast cancer includes a combination of a physical examination, mammography, and fine needle aspiration (FNA). This comprehensive approach is essential for an accurate diagnosis and encompasses different modalities that each contribute valuable information. The physical examination allows the healthcare provider to assess the breast for any noticeable lumps, changes, or abnormalities that may suggest the presence of cancer. It is a crucial first step in the diagnostic process as it can guide the decision for further imaging or procedures. Mammography serves as a significant imaging tool that helps to identify the presence of any suspicious lesions or calcifications in the breast tissue. This is especially important for early detection, as some breast cancers may not be palpable. The mammography results can indicate the need for follow-up tests or procedures. Fine Needle Aspiration (FNA) is a minimally invasive procedure used to obtain a sample of tissue from a suspicious area identified through imaging or physical exam findings. The analysis of this sample can provide definitive information regarding the presence of cancer cells, thus aiding in the diagnosis. Including all three components in the diagnostic process maximizes the sensitivity and specificity of breast cancer detection, improving patient outcomes through timely and accurate diagnosis. This comprehensive approach is what makes the triple test a critical standard in breast

SAMPLE

3. What term describes the effective management of pain through teamwork among oncology nurses and other healthcare members?

A. Collaboration

B. Mentoring

C. Professional development

D. Peer review

The term that describes the effective management of pain through teamwork among oncology nurses and other healthcare members is collaboration. In the context of oncology nursing, collaboration involves the coordinated efforts of various health professionals, including nurses, physicians, pharmacists, and palliative care specialists, to ensure comprehensive pain management for patients. Collaboration is crucial because cancer pain management often requires a multifaceted approach that addresses both the physical and psychological aspects of the patient's experience. By working together, the healthcare team can share expertise, develop evidence-based pain management strategies, and tailor interventions to the individual needs of each patient, enhancing the overall quality of care. In contrast, mentoring refers to a relationship in which a more experienced individual guides a less experienced one, typically in terms of professional growth rather than direct patient care. Professional development focuses on enhancing one's skills and knowledge within a profession, which is valuable but not directly synonymous with teamwork in patient care. Peer review involves the evaluation of a colleague's work and performance, generally for quality assurance purposes, and does not specifically address pain management in a collaborative manner.

4. Which of the following conditions is defined as having a non-standard number of chromosomes?

A. Translocation

B. Polymorphisms

C. Aneuploidy

D. In-Situ Cancer

Aneuploidy refers to a condition in which an individual has an abnormal number of chromosomes, either more or less than the usual diploid number. This can occur due to errors in cell division, such as nondisjunction, where chromosomes fail to separate properly during meiosis or mitosis. In humans, a typical somatic cell contains 46 chromosomes, arranged in 23 pairs. When an individual has 45 or 47 chromosomes instead, they are considered aneuploid. This condition is often associated with various medical issues, including many types of cancer and genetic disorders, such as Down syndrome. Understanding aneuploidy is crucial in oncology, as it can play a significant role in the development and prognosis of tumors. Cancers are frequently characterized by chromosomal abnormalities, which can lead to changes in gene expression and cellular behavior. In contrast, translocation refers to a rearrangement of chromosomal material, whereby a segment of one chromosome moves to another chromosome. Polymorphisms are variations in the DNA sequence that occur among individuals in a population, typically not leading to disease. In-situ cancer refers to an early stage of cancer where the cells are abnormal but have not yet invaded surrounding tissues. Each of these concepts relates

SAMPLE

5. When reviewing patient care, what do ASCO and ONS safety standards address?

A. Staffing issues and chemotherapy preparation

B. Available treatment options and side effects

C. Patient education and support

D. Cancer types and research advancements

The correct choice highlights the focus on staffing issues and chemotherapy preparation as outlined by ASCO (American Society of Clinical Oncology) and ONS (Oncology Nursing Society) safety standards. These standards are designed to ensure that the administration of chemotherapy is safe and effective, minimizing the risk of errors during preparation and administration, which are critical aspects of oncology nursing care. Staffing issues are vital because having a sufficient number of well-trained nurses ensures that chemotherapy is administered safely and that patients receive appropriate monitoring during treatment. The emphasis on proper chemotherapy preparation includes protocols and guidelines to prevent contamination, ensure accurate dosing, and safeguard both the patient and healthcare providers from hazardous exposures and potential adverse effects associated with chemotherapy agents. In contrast, the other options focus on different aspects of oncology care that, while important, do not fall under the specific purview of safety standards related to the direct administration of chemotherapy. Available treatment options and side effects pertain more to clinical decision-making and patient management rather than safety standards themselves. Patient education and support address the psychosocial aspect of care, which is crucial but not the primary focus of ASCO and ONS safety standards. Lastly, cancer types and research advancements are relevant to the field but do not specifically pertain to the safety protocols established

6. What is selective screening designed to do?

A. Identify individuals needing immunization

B. Screen every demographic equally

C. Look for specific issues in high-risk groups

D. Provide treatment plans for all patients

Selective screening is specifically aimed at looking for particular health issues or conditions within high-risk groups rather than the entire population. This approach is based on the understanding that certain populations may be more susceptible to certain diseases due to factors such as genetics, lifestyle, or environmental exposures. By focusing screening efforts on these at-risk groups, healthcare providers can enhance the efficiency and effectiveness of early detection, leading to timely interventions and improved outcomes. The emphasis on high-risk populations allows for better allocation of resources in healthcare and can lead to more tailored preventive strategies. Identifying specific conditions in these populations helps to manage disease risks more effectively than a blanket approach, which may not be as effective in identifying issues where they are most likely to occur.

SAMPLE

7. What condition results from the accumulation of excessive fluid in the pericardial space?

A. Heart attack

B. Cardiac tamponade

C. Pneumonia

D. Congestive heart failure

The condition characterized by the accumulation of excessive fluid in the pericardial space is known as cardiac tamponade. This situation leads to increased pressure on the heart, which can hinder its ability to fill and pump effectively. As fluid builds up in the pericardial sac, it compresses the heart chambers, particularly during diastole, when the heart should be relaxing and filling with blood. This results in symptoms such as hypotension, muffled heart sounds, and distended neck veins, which are indicative of compromised cardiac function. This is a critical condition that requires prompt recognition and intervention, often necessitating procedures to relieve the pressure, such as pericardiocentesis, where fluid is aspirated from the pericardial space. Understanding this mechanism is essential for oncology nurses, as cancer patients may be at risk for pericardial effusion due to various factors, including malignancies directly affecting the pericardium or secondary effects of treatment. The other conditions listed do not specifically relate to fluid accumulation in the pericardial space and thus are not appropriate answers.

8. What effect does hypocalcemia have on neuromuscular function?

A. Increases reflexes

B. Decreases reflexes

C. Improves muscle strength

D. Muscle cramps

Hypocalcemia, which is a condition characterized by low levels of calcium in the blood, has a significant impact on neuromuscular function. When calcium levels are deficient, it can lead to increased excitability of nerve and muscle cells. This heightened excitability can manifest as increased reflexes, as the nervous system becomes more responsive to stimuli. Calcium plays a crucial role in muscle contraction and nerve transmission. It is vital for stabilizing resting membrane potential and is involved in the release of neurotransmitters at the neuromuscular junction. When there is not enough calcium available, the nerves and muscles can become overly reactive. Consequently, this can result in symptoms such as muscle cramps, which are related to increased neuromuscular excitability rather than improved muscle strength. In summary, the correct answer highlights that hypocalcemia tends to lead to increased reflexes due to the increased excitability of nerve and muscle tissues, which is a hallmark of neuromuscular dysfunction related to low calcium levels.

SAMPLE

9. What is the primary focus of a Phase 2 clinical trial?

A. Assess response rate of treatment

B. Determine the toxicity of new drugs

C. Compare new drugs to existing treatments

D. Identify molecular targets

The primary focus of a Phase 2 clinical trial is to assess the response rate of treatment. During this stage, the efficacy of the drug or treatment is evaluated in a larger group of participants who have the specific condition the treatment targets. The goal is to determine whether the treatment has the desired effect on the disease, usually measured by the objective response rate, such as tumor shrinkage or other clinical benefits. This phase typically involves monitoring various outcomes, including secondary endpoints like duration of response and the quality of life for participants, as well as gathering additional safety data. Assessing response rates helps determine whether to proceed to Phase 3 trials, where the treatment can be compared against standard care in a more extensive patient population. While toxicity assessment is an important part of Phase 1 trials, in Phase 2 trials, toxicity is monitored but is not the primary focus; the main aim is to establish efficacy. Comparisons with existing treatments are generally more characteristic of Phase 3 trials, where the new intervention is tested against therapies already proven to be effective. Identifying molecular targets usually takes place in early preclinical phases or in specific targeted therapy trials, not specifically in Phase 2. Thus, the central aim of assessing response rate is crucial in advancing the development

10. What is the most frequent cause of sepsis?

A. Fungal infections

B. Gram (-) bacteria

C. Viral infections

D. Gram (+) bacteria

The most frequent cause of sepsis is indeed associated with Gram-negative bacteria. This is largely due to the prevalence of these organisms in various clinical settings, particularly those involving an indwelling catheter, surgical procedures, or prolonged hospitalization. Gram-negative bacteria, such as Escherichia coli and Klebsiella species, are often found in the gastrointestinal tract and can enter the bloodstream, leading to severe systemic infection. The pathophysiological response triggered by Gram-negative bacteria typically involves the release of endotoxins, which can result in significant inflammation and vasodilation, contributing to the development of sepsis. This immune response can lead to complications such as septic shock, organ failure, and potentially death if not addressed promptly. Compared to Gram-positive bacteria, which can also cause sepsis, Gram-negative infections are statistically more common in severe sepsis cases. Fungal and viral infections, although they can lead to sepsis, are less frequent overall. Understanding the predominant roles that different types of pathogens play in sepsis is crucial for effective diagnosis and treatment strategies in oncology and critical care settings.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ocn-oncc.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE