
OPHTHALMIC DISPENSING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://opthalmicdispensing.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is the minimum blank size calculation requirement for a wearer with a P.D. of 55 mm and an A measurement of 52 mm?**

   A. 55 mm

   B. 52 mm

   C. 58 mm

   D. 50 mm

2. **To match the segment height to an old bifocal if it is 3 mm below the lower lid margin, where should the new segment be placed?**

   A. Place the new segment 3 mm below the lower lid margin

   B. Raise the new segment 1 mm

   C. Raise the segment 3 mm

   D. Ignore the old measurement

3. **Most aspheric surfaces are primarily manufactured through which method?**

   A. Cylindrical

   B. Cast in molds

   C. Spherical

   D. Glass

4. **To check the bridge size for a frame, which action should be taken?**

   A. Observe the angle with which the bridge contacts the sides of the nose

   B. Lift the frame slightly and observe the space between the bridge and the sides of the nose

   C. Measure the width of the nose at the crest with a ruler

   D. Observe the frame from the side to determine the angle between the frame and the face

5. **Where is the prismatic effect verified on a P.A.L.?**

   A. Fitting cross

   B. Lower circle where the near power is verified

   C. Dot directly below the fitting cross

   D. Upper semicircle

SAMPLE

6. What is the effect of frame fronts with lower endpieces on long faces?

A. Lengthening

B. Shortening

C. Widening

D. None of the above

7. When fitting a progressive addition lens (PAL) for a child, where should the fitting cross height be?

A. At the pupil center

B. 2 mm below the pupil center

C. At the upper pupil margin

D. 4 mm above pupil center

8. When choosing a frame for a progressive addition lens wearer, which frame shape should be avoided?

A. Round shape, frame P.D. equal to patient P.D.

B. Square shape, frame P.D. larger than patient P.D.

C. Aviator shape, frame P.D. larger than patient P.D.

D. Square shape, frame P.D. equal to patient P.D.

9. During bicentric grinding for prism correction, which direction is typically ground into the lens?

A. In

B. Down

C. Up

D. Out

10. What does "add" refer to in a bifocal prescription?

A. The near addition in power

B. The distance power

C. The total power

D. The cylinder power

SAMPLE

Answers

SAMPLE

1. C
2. A
3. B
4. B
5. C
6. B
7. D
8. C
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. What is the minimum blank size calculation requirement for a wearer with a P.D. of 55 mm and an A measurement of 52 mm?

A. 55 mm

B. 52 mm

C. 58 mm

D. 50 mm

To determine the minimum blank size for a lens prescription, one must consider both the pupillary distance (P.D.) and the A measurement of the frame. The P.D. indicates the distance between the centers of the pupils, while the A measurement refers to the horizontal distance between the two vertical (highest) points of the frame's front. For a proper fit, the minimum blank size should ideally be large enough to accommodate the P.D. and provide sufficient lens material for adjustments and fitting. A general guideline for calculating the minimum blank size is to add a certain amount to the P.D. to ensure the lenses can be cut correctly and provide optimal vision. In this scenario, since the P.D. is 55 mm, one would typically consider adding a few millimeters to ensure adequate lens size. The A measurement of 52 mm is the width of the lens space available, but it does not provide enough material for lenses to be constructed properly if the P.D. exceeds this measurement significantly. Thus, selecting a minimum blank size of 58 mm provides a balanced margin to accommodate both the P.D. and the requirements for fitting and lens production. This ensures that the lenses can be fabricated without compromising the quality of vision or the fit within the chosen

2. To match the segment height to an old bifocal if it is 3 mm below the lower lid margin, where should the new segment be placed?

A. Place the new segment 3 mm below the lower lid margin

B. Raise the new segment 1 mm

C. Raise the segment 3 mm

D. Ignore the old measurement

The optimal placement for the new bifocal segment is to position it 3 mm below the lower lid margin, matching the height of the previous bifocal. This ensures that the new lenses will provide the same visual experience as the old ones, maintaining the correct alignment for reading and other near tasks. By placing the new segment at the same measured height, the user is likely to experience comfortable and effective bifocal use without having to adjust to a different segment height, which could cause visual strain or disruption in their line of sight. This practice emphasizes consistency in the fitting of lenses for patients transitioning from old to new eyewear. Maintaining the same segment height safeguards against potential issues related to line of sight, especially crucial in multifocal prescriptions. Keeping the segment height consistent will ultimately support the wearer's visual habits and demands.

SAMPLE

3. Most aspheric surfaces are primarily manufactured through which method?

A. Cylindrical

B. Cast in molds

C. Spherical

D. Glass

Aspheric lenses are designed to have varying curvature across their surface, which helps reduce optical aberrations and provides a better quality of vision, especially in higher prescriptions. The primary method of manufacturing aspheric surfaces is through casting in molds. This process allows for precise control over the curvature and shape of the lens surface, enabling the production of complex geometries that define aspheric designs. Casting in molds involves using a liquid material that is poured into a pre-formed mold, which captures the desired aspheric shape as it hardens. This technique is particularly effective because it enables mass production while maintaining high accuracy and consistency, essential for the optical performance of the lenses. The other options, such as cylindrical and spherical surfaces, refer to different types of lens shapes and do not specifically pertain to the aspheric properties. Glass does not denote a manufacturing method; while glass lenses can be made aspheric, the term itself does not relate to how they are created.

4. To check the bridge size for a frame, which action should be taken?

A. Observe the angle with which the bridge contacts the sides of the nose

B. Lift the frame slightly and observe the space between the bridge and the sides of the nose

C. Measure the width of the nose at the crest with a ruler

D. Observe the frame from the side to determine the angle between the frame and the face

To check the bridge size for a frame, lifting the frame slightly and observing the space between the bridge and the sides of the nose is an effective method. This practice allows the practitioner to assess how well the bridge of the eyewear fits against the contours of the nose. A proper fit should ensure that the frame rests comfortably without pinching or creating excessive space, which could lead to discomfort or misalignment in vision. When the bridge fits correctly, it should sit snugly against the nose without any significant gaps or pressure points. Observing this space helps determine if the bridge width is appropriate for the client's nasal structure. If there's too much space or if the frame feels loose, it may indicate that the bridge size is too wide, which could affect the overall fit and stability of the glasses. This method effectively provides insight into the suitability of the frame for the wearer, ensuring that they receive the best possible comfort and optical performance from their eyewear.

SAMPLE

5. Where is the prismatic effect verified on a P.A.L.?

A. Fitting cross

B. Lower circle where the near power is verified

C. Dot directly below the fitting cross

D. Upper semicircle

The prismatic effect of a progressive addition lens (P.A.L.) is verified at the dot directly below the fitting cross. This location is significant because it is where the optical alignment is typically assessed for optimal visual function. The fitting cross indicates the center of the distance portion of the lens, where the prescription is calibrated for distance vision. Below this point, the lens transitions into the near vision zone, and the prismatic effect can be most clearly evaluated. This assessment is critical for ensuring that the wearer's visual experience is comfortable and that the lens is correctly tailored to their specific needs. If the prismatic effect is not verified correctly at this point, it could lead to visual disturbances, such as double vision or discomfort, particularly when shifting between distances. The lower area where the near power is verified, while important for determining the optical power for reading and near activities, does not provide the same level of reference for the desired vertical alignment and prismatic effect as the dot below the fitting cross does. Understanding the role of the fitting cross and associated points on a P.A.L. lens is essential for precise dispensing and ensuring customer satisfaction with their eyewear.

6. What is the effect of frame fronts with lower endpieces on long faces?

A. Lengthening

B. Shortening

C. Widening

D. None of the above

Frames with lower endpieces are designed to sit closer to the cheekbones and typically have a lower overall appearance in terms of height at the sides of the face. For individuals with longer faces, using frames with lower endpieces creates an optical illusion that can effectively shorten the appearance of the face. This design detail helps to balance facial proportions by drawing attention horizontally rather than vertically, which may make the face appear more proportionate. The decrease in vertical height is particularly effective for long faces, as it counteracts the elongation that the facial structure may naturally exhibit. By shortening the visual length of the face, these types of frames can help create a more harmonious and balanced overall look. Thus, the use of frames with lower endpieces is a strategic choice in optical dispensing for clients with longer facial shapes.

SAMPLE

7. When fitting a progressive addition lens (PAL) for a child, where should the fitting cross height be?

A. At the pupil center

B. 2 mm below the pupil center

C. At the upper pupil margin

D. 4 mm above pupil center

For fitting progressive addition lenses (PALs) in children, the fitting cross height is typically set at 4 mm above the pupil center. This specific positioning is important because it allows for optimal vision through the various zones of the lens, particularly the reading add zone located at the bottom of the lens. When children look down to read, their eyes naturally align with the lower part of the lens if the fitting cross is properly positioned. By placing the fitting cross higher than the pupil center, it ensures that when they look down, their gaze falls directly into the reading area of the lens, facilitating clear near vision while still allowing for adequate distance vision through the upper part of the lens when they look up. This fitting height takes into account the head and eye movements common in children and promotes comfort and functionality, making it easier for them to adapt to wearing progressive lenses. If the fitting cross were positioned too low or at the pupil center, it could interfere with their ability to see clearly in both near and distance vision, leading to potential issues with usability and adaptation.

8. When choosing a frame for a progressive addition lens wearer, which frame shape should be avoided?

A. Round shape, frame P.D. equal to patient P.D.

B. Square shape, frame P.D. larger than patient P.D.

C. Aviator shape, frame P.D. larger than patient P.D.

D. Square shape, frame P.D. equal to patient P.D.

When choosing a frame for a progressive addition lens wearer, the aviator shape with a frame P.D. larger than the patient's P.D. should be avoided because it can create significant visual distortions and compromises the zones within the progressive addition lenses. Progressive lenses have different areas for distance, intermediate, and near vision, and these areas need to align properly with the user's visual axis for optimal performance. If the frame's P.D. (pupil distance) is greater than that of the patient, it not only may place the lenses in the wrong position but can also disrupt the smooth transition between the different zones of vision within the lens. Aviator frames typically have a larger width and may not align well with the patient's eye anatomy when designed with a wider P.D. This misalignment is particularly crucial for progressive lenses, as it can lead to blurred vision, discomfort, and diminished effectiveness in the prescribed visual areas, thereby impacting the overall satisfaction and usability of the lenses. The other options may either have the right P.D. or are more accommodating for progressive lenses, where proper alignment to the patient's optical centers is achievable without inducing unnecessary distortion.

SAMPLE

9. During bicentric grinding for prism correction, which direction is typically ground into the lens?

A. In

B. Down

C. Up

D. Out

In bicentric grinding for prism correction, the correct direction typically ground into the lens is upward, referred to as "up." The process involves creating a specific optical effect by adjusting the curvature of the lens. When prism is incorporated into a lens, the goal is to direct light towards a specific point to enhance visual alignment for the patient. In this context, grinding "up" allows for the necessary adjustment to the optical axis of the lens to provide the desired prism effect. This can assist in conditions such as strabismus, where alignments of the eyes are adjusted to help improve binocular vision. The other directions are less relevant for achieving the prism effect required in selecting and fitting lenses for various binocular vision issues. Thus, understanding that "up" is the appropriate grinding direction highlights the specific manipulation of lens curvature needed for effective prism correction.

10. What does "add" refer to in a bifocal prescription?

A. The near addition in power

B. The distance power

C. The total power

D. The cylinder power

In a bifocal prescription, "add" specifically refers to the additional power required for near vision correction. This term indicates how much extra magnifying power is needed for close-up tasks, such as reading or sewing, beyond the distance prescription. In bifocal lenses, there are typically two zones: one for distance vision and one for near vision. The "add" power is always a positive value that represents the difference in diopters between the two areas of the lens. For example, if a patient has a distance prescription of -2.00 D and an add of +2.00 D, the near vision portion of the lens would provide a total power of 0.00 D for tasks up close. This distinction is crucial for understanding how bifocal lenses accommodate visual needs at varying distances, making the "add" a key element in lens design for individuals with presbyopia or other vision changes requiring multifocal correction.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://opthalmicdispensing.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE