
OPTOPREP NATIONAL BOARD OF EXAMINERS IN OPTOMETRY (NBEO) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://optoprepnbeo.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What wavelength of light is most readily absorbed by the photopigment rhodopsin?

A. 460 nm

B. 480 nm

C. 507 nm

D. 555 nm

2. How does a corneal thickness of 600 micrometers affect Goldmann applanation tonometry readings?

A. IOP will be falsely elevated; adjust up

B. IOP will be falsely low; adjust down

C. IOP will be falsely elevated; adjust down

D. IOP will be accurate; no adjustment needed

3. What is the appropriate axis to order for a soft contact lens fitting with the given parameters?

A. 95 degrees

B. 110 degrees

C. 100 degrees

D. 80 degrees

4. Which of the following is NOT a function of the retina?

A. Transduction of light into neural signals

B. Regulating the entry of light

C. Maintaining ocular pressure

D. Processing visual information

5. What is the primary function of bipolar cells in the retina?

A. Sensing light intensity

B. Connecting photoreceptors to ganglion cells

C. Transmitting signals to the optic nerve

D. Regulating retinal blood flow

SAMPLE

6. What is the normal tear volume in a healthy young adult?

A. 13.0-16.0 microliters

B. 6.0-8.0 microliters

C. 17.0-20.0 microliters

D. 2.0-5.0 microliters

7. What is the diagnosis for a 10-year-old male with itchy eyes, severe photophobia, and cobblestone papillae?

A. Iritis

B. Bacterial conjunctivitis

C. Vernal keratoconjunctivitis (VKC)

D. Epidemic keratoconjunctivitis (EKC)

8. What total cumulative dosage of chloroquine is commonly associated with retinal toxicity?

A. 300 grams

B. 4,000 grams

C. 1,000 grams

D. 1500 grams

9. Coenzyme Q, vitamins A, D, E and K, and cholesterol are all derived from which of the following lipids?

A. Triglycerides

B. Phospholipids

C. Sphingolipids

D. Isoprenes and terpenes

10. Coenzyme Q, vitamins A, D, E, and K, and cholesterol are primarily derived from which type of lipids?

A. Isoprenes and terpenes

B. Triglycerides

C. Phospholipids

D. Sphingolipids

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. B
6. B
7. C
8. A
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. What wavelength of light is most readily absorbed by the photopigment rhodopsin?

A. 460 nm

B. 480 nm

C. 507 nm

D. 555 nm

Rhodopsin, also known as visual purple, is a light-sensitive photopigment found in the photoreceptor cells of the retina, primarily in the rods. This pigment is crucial for low-light vision and is particularly sensitive to light in the blue-green range of the spectrum. The peak absorption wavelength of rhodopsin is around 498-510 nm, with the most notable absorption peak typically considered to be approximately 507 nm. Understanding this absorption spectrum is essential for comprehending how vision works in low-light conditions. Rhodopsin's primary role is to convert light photons into biochemical signals that can be processed by the visual system. This peak absorption facilitates maximized efficiency for rod cells in dim environments, where blue-green light is more prevalent. In contrast, the other wavelengths listed do not match the peak absorption of rhodopsin as closely as 507 nm, making them less relevant when discussing the photopigment's most effective light absorption characteristics. Hence, 507 nm is recognized as the optimal wavelength for rhodopsin absorption, aligning with our understanding of visual physiology and the functional aspects of photoreceptor cells.

2. How does a corneal thickness of 600 micrometers affect Goldmann applanation tonometry readings?

A. IOP will be falsely elevated; adjust up

B. IOP will be falsely low; adjust down

C. IOP will be falsely elevated; adjust down

D. IOP will be accurate; no adjustment needed

A corneal thickness of 600 micrometers is considered above the average normal range, which typically falls between 500 to 550 micrometers. In the context of Goldmann applanation tonometry, it is essential to understand how corneal thickness can influence intraocular pressure (IOP) readings. When the cornea is thicker than average, it can lead to falsely elevated IOP readings during tonometry. This occurs because a thicker cornea can absorb more force during the applanation process, resulting in a higher tonometric reading than what is the true IOP. Therefore, to obtain an accurate assessment of the patient's intraocular pressure, the readings should be adjusted down accordingly. By accounting for the increased thickness, clinicians can ensure that they interpret IOP levels correctly, helping to avoid misdiagnosis or inappropriate treatment decisions. Thus, in cases where the corneal thickness is 600 micrometers, the IOP readings should be regarded as inaccurate and adjusted downward to reflect the true pressure within the eye.

SAMPLE

3. What is the appropriate axis to order for a soft contact lens fitting with the given parameters?

A. 95 degrees

B. 110 degrees

C. 100 degrees

D. 80 degrees

In soft contact lens fitting, the axis is crucial for ensuring proper alignment of the lens with the astigmatic cornea and achieving optimal visual acuity. The axis parameter is measured in degrees and indicates the orientation of the cylindrical correction needed for astigmatism. The choice of 110 degrees suggests that this specific angle provides the best alignment for the lens in relation to the corneal surface and any astigmatism present. It is likely chosen based on clinical measurements taken during the fitting process, such as keratometry or topography, which identify the steepest and flattest meridians of the cornea. Proper alignment at 110 degrees maximizes the effectiveness of the lens in correcting vision, minimizes discomfort, and enhances stability of the lens on the eye. Other axes might not align as effectively with the unique curvature of the patient's cornea, potentially leading to suboptimal vision or lens displacement, which are important considerations in successful contact lens fitting.

4. Which of the following is NOT a function of the retina?

A. Transduction of light into neural signals

B. Regulating the entry of light

C. Maintaining ocular pressure

D. Processing visual information

The retina is primarily responsible for the transduction of light into neural signals, which are then relayed to the brain for visual processing. This process involves photoreceptor cells (rods and cones) that capture light and convert it into electrical impulses. Regulating the entry of light is crucial as the retina works together with other parts of the eye, particularly the iris and pupil, to control how much light reaches it, although the actual light regulation is not a direct function of the retinal tissue itself. The retina does play a significant role in processing visual information by integrating signals from photoreceptors and passing them through various layers of retinal cells before sending them to the brain. However, maintaining ocular pressure is not a function of the retina. Ocular pressure is primarily regulated by the production and drainage of aqueous humor through structures like the ciliary body and trabecular meshwork, not by the retinal tissue. Therefore, it is accurate to state that maintaining ocular pressure does not fall under the functions of the retina.

5. What is the primary function of bipolar cells in the retina?

A. Sensing light intensity

B. Connecting photoreceptors to ganglion cells

C. Transmitting signals to the optic nerve

D. Regulating retinal blood flow

The primary function of bipolar cells in the retina is to connect photoreceptors, such as rods and cones, to ganglion cells. These cells serve as crucial intermediaries in the visual processing pathway. They receive input from photoreceptors that convert light into electrical signals and then transmit this information to ganglion cells, which ultimately send the visual data through their axons to the optic nerve and then to the brain for visual perception. The bipolar cells thus play a vital role in the transfer of visual signals, facilitating the processing and integration of information in the retina. By connecting the outer layer of photoreceptors directly to the inner layer of ganglion cells, bipolar cells help preserve the integrity of visual information, ensuring accurate representation of what the eyes perceive. This connection is essential for overall visual function, making bipolar cells a key component in the retinal signaling pathway.

SAMPLE

6. What is the normal tear volume in a healthy young adult?

A. 13.0-16.0 microliters

B. 6.0-8.0 microliters

C. 17.0-20.0 microliters

D. 2.0-5.0 microliters

In a healthy young adult, the normal tear volume is typically around 6.0 to 8.0 microliters. This measurement reflects the amount of liquid present in the tear film, which is crucial for maintaining ocular surface health and providing lubrication during blinking. Tears contain various components, including water, electrolytes, proteins, and lipids, and their volume is key in ensuring proper eye function, preventing dry eye symptoms, and maintaining a comfortable ocular environment. This range aligns with clinical data and studies indicating that healthy tear production falls within this limit for average adults. Understanding this standard is essential for professionals assessing tear production and diagnosing conditions related to tear deficiency or excessive evaporation.

7. What is the diagnosis for a 10-year-old male with itchy eyes, severe photophobia, and cobblestone papillae?

A. Iritis

B. Bacterial conjunctivitis

C. Vernal keratoconjunctivitis (VKC)

D. Epidemic keratoconjunctivitis (EKC)

The presence of itchy eyes, severe photophobia, and cobblestone papillae in a 10-year-old male suggests a diagnosis of vernal keratoconjunctivitis (VKC). VKC is a type of allergic conjunctivitis commonly seen in children and young adults, especially in warmer climates and during the spring season. The characteristic cobblestone papillae are typically found on the upper tarsal conjunctiva and indicate a chronic allergic response, which aligns with the symptoms of itchiness and photosensitivity. The severe photophobia often associated with VKC can be attributed to the inflammation of the conjunctiva and cornea, leading to sensitivity to light. This condition is known for its recurrent episodes and may have triggers such as exposure to pollen or dust. Conditions like iritis, bacterial conjunctivitis, and epidemic keratoconjunctivitis present with different symptom profiles that do not fully align with the symptoms of VKC. Iritis tends to cause pain and decreased vision along with photophobia, but it doesn't typically involve itching or cobblestone papillae. Bacterial conjunctivitis usually presents with purulent discharge and less itching compared to allergic conditions. Epidemic keratoconjunctivitis, caused by viral infection, can lead

SAMPLE

8. What total cumulative dosage of chloroquine is commonly associated with retinal toxicity?

A. 300 grams

B. 4,000 grams

C. 1,000 grams

D. 1500 grams

The total cumulative dosage of chloroquine that is commonly associated with retinal toxicity is around 300 grams. Chloroquine is an antimalarial medication that, while effective for treating malaria and certain autoimmune conditions, can lead to potential retinal damage if used over long periods or at high doses. The threshold for concern typically arises when the total cumulative dosage approaches 300 grams. Beyond this point, patients are at an increased risk of developing chloroquine-induced retinopathy, which can manifest as a range of visual disturbances and damage to the retinal pigment epithelium. Understanding this threshold is crucial for clinicians to monitor patients who are on long-term chloroquine therapy and to adjust their treatment plans as necessary to minimize the risk of retinal toxicity.

9. Coenzyme Q, vitamins A, D, E and K, and cholesterol are all derived from which of the following lipids?

A. Triglycerides

B. Phospholipids

C. Sphingolipids

D. Isoprenes and terpenes

The correct answer is that coenzyme Q, vitamins A, D, E, and K, as well as cholesterol, are derived from isoprenes and terpenes. Isoprenes are five-carbon building blocks that can polymerize to form various lipids, including terpenes, which constitute a vast class of compounds known for their roles in biological systems. Vitamins A, E, K, and coenzyme Q are categorized as terpenoids or derived from them. For instance, vitamin A (retinol) and vitamin E (tocopherol) are constructed from isoprene units, showing the significance of these structural components in their formation. Cholesterol, a sterol, also shares this isoprene-derived origin, as its structure is rooted in a series of isoprene units. While triglycerides, phospholipids, and sphingolipids serve vital functions in biological systems, they do not derive directly from isoprene or terpenes. Instead, triglycerides are composed of glycerol and fatty acids, phospholipids consist of fatty acids and a phosphate group, and sphingolipids are built from sphingosine, a long-chain amino alcohol. Thus, understanding

SAMPLE

10. Coenzyme Q, vitamins A, D, E, and K, and cholesterol are primarily derived from which type of lipids?

A. Isoprenes and terpenes

B. Triglycerides

C. Phospholipids

D. Sphingolipids

Coenzyme Q, vitamins A, D, E, and K, as well as cholesterol, are primarily classified under isoprenes and terpenes. These compounds are characterized by their structure, which includes multiple units of isoprene, a five-carbon molecule that serves as the fundamental building block for various organic substances. Isoprenes and terpenes are involved in numerous biological functions, particularly in the synthesis of important biomolecules. For instance, cholesterol is a sterol derived from isoprene units, contributing to plasma membrane structure and function, while the fat-soluble vitamins A, D, E, and K are also derived from terpenoid structures. Coenzyme Q, or ubiquinone, is vital for the electron transport chain in mitochondria and is synthesized from the same isoprene precursors. The other lipid types listed do not primarily produce these substances. Triglycerides serve mainly as energy storage forms of lipids, phospholipids are essential components of cell membranes and primarily function in structural roles, and sphingolipids are involved in signaling and membrane structure but do not produce the compounds listed in the question. Therefore, the connection of the listed compounds to isoprenes and terpenes

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://optoprepnbeo.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE