
ORTHO-K PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://orthok.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. OAD determination of ortho-K is found by taking HVID and doing what?

A. Add 1mm

B. Subtract 1mm

C. Multiply by 2

D. Divide by 2

2. Which scenario would prompt re-evaluation of lens design or fit?

A. Immediate perfect alignment with no adjustments needed.

B. A stable refraction for several months.

C. Observation of central island formation indicating under-flattening or misfit.

D. Unexpected improvement in night vision.

3. Which factor is essential for ortho-k success, enabling lens movement and stable corneal changes?

A. Tear film quality is irrelevant

B. Tear film quality can influence lens movement but not remodeling

C. Adequate tear film supports lens movement and stable remodeling

D. Tear film quality has no impact on corneal changes

4. Hydrostatic forces redistribute which substance in the corneal epithelium to compress the central cornea and thicken the mid peripheral cornea?

A. Extracellular fluid

B. Proteins

C. Lipids

D. Blood plasma

5. How is transient corneal edema related to overnight ortho-k wear, and how is it managed?

A. It is caused by excessive tearing and allergies.

B. It is caused by friction during wear.

C. It is due to systemic factors and is not related to lens wear.

D. It can occur due to hypoxia; edema usually resolves after lens removal.

SAMPLE

6. Which statement best describes a central island correction?

A. Increase diameter and Increase LZA

B. Decrease diameter and Decrease LZA

C. Decrease RZD and LZA

D. Increase RZD and OAD

7. OZD standard sizes for ortho Ks typically is ___ to __ mm?

A. 3-4

B. 4-5

C. 5-6

D. 6-7

8. Which condition is listed as a contraindication for ortho-K?

A. Corneal irregularity/disease

B. Normal cornea

C. Mild dry eye

D. Myopia progression

9. What are two common reasons for less-than-expected ortho-k results?

A. Inadequate corneal thickness or geometry and improper lens fit/design; poor patient adherence to wear schedule and hygiene.

B. Only poor adherence to wear schedule.

C. Excessive tear film production alone.

D. Genetic resistance to corneal remodeling.

10. Why are regular follow-up visits important after ortho-k fitting?

A. To ensure the lenses are replaced monthly.

B. To monitor lens fit and comfort only.

C. To schedule annual checkups regardless of symptoms.

D. To monitor lens fit, corneal response, safety, and stability of the refractive change; address complications early.

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. A
5. D
6. C
7. C
8. A
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. OAD determination of ortho-K is found by taking HVID and doing what?

A. Add 1mm

B. Subtract 1mm

C. Multiply by 2

D. Divide by 2

In ortho-K lens sizing, you use the horizontal visible iris diameter (HVID) as a reference for the overall diameter of the lens. The rule of thumb is to set the lens' overall diameter a bit smaller than the HVID to ensure the lens sits over the cornea with proper edge clearance and centration. Subtracting about 1 mm from the HVID gives a good starting OAD. This keeps the edge away from the limbus and supports stable, centered alignment of the treatment zone. Adding 1 mm would make the lens larger than the corneal reference, risking limbal contact and poor fitting behavior. Multiplying or dividing the diameter would distort the size relationship needed for proper fit, so those options don't align with how the lens is sized.

2. Which scenario would prompt re-evaluation of lens design or fit?

A. Immediate perfect alignment with no adjustments needed.

B. A stable refraction for several months.

C. Observation of central island formation indicating under-flattening or misfit.

D. Unexpected improvement in night vision.

Central island formation on corneal topography signals that the center of the cornea isn't flattening as intended by the orthokeratology treatment, leaving a localized steeper area amid a flatter surrounding zone. This pattern points to under-flattening or a lens misfit, meaning the designed treatment isn't achieving the desired central refractive change. When you see it, re-evaluating the lens design or fit is warranted: consider adjusting the base curve to increase central flattening, changing the treatment-zone diameter to improve how the lens reshapes the cornea, or reassessing centration and edge geometry to ensure proper alignment. In contrast, immediate perfect alignment, stable refraction for months, or an unexpected improvement in night vision indicate a satisfactory fit or positive adaptation and usually don't require a redesign.

3. Which factor is essential for ortho-k success, enabling lens movement and stable corneal changes?

A. Tear film quality is irrelevant

B. Tear film quality can influence lens movement but not remodeling

C. Adequate tear film supports lens movement and stable remodeling

D. Tear film quality has no impact on corneal changes

Adequate tear film quality is essential because the tears provide the slippery, hydrated layer that lets the ortho-k lens move slightly with blinking and sit consistently on the cornea. This movement is how the lens exerts the gentle, controlled pressure that reshapes the central cornea overnight. A stable tear film also helps maintain surface hydration and oxygen delivery, preventing drying spots that could alter lens fit and the pattern of corneal change. When the tear film is poor or unstable, lens movement becomes erratic or binding, leading to uneven remodeling and less predictable, less stable results. So, good tear film quality directly supports both lens movement and the stable corneal changes that ortho-k aims to achieve.

SAMPLE

4. Hydrostatic forces redistribute which substance in the corneal epithelium to compress the central cornea and thicken the mid peripheral cornea?

A. Extracellular fluid

B. Proteins

C. Lipids

D. Blood plasma

Hydrostatic forces move water, i.e., extracellular fluid, within the corneal epithelium. When pressure gradients exist, this intercellular, water-rich fluid shifts from the central region toward the mid-periphery. As a result, the center loses volume and becomes compressed, while the mid-peripheral area accumulates fluid and thickens. Blood plasma isn't present in the cornea, and proteins or lipids aren't the mobile fluid driving this change; the redistribution of the extracellular fluid is the key factor here.

5. How is transient corneal edema related to overnight ortho-k wear, and how is it managed?

A. It is caused by excessive tearing and allergies.

B. It is caused by friction during wear.

C. It is due to systemic factors and is not related to lens wear.

D. It can occur due to hypoxia; edema usually resolves after lens removal.

The key idea here is that overnight Ortho-K wear can create a hypoxic environment for the cornea, leading to transient edema. When the lens sits on the eye for many hours, the cornea may receive less oxygen than it needs, causing fluid to leak into the stroma and produce mild swelling that is usually temporary. This edema is most reliably managed by removing the lens and allowing normal oxygen levels to return to the cornea. Once the lens is out, the edema tends to resolve within hours to a day. In practice, management also focuses on preventing recurrence: using lenses with higher oxygen permeability (higher Dk/t), ensuring a proper fit to minimize mechanical compression, and limiting or adjusting overnight wear if edema signs appear. After resolution, reassessment can guide adjustments in material, fit, or wear schedule to reduce the risk of hypoxic stress in the future.

6. Which statement best describes a central island correction?

A. Increase diameter and Increase LZA

B. Decrease diameter and Decrease LZA

C. Decrease RZD and LZA

D. Increase RZD and OAD

Central island correction hinges on balancing how the treatment zone geometry redistributes corneal reshaping. A central island appears when the center is treated differently from the surrounding ring, leaving a localized area of the cornea with a different curvature after lens wear. To address this, the design parameters that control how much power is applied in the central zone and how far that influence extends must be adjusted. Decreasing the radius of the treatment zone (RZD) reduces the extent of central influence, and lowering the landing/clearance area (LZA) further limits how much peripheral power reaches toward the center. Together, these adjustments lessen the central differential that creates the island and promote a more uniform central flattening. Increasing either dimension or expanding the optical zone would spread the lens power more broadly and is more likely to maintain or worsen the central island pattern.

SAMPLE

7. OZD standard sizes for ortho Ks typically is ___ to __ mm?

A. 3-4

B. 4-5

C. 5-6

D. 6-7

In orthokeratology, the optical zone diameter is the central area of the cornea that gets reshaped to create the refractive correction. A common, sensible range for this corrected zone is five to six millimeters. This size strikes a balance: it is large enough to cover the central area that contributes most to vision under typical lighting, helping maintain good visual quality and reduce halos, while still being small enough to allow the corneal reshaping to achieve the desired myopic correction without overextending the treatment zone. If the zone is smaller, you mainly increase edge-related aberrations and potential glare; if it's larger, the design and the amount of corneal change required become less practical for standard ortho-k fits. Thus, five to six millimeters is the standard range.

8. Which condition is listed as a contraindication for ortho-K?

A. Corneal irregularity/disease

B. Normal cornea

C. Mild dry eye

D. Myopia progression

Corneal integrity and a smooth, regular surface are essential for orthokeratology because the reshaping effect depends on a uniform corneal plane being gently compressed by the overnight lens. When the cornea has irregularities or disease, the lens cannot produce a predictable, even central flattening. Fit becomes unstable or decentered, and the refractive change can be inconsistent or unpredictable. There's also a higher risk of epithelial disruption, staining, and potential progression of ectasia in susceptible corneas. For these reasons, corneal irregularity or disease is a contraindication. In a normal cornea, the reshaping is more predictable and safer. Mild dry eye can be managed and does not inherently rule out ortho-K, and progression of myopia isn't itself a contraindication and can be an area where ortho-K is considered for its potential benefits.

9. What are two common reasons for less-than-expected ortho-k results?

A. Inadequate corneal thickness or geometry and improper lens fit/design; poor patient adherence to wear schedule and hygiene.

B. Only poor adherence to wear schedule.

C. Excessive tear film production alone.

D. Genetic resistance to corneal remodeling.

The main idea here is that ortho-k outcomes depend on both the eye's inherent shape and the lens's ability to shape it, plus the patient's consistency in wearing and caring for the lenses. If the cornea isn't thick enough or its curvature/geometry isn't suitable, there isn't enough tissue to support the intended central flattening, so the reshaping effect will be limited or uneven. Even with an adequately shaped cornea, the lens design and fit must achieve precise centration and adequate applanation pressure; a poorly fitting lens (wrong sag, edge design, or decentration) can reduce the amount of reshaping or cause irregular astigmatism, leading to less-than-expected results. Adherence matters because the remodeling relies on consistent, appropriate wear—overnight or as prescribed—and proper hygiene to maintain lens surface and behavior. When wear time is insufficient or hygiene is neglected, the remodeling process is blunted and results fall short of targets. Other factors like excessive tear production or a notion of genetic "resistance" to remodeling are not typical causes of under-correction in routine ortho-k practice.

SAMPLE

10. Why are regular follow-up visits important after ortho-k fitting?

A. To ensure the lenses are replaced monthly.

B. To monitor lens fit and comfort only.

C. To schedule annual checkups regardless of symptoms.

D. To monitor lens fit, corneal response, safety, and stability of the refractive change; address complications early.

Regular follow-up visits after ortho-k fitting focus on how the cornea responds to reshaping, how the lenses fit over time, safety, and the stability of the achieved refractive change. By checking lens fit, centration, edge alignment, and movement, the clinician ensures the lenses stay positioned correctly and comfortably. They also watch the corneal response—how the epithelium remodels, any staining or swelling, and overall corneal health—to confirm the reshaping is progressing as planned and to detect early signs of over- or under-correction. Safety checks look for irritation, dryness, hypoxia, or infection so problems can be addressed promptly. Finally, verifying that the refractive change remains stable helps determine if the current lenses continue to produce the desired effect or if adjustments are needed. The goal is early detection and management of complications to protect vision and comfort. Replacing lenses monthly isn't the primary purpose, and focusing only on fit or on annual checks without symptom-driven monitoring can miss evolving issues.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://orthok.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE