ORTHOPEDIC CERTIFIED SPECIALIST (OCS) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://orthopedicocs.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **In what situation would a physical therapist suspect acute compartment syndrome?**
   - A. Moderate swelling without pain
   - B. Pain out of proportion to injury
   - C. Stable range of motion with mild discomfort
   - D. Absence of sensation in the toes

2. **What is an example of an impairment related to Achilles tendinopathy?**
   - A. Pain during rest.
   - B. Decreased ability to perform unilateral heel raises due to pain.
   - C. Inability to participate in family gatherings.
   - D. Osteoarthritis in the ankle joint.

3. **What is another name for the Waiting Room Sign?**
   - A. Bakody Sign
   - B. Spurling Sign
   - C. Adson's Sign
   - D. Finkelstein's Sign

4. **What is the implication of a high specificity in a diagnostic test?**
   - A. It accurately identifies those without the condition
   - B. It indicates a high false-negative rate
   - C. It confirms the presence of a chronic condition
   - D. It helps to rule out alternative diagnoses

5. **In the case of a positive Adson's test, what is likely indicated?**
   - A. Disc herniation
   - B. Potential neural entrapment by the scalene muscles
   - C. Shoulder impingement
   - D. Rotator cuff tear

SAMPLE

6. What condition is characterized by anterior wedging of the affected vertebrae and thoracic kyphosis?

A. Osteoporosis

B. Scheuermann's Disease

C. Spinal stenosis

D. Degenerative disc disease

7. What distinguishes a positive Prone Instability Test?

A. Pain is consistent regardless of leg position

B. Pain subsides when lifting the legs off the floor

C. Pain persists with added pressure in all positions

D. Pain is only observed when using a standing position

8. When assessing a patient post-operatively for signs of DVT, which symptom is vital to monitor?

A. Wound healing

B. Joint mobility

C. Calf swelling and tenderness

D. Muscle strength

9. What does an ultrasound typically confirm in suspected cases of septic arthritis?

A. Presence of a fluid collection

B. Bone spurs

C. Joint degeneration

D. Ligament tears

10. How is derangement syndrome classified according to the McKenzie system?

A. Intermittent pain presentation

B. Constant pain presentation

C. Occasional pain presentation

D. Variable pain presentation

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. A
5. B
6. B
7. B
8. C
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. In what situation would a physical therapist suspect acute compartment syndrome?

A. Moderate swelling without pain

B. Pain out of proportion to injury

C. Stable range of motion with mild discomfort

D. Absence of sensation in the toes

Acute compartment syndrome is a serious condition that occurs when elevated pressure within an enclosed muscle compartment compromises the circulation and function of the tissues within that space. The hallmark sign of this condition is severe pain that is disproportionate to the degree of injury. In the context of potential compartment syndrome, the presence of pain that feels excessive relative to the observed trauma serves as a key indicator. This discomfort typically intensifies with passive stretching of the affected muscles, indicating that the muscle tissues are under stress due to increased intracompartmental pressure. While other symptoms, such as swelling and absence of sensation, can be associated with compartment syndrome, they do not specifically indicate the acute condition as clearly as disproportionately severe pain does. For example, moderate swelling without pain might suggest a less severe injury, and stable range of motion accompanied by mild discomfort is generally not an indication of compartment syndrome. Similarly, an absence of sensation in the toes could point to neurological issues or vascular problems but does not definitively signal acute compartment syndrome on its own. Therefore, recognizing the intense pain, particularly if it exceeds what would be expected from the injury, is crucial for suspecting this difficult-to-diagnose condition.

2. What is an example of an impairment related to Achilles tendinopathy?

A. Pain during rest.

B. Decreased ability to perform unilateral heel raises due to pain.

C. Inability to participate in family gatherings.

D. Osteoarthritis in the ankle joint.

The chosen answer, which highlights the decreased ability to perform unilateral heel raises due to pain, directly relates to the functional aspects of impairment that characterize Achilles tendinopathy. This condition typically manifests as pain and discomfort in the Achilles tendon, particularly during activities that place stress on the tendon, such as heel raises. Difficulty in performing unilateral heel raises illustrates a physical limitation related to pain and weakened function in the affected area, which is a hallmark of this type of tendinopathy. This answer effectively captures the essence of an impairment, which involves a restriction in the body's ability to perform an activity or task. The inability to perform specific movements, such as heel raises, can greatly impact an individual's physical performance, particularly in activities that require strength and mobility of the lower limb. The other options do not accurately represent the specific type of impairment associated with Achilles tendinopathy. While pain during rest may occur in various conditions, Achilles tendinopathy typically involves pain during weight-bearing activities rather than at rest. Inability to participate in family gatherings addresses a broader lifestyle impact and is more related to activity limitations than direct physical impairment. Lastly, osteoarthritis in the ankle joint could be a separate orthopedic condition and does not directly reflect the impairments caused by Achilles tendinopathy itself

SAMPLE

3. What is another name for the Waiting Room Sign?

A. Bakody Sign

B. Spurling Sign

C. Adson's Sign

D. Finkelstein's Sign

The Waiting Room Sign is also known as the Bakody Sign. This sign is observed in patients with cervical radiculopathy, particularly when there is nerve root compression. The test involves the patient elevating their arm to rest their fingers on their head. This position reduces the tension on the affected nerve root and can provide temporary relief of symptoms, which is characteristic of this sign. Observing relief of pain while in this position suggests the presence of nerve root involvement. The other options refer to different orthopedic tests or signs: the Spurling Sign is used to assess for cervical nerve root compression by applying pressure to the top of the head while the neck is extended and rotated; Adson's Sign tests for thoracic outlet syndrome by observing the radial pulse while the patient rotates their head towards the tested arm; and Finkelstein's Sign evaluates for de Quervain's tenosynovitis, where the patient experiences pain with a specific wrist movement. Each of these signs addresses different clinical conditions and is not synonymous with the Waiting Room Sign.

4. What is the implication of a high specificity in a diagnostic test?

A. It accurately identifies those without the condition

B. It indicates a high false-negative rate

C. It confirms the presence of a chronic condition

D. It helps to rule out alternative diagnoses

A diagnostic test with high specificity means that it is very effective at accurately identifying individuals who do not have the condition in question. In other words, a highly specific test will yield few false-positive results, indicating that when the test result is negative, it is likely to be a true negative. This is particularly important in clinical settings where reassurance is required for those who do not have the condition, thereby effectively ruling out the presence of the disease. High specificity does not relate directly to the false-negative rate, chronic conditions, or ruling out alternative diagnoses. The concept of specificity inherently focuses on correctly identifying negative cases, making the assertion that it indicates those without the condition the most accurate reflection of what high specificity means in a diagnostic context. Thus, a test with high specificity can be trusted to confirm that a negative result likely indicates the absence of the condition in question.

SAMPLE

5. In the case of a positive Adson's test, what is likely indicated?

A. Disc herniation

B. Potential neural entrapment by the scalene muscles

C. Shoulder impingement

D. Rotator cuff tear

A positive Adson's test is primarily associated with thoracic outlet syndrome, particularly indicating potential neural entrapment by the scalene muscles. This test is performed to assess the presence of neurovascular compression in the thoracic outlet, where the brachial plexus and subclavian vessels may be compressed by anatomical structures such as the scalene muscles. When the arm is extended and the patient turns their head towards the tested side, a diminished or absent radial pulse suggests that the neurovascular bundle could be compromised, often due to tightness or hypertrophy of the scalene muscles. This compression can lead to neurological symptoms like pain, numbness, and tingling in the upper extremity due to irritation or entrapment of the nerves. In contrast, other conditions such as disc herniations, shoulder impingement, or rotator cuff tears don't typically present with the symptoms or clinical findings that the Adson's test is designed to identify. Each of those conditions has its specific tests and signs that are more indicative of their respective pathologies. Thus, the association of a positive Adson's test reliably points toward the complications related to the scalene muscles and thoracic outlet syndrome.

6. What condition is characterized by anterior wedging of the affected vertebrae and thoracic kyphosis?

A. Osteoporosis

B. Scheuermann's Disease

C. Spinal stenosis

D. Degenerative disc disease

The condition characterized by anterior wedging of the affected vertebrae and thoracic kyphosis is Scheuermann's Disease. This condition, often seen in adolescents, leads to abnormal growth of the thoracic vertebrae, resulting in a kyphotic posture due to the wedging of the vertebrae in the front. As a result, the spine adapts with a noticeable increase in thoracic curvature, which can lead to pain and discomfort during activities. The specific nature of the vertebral changes in Scheuermann's Disease, including the wedging, distinguishes it from other conditions described in the options. For example, while osteoporosis can lead to vertebral compression fractures, it does not primarily cause the characteristic pattern of wedging associated with Scheuermann's. Conversely, spinal stenosis typically involves narrowing of the spinal canal and presents with different symptoms such as leg pain, and degenerative disc disease is associated with disc degeneration rather than vertebral wedging. Thus, the distinct symptoms and changes in vertebral morphology make Scheuermann's Disease the correct answer.

SAMPLE

7. What distinguishes a positive Prone Instability Test?

A. Pain is consistent regardless of leg position

B. Pain subsides when lifting the legs off the floor

C. Pain persists with added pressure in all positions

D. Pain is only observed when using a standing position

A positive Prone Instability Test is characterized by a reduction in pain when the legs are lifted off the floor, indicating that the lumbar spine's stability increases when the lower extremities are off the ground. This change occurs because elevating the legs modifies the load on the lumbar spine and engages the core stabilizing muscles, leading to a decrease in discomfort associated with instability. In this test, the clinician assesses the patient's pain response while they are in a prone position. If pain is experienced while lying prone but subsides when the legs are lifted, it signifies a positive test result, suggesting that there is a degree of lumbar instability. The test emphasizes the importance of lumbar support provided by active stabilization as compared to a passive position. The other choices do not represent the mechanism evaluated in the Prone Instability Test. For instance, the persistence of pain regardless of leg position indicates ongoing instability but does not confirm the specific change in stability associated with leg elevation. Similarly, observing pain only in a standing position is not relevant to the test itself, which specifically examines the prone position. Lastly, pain persisting with added pressure contradicts the principle of stabilizing the lumbar spine through activation of supportive musculature, which is the crux of why the correct answer is

8. When assessing a patient post-operatively for signs of DVT, which symptom is vital to monitor?

A. Wound healing

B. Joint mobility

C. Calf swelling and tenderness

D. Muscle strength

Monitoring for signs of deep vein thrombosis (DVT) post-operatively is critical, especially given the potential for serious complications that can arise if DVT leads to a pulmonary embolism. Calf swelling and tenderness are particularly important symptoms to observe, as they are classic indicators of DVT. When assessing a patient, the presence of unilateral swelling or tenderness in the calf can suggest thrombosis in the deep veins of the leg, which is where DVT typically occurs. An increase in size or warmth in one leg compared to the other, combined with tenderness, raises concern and warrants further investigation, such as Doppler ultrasound, to confirm or rule out the presence of a clot. While wound healing, joint mobility, and muscle strength are certainly important factors to assess in a post-operative patient, they do not provide the same direct information regarding the risk of DVT. Wound healing is focused on surgical site recovery, joint mobility addresses rehabilitation progress, and muscle strength pertains to overall functional recovery. However, these factors do not directly indicate a thrombotic condition that needs immediate attention, making calf swelling and tenderness the vital symptom to monitor in this context.

SAMPLE

9. What does an ultrasound typically confirm in suspected cases of septic arthritis?

A. Presence of a fluid collection

B. Bone spurs

C. Joint degeneration

D. Ligament tears

An ultrasound is particularly useful in the evaluation of suspected septic arthritis because it can effectively identify the presence of a fluid collection within the joint space. In cases of septic arthritis, the joint often becomes inflamed and filled with pus or other fluid due to an infection, and ultrasound is a non-invasive imaging modality that allows practitioners to visualize this fluid accumulation without requiring more invasive procedures such as arthrocentesis or MRI. The ability to detect a fluid collection is crucial for diagnosis, as it often necessitates further intervention, such as aspiration or drainage, to both confirm the diagnosis through synovial fluid analysis and to alleviate symptoms caused by the fluid buildup. In cases of septic arthritis, prompt identification and management of the fluid collection can be vital for preventing joint damage and addressing the underlying infection effectively. While the other options may be relevant in different contexts, they are not typically confirmed by ultrasound in suspected cases of septic arthritis. Bone spurs, joint degeneration, and ligament tears involve different pathological processes and may require other imaging techniques or assessments for confirmation.

10. How is derangement syndrome classified according to the McKenzie system?

A. Intermittent pain presentation

B. Constant pain presentation

C. Occasional pain presentation

D. Variable pain presentation

In the McKenzie system of classification, derangement syndrome is recognized as a condition where there is internal disruption of a joint or soft tissue, leading to a change in the normal position of structures. This syndrome characteristically presents with constant pain. This means that the pain experienced by the patient is persistent and often does not significantly vary throughout the day or with different activities. Constant pain indicates that the patient's functional capacity is compromised due to the ongoing presence of discomfort, and symptoms do not resolve quickly with rest or changes in position. This is a hallmark feature of derangement syndromes and aligns with the concept that the pain is linked to a mechanical block or displacement rather than being purely muscular or related to posture, which might present differently. In contrast, intermittent pain presentations are associated with conditions where symptoms come and go, such as in other syndromes categorized by the McKenzie model, but they do not accurately reflect the nature of derangement syndrome.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://orthopedicocs.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE