
ORTHOPEDIC NURSE CERTIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://orthopedicnurse.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **How does increased pressure in a compartment affect surrounding tissues?**

   A. Increases flexibility of the fascia

   B. Cuts off circulation to the muscle

   C. Encourages muscle regeneration

   D. Improves nerve function

2. **Which factor is considered a biological predisposition for fractures?**

   A. Age

   B. Angle of force applied

   C. Participating in extreme sports

   D. Duration of force

3. **Which diagnostic test is considered the gold standard for detecting pulmonary embolism?**

   A. D-dimer test

   B. CT angiogram

   C. V/Q lung scan

   D. X-ray

4. **Which scoring factor is NOT considered in the MESS evaluation?**

   A. Amount of injury to bone and soft tissue

   B. Extent of neurological damage

   C. Age of the patient

   D. Degree of blood supply affected

5. **What is the most common wrist fracture resulting from falling on an outstretched hand?**

   A. Scaphoid fracture

   B. Colles' fracture

   C. Smith's fracture

   D. Distal ulnar fracture

SAMPLE

6. What type of fracture can occur from falling in a straddle position?

A. Patellar fracture

B. Dashboard fracture

C. Straddle fracture

D. Greenstick fracture

7. Which of the following is NOT a treatment option for osteoporosis?

A. Regular weight-bearing exercise

B. Smoking cessation

C. Increasing caffeine intake

D. Calcium supplementation

8. What is the primary benefit of patient education before surgery?

A. Minimizes surgical anxiety

B. Eliminates the need for anesthesia

C. Increases recovery speed

D. Reduces the risk of infection

9. How should an orthopedic nurse educate a patient about the care of an extremity in a cast?

A. Keep the cast dry, elevate the limb, and report discomfort/odor

B. Remove the cast for short periods daily

C. Soak the cast in warm water to keep it clean

D. Use a heating pad to relieve swelling

10. What diagnostic test is considered the best for predicting the outcome of an amputation?

A. Doppler ultrasound

B. Transcutaneous oxygen pressure determination

C. Angiogram

D. Laser Doppler flowmetry

SAMPLE

Answers

SAMPLE

1. B
2. A
3. C
4. B
5. B
6. C
7. C
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. How does increased pressure in a compartment affect surrounding tissues?

A. Increases flexibility of the fascia

B. Cuts off circulation to the muscle

C. Encourages muscle regeneration

D. Improves nerve function

Increased pressure in a compartment affects surrounding tissues primarily by cutting off circulation to the muscle. When the pressure within a compartment rises, it compresses blood vessels and restricts blood flow. This diminished circulation means that essential nutrients and oxygen cannot reach the muscle tissues, leading to ischemia. As a result, the affected muscle may become weakened, experience pain, or even suffer necrosis if the pressure is not relieved in a timely manner. The other options do not accurately reflect the consequences of increased compartment pressure. For instance, increased pressure does not enhance the flexibility of the fascia, nor does it promote muscle regeneration or improve nerve function. Instead, the adverse effects of elevated pressure disrupt normal physiological functions and can lead to serious complications if left unaddressed.

2. Which factor is considered a biological predisposition for fractures?

A. Age

B. Angle of force applied

C. Participating in extreme sports

D. Duration of force

Age is considered a biological predisposition for fractures due to the natural changes that occur in bone density and strength as individuals grow older. As people age, bones typically lose mineral content, leading to osteoporosis and making them more susceptible to fractures even from minor falls or impacts. The decrease in muscle mass and strength that can accompany aging also contributes to a higher risk of falls and subsequently, fractures. In contrast, while factors like the angle and duration of force applied and participation in extreme sports can increase the risk of fractures, these are mostly related to environmental and lifestyle factors rather than biological predisposition.

3. Which diagnostic test is considered the gold standard for detecting pulmonary embolism?

A. D-dimer test

B. CT angiogram

C. V/Q lung scan

D. X-ray

The gold standard for detecting pulmonary embolism is widely recognized as the CT angiogram. This imaging technique allows for visualizing blood flow in the pulmonary arteries and can identify the presence of clots in a highly sensitive and specific manner. The CT angiogram uses contrast material and advanced imaging technology to create detailed images of the blood vessels, making it possible to pinpoint obstructions caused by emboli. In contrast, while the D-dimer test is a useful blood test that can indicate the presence of an abnormal clotting process in the body, it is not specific and can yield false positives due to various benign conditions. The V/Q lung scan evaluates the ventilation and perfusion of the lungs and is an alternative method for assessing pulmonary embolism, but it is less definitive and has been largely replaced by CT angiography in many clinical situations. X-ray imaging also plays a role in evaluating patients with suspected pulmonary issues, but it typically does not provide sufficient detail to diagnose pulmonary embolism effectively. Thus, the CT angiogram stands out as the most definitive and accurate test for this condition.

SAMPLE

4. Which scoring factor is NOT considered in the MESS evaluation?

A. Amount of injury to bone and soft tissue

B. Extent of neurological damage

C. Age of the patient

D. Degree of blood supply affected

The MESS (Mangled Extremity Severity Score) evaluation is a tool used to assess the severity of injury in cases of traumatic limb trauma. It assists clinicians in determining the need for intervention, such as surgical management, by analyzing various factors. The correct factor that is not included in the MESS evaluation is related to the extent of neurological damage. While neurological status can be important in trauma assessments, it is not explicitly incorporated into the MESS scoring system, which focuses on the physical aspects of the injury, such as the amount of damage to bone and soft tissue, the age of the patient, and the degree of blood supply affected to determine potential outcomes and the urgency of treatment. The other factors—amount of injury to bone and soft tissue, age of the patient, and degree of blood supply affected—are all crucial components of the MESS. The amount of injury helps assess the overall severity of the trauma, the patient's age can influence healing and recovery potential, and the degree of blood supply indicates the viability of the limb, which is critical when making treatment decisions in trauma scenarios.

5. What is the most common wrist fracture resulting from falling on an outstretched hand?

A. Scaphoid fracture

B. Colles' fracture

C. Smith's fracture

D. Distal ulnar fracture

The most common wrist fracture resulting from falling on an outstretched hand is indeed a Colles' fracture. This injury typically occurs when a person attempts to break their fall with an extended wrist, leading to a fracture of the distal radius, which is commonly located about an inch proximal (closer to the body) to the wrist joint. In a Colles' fracture, the fracture fragment is often displaced dorsally (toward the back of the hand), causing the characteristic "dinner fork" appearance of the wrist. This type of fracture is prevalent among older adults, particularly women with osteoporosis, but can happen to anyone who falls in a similar manner. While other types of fractures listed may occur in various scenarios, they are not as commonly associated with the mechanism of falling on an outstretched hand. For example, a scaphoid fracture can occur from a similar fall, but it is less frequent due to the specific mechanics of how the wrist is impacted. Smith's fractures result from a fall on a flexed wrist and involve a fracture of the distal radius that is displaced volarly (toward the palm), while distal ulnar fractures usually occur in isolation or in conjunction with other injuries rather than as a direct result of a

SAMPLE

6. What type of fracture can occur from falling in a straddle position?

A. Patellar fracture

B. Dashboard fracture

C. Straddle fracture

D. Greenstick fracture

A straddle fracture is a specific type of injury that occurs when a person falls in a position where they land on the perineum or straddle an object, such as a hard surface or equipment. This type of fall exerts a force on the pelvic region, particularly affecting the pubic symphysis and potentially compromising the surrounding structures, leading to fractures in that area. The correct identification of a straddle fracture highlights the mechanism of injury associated with such falls. It is essential to recognize this type of fracture among others, as it specifically relates to the impact and anatomical region involved, leading to distinct clinical considerations and management. While the other options relate to different types of fractures – such as a patellar fracture, which typically occurs from a direct blow to the knee, a dashboard fracture associated with flexion and impact during vehicular accidents, and a greenstick fracture that occurs predominantly in children due to bending forces – they do not encompass the specific mechanism and site of injury that defines a straddle fracture. Understanding these distinctions is crucial for accurate diagnosis and appropriate treatment in orthopedic nursing.

7. Which of the following is NOT a treatment option for osteoporosis?

A. Regular weight-bearing exercise

B. Smoking cessation

C. Increasing caffeine intake

D. Calcium supplementation

Increasing caffeine intake is not a treatment option for osteoporosis because high caffeine consumption can actually contribute to bone loss. Caffeine has been shown to interfere with calcium absorption and may lead to lower bone density when consumed in excess. Instead, effective treatments for osteoporosis focus on enhancing bone health and strength, which includes options like regular weight-bearing exercise to stimulate bone formation, smoking cessation to eliminate the detrimental effects of tobacco on bone health, and calcium supplementation to ensure adequate levels of this essential mineral for bone maintenance. These approaches work together to improve bone density and reduce the risk of fractures in individuals with osteoporosis.

8. What is the primary benefit of patient education before surgery?

A. Minimizes surgical anxiety

B. Eliminates the need for anesthesia

C. Increases recovery speed

D. Reduces the risk of infection

The primary benefit of patient education before surgery is that it minimizes surgical anxiety. Understanding the procedure, what to expect pre- and post-operatively, and the steps involved can significantly alleviate fears and uncertainties that patients may have. When patients are informed about their surgery, they often feel more secure and confident, which can lead to a more positive surgical experience. Additionally, reducing anxiety can have physiological benefits such as lowering stress hormones that might otherwise negatively impact healing and recovery. When patients feel empowered through knowledge, they are more likely to engage positively with healthcare providers, follow pre-operative instructions, and fully participate in their care, all of which contribute to better outcomes. In contrast, while increasing recovery speed, reducing infection risk, or completely eliminating the need for anesthesia are important aspects of surgical care, these do not directly stem from the education the patient receives prior to surgery. Patient education specifically targets the emotional and mental preparation aspect, primarily aimed at minimizing anxiety.

SAMPLE

9. How should an orthopedic nurse educate a patient about the care of an extremity in a cast?

A. Keep the cast dry, elevate the limb, and report discomfort/odor

B. Remove the cast for short periods daily

C. Soak the cast in warm water to keep it clean

D. Use a heating pad to relieve swelling

The proper care of an extremity in a cast is vital for promoting healing and preventing complications. Keeping the cast dry is essential because moisture can weaken the material and lead to skin irritation or infections. Elevating the limb helps reduce swelling by promoting venous return, which is important to avoid complications such as compartment syndrome. Reporting any discomfort or unusual odors is crucial as these could indicate problems like cast tightness or infection, which require immediate medical attention. Therefore, this approach provides clear and practical guidance that supports the patient's recovery while ensuring their safety. The other choices involve actions that could compromise the effectiveness and integrity of the cast, ultimately leading to complications, which is why they are not appropriate for patient education in this context.

10. What diagnostic test is considered the best for predicting the outcome of an amputation?

A. Doppler ultrasound

B. Transcutaneous oxygen pressure determination

C. Angiogram

D. Laser Doppler flowmetry

Transcutaneous oxygen pressure determination is a valuable diagnostic test for predicting the outcome of an amputation due to its ability to assess tissue perfusion and oxygenation at the site of a limb. This test measures the partial pressure of oxygen in the skin; low levels can indicate poor blood flow and inadequate oxygen delivery to the tissues, which are critical factors in healing after an amputation. Consequently, if the transcutaneous oxygen levels are below a certain threshold, it can suggest that the site might not heal well post-amputation, potentially leading to complications or the need for further interventions. In contrast, other tests like Doppler ultrasound and angiogram primarily provide information about blood flow but may not directly correlate with the healing capacity of the tissue itself. Laser Doppler flowmetry also measures blood flow, but it does so in a way that may not be as reliable for predicting healing outcomes compared to transcutaneous oxygen measurements. Therefore, transcutaneous oxygen pressure determination stands out as a specific and predictive measure for assessing the viability of tissue leading up to and following an amputation.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://orthopedicnurse.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE