OSFM BASIC FIREFIGHTER OPERATIONS (BFO) MODULE B PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://osfmbfomodb.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. During an oriented search, how many searchers typically accompany the officer?

A. 1

B. 2-3

C. 4-5

D. No searchers

2. What is the primary goal of an offensive attack in firefighting?

A. To evacuate the building

B. To apply water directly to extinguish the fire

C. To quickly gain control of the fire

D. To assess the damage

3. What components make up a municipal water system?

A. Water source, treatment plant, distribution system

B. Water source, hydrant system, drainage system

C. Water source, pump stations, distribution network

D. Water treatment, firefighting, sanitation systems

4. How much ladder length is typically required above a roofline for stability?

A. 2 feet

B. 3 feet

C. 4 feet

D. 5 feet

5. What is the main difference between a dry standpipe and a wet standpipe?

A. Dry: contains a built-in water supply

B. Wet: fire department supplies all water

C. Dry: fire department supplies all water

D. Wet: contains a built-in water supply

6. Which hose loads are not suitable for large-diameter hose (LDH)?

A. Horseshoe and accordion

B. Stacked load and flat load

C. Triple load and donut load

D. Single load and cross load

SAMPLE

7. What is the goal of salvage efforts during firefighting?

A. To completely extinguish all visible flames

B. To reduce secondary losses from smoke and water

C. To save structural integrity of buildings

D. To prevent flashovers in confined spaces

8. Where should a positive vent fan NOT be placed?

A. In a corner of the room

B. Facing the exterior of the building

C. In an area with high heat

D. Where it is blowing against the wind

9. What does the abbreviation "gpm" stand for in firefighting water flow?

A. Gallons per minute

B. Gallons per measure

C. Gauges per minute

D. Gas per minute

10. What is one major factor that affects convection currents during natural ventilation?

A. The size of the building

B. Humidity levels in the air

C. Wind speed and direction

D. Floor plan of the structure

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. C
5. C
6. A
7. B
8. D
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. During an oriented search, how many searchers typically accompany the officer?

A. 1

B. 2-3

C. 4-5

D. No searchers

In an oriented search, the structure of the team is critical for ensuring efficient and effective search operations. Typically, an officer leads the search, and having 2 to 3 additional searchers accompanying them allows for a proper division of responsibilities and maximizes coverage of the area being searched. This team setup promotes safety, as searchers can communicate more effectively and maintain awareness of their surroundings when in a small group. The officer can concentrate on coordinating the search and directing efforts while the searchers actively look for victims or hazards. Additionally, this number of searchers allows for the establishment of a buddy system, which is a key safety practice in firefighting operations, ensuring that no one is left alone and assistance can be provided quickly if needed. Having too few searchers would limit the amount of area effectively covered and could reduce the overall safety of personnel involved. Conversely, having too many searchers can lead to confusion, impede movement, and complicate communication. Therefore, the composition of 2 to 3 searchers accompanying the officer is optimal for conducting a thorough and systematic oriented search.

2. What is the primary goal of an offensive attack in firefighting?

A. To evacuate the building

B. To apply water directly to extinguish the fire

C. To quickly gain control of the fire

D. To assess the damage

The primary goal of an offensive attack in firefighting is to quickly gain control of the fire. An offensive approach focuses on attacking the fire directly to prevent it from spreading and to protect both life and property. This tactic is implemented with the intention of rapidly reducing the fire's intensity and ultimately extinguishing it. When firefighters engage in an offensive attack, they typically deploy strategies that involve maximizing their resources, such as water and tools, to target the fire directly. This ability to take aggressive action helps to minimize damage, enhance safety for occupants, and expedites the overall firefighting effort. Other approaches like evacuating the building, applying water directly to extinguish the fire, or assessing damage are important tactics, but they do not encapsulate the overall objective of the offensive attack. While these actions may be necessary in certain situations, the essence of an offensive attack is to swiftly regain control over the fire situation.

SAMPLE

3. What components make up a municipal water system?

A. Water source, treatment plant, distribution system

B. Water source, hydrant system, drainage system

C. Water source, pump stations, distribution network

D. Water treatment, firefighting, sanitation systems

The components that make up a municipal water system include a water source, treatment plant, and distribution system. The water source is fundamental, as it provides the raw water that is necessary for the entire system. This can come from various sources such as rivers, lakes, or underground aquifers. Once the water is sourced, the treatment plant processes it to ensure it meets safety and quality standards for consumption and use. This treatment might include filtration, disinfection, and other processes that make the water potable. Finally, the distribution system is critical as it is the network of pipes, valves, and storage facilities that delivers the treated water to households and businesses within the municipality. This network ensures that clean water is accessible where it is needed. In contrast, other options may mention components that are important for specific functions, such as firefighting or sanitation, but they do not encapsulate the complete structure of a municipal water system as comprehensively as the correct answer does. Thus, the trio of water source, treatment plant, and distribution system accurately reflects the essential components necessary for a functional municipal water supply.

4. How much ladder length is typically required above a roofline for stability?

A. 2 feet

B. 3 feet

C. 4 feet

D. 5 feet

In firefighting operations, securing a ladder's stability when placed against a structure is crucial for the safety of both the firefighters operating on it and those who may need rescue. To ensure this stability, it is generally recommended that the ladder extends a minimum of 3 to 5 feet above the roofline. The correct answer, which is 4 feet, strikes a balance by providing adequate clearance for a firefighter to safely transition onto the roof while also allowing for the ladder to remain stable and secure against the surface. This additional length above the roofline helps prevent the risk of the ladder slipping or moving while personnel are climbing on or off. The guideline is based on practical experience and safety considerations, ensuring that firefighters can safely access the roof or any upper level they need to reach without compromising their safety during such maneuvers.

5. What is the main difference between a dry standpipe and a wet standpipe?

A. Dry: contains a built-in water supply

B. Wet: fire department supplies all water

C. Dry: fire department supplies all water

D. Wet: contains a built-in water supply

The main distinction between a dry standpipe and a wet standpipe lies in their water supply systems and applications. A dry standpipe is designed to be empty of water until it is used; it typically relies on firefighting personnel to supply water from their apparatus. In contrast, a wet standpipe system is always charged with water and provides an immediate water supply directly within the standpipe itself. In the context of the choices, the correct understanding is that the dry standpipe does not contain any water supply itself, and firefighters must provide water to the system when needed. This is particularly advantageous in freezing conditions or environments where the risk of water damage is significant. The wet standpipe, being continuously charged with water, allows for instant use in emergencies, facilitating quicker response times. Understanding this difference is crucial for firefighters in determining which type of standpipe system to utilize based on the conditions and requirements of a given incident.

SAMPLE

6. Which hose loads are not suitable for large-diameter hose (LDH)?

A. Horseshoe and accordion

B. Stacked load and flat load

C. Triple load and donut load

D. Single load and cross load

The horseshoe and accordion hose loads are not suitable for large-diameter hose (LDH) primarily due to the physical characteristics and operational requirements of LDH. Large-diameter hose is typically larger and heavier, which makes certain types of hose loads less practical for deployment and management during fire operations. The horseshoe load, which requires careful handling and manipulation, may prove cumbersome with the weight of LDH, thus making it challenging to deploy quickly in emergency situations. Similarly, the accordion load, which involves folding the hose back upon itself in layers, can create awkward handling and deployment issues as the size and bulk of LDH lead to complications in maneuvering. In contrast, the other options listed—such as stacked load, flat load, triple load, donut load, single load, and cross load—are more adaptable to the attributes of large-diameter hose. These types of loads can often provide better control, stability, and ease of deployment, which are crucial in firefighting scenarios involving larger volumes of water and maintaining sufficient flow rates.

7. What is the goal of salvage efforts during firefighting?

A. To completely extinguish all visible flames

B. To reduce secondary losses from smoke and water

C. To save structural integrity of buildings

D. To prevent flashovers in confined spaces

The goal of salvage efforts during firefighting is primarily focused on reducing secondary losses from smoke and water. When firefighters respond to a blaze, their actions are not only aimed at extinguishing the flames but also at minimizing the damage caused by the firefighting process itself, which can include significant water damage from suppression efforts and smoke infiltration into unaffected areas. Effective salvage operations involve protective measures, such as covering belongings and furniture, utilizing chutes to direct water runoff, and efficiently managing the interior temperature to limit smoke spread. These measures help to preserve property and reduce overall damage that may result from both fire and firefighting activities. While extinguishing visible flames is critical, it does not encapsulate the broader objectives of salvage operations. Maintaining structural integrity is certainly important, but it is a different focus than the goal of reducing secondary losses. Preventing flashovers is a concern during firefighting tactics, particularly in confined spaces, but it is not the primary aim of salvage efforts. Therefore, the essence of salvage during firefighting is about protecting property and minimizing losses post-incident.

SAMPLE

8. Where should a positive vent fan NOT be placed?

A. In a corner of the room

B. Facing the exterior of the building

C. In an area with high heat

D. Where it is blowing against the wind

A positive vent fan should not be placed where it is blowing against the wind because this can significantly hinder its effectiveness. The purpose of a positive vent fan is to create airflow that helps to remove heat, smoke, and toxic gases from a structure during a firefighting operation. When the fan is positioned against the wind, it may struggle to move air in the intended direction, leading to reduced airflow and potentially causing dangerous conditions within the building. Effective ventilation relies on the fan being able to push air out efficiently, and positioning it against the wind counteracts this vital function. Conversely, positioning the fan in a way that utilizes the natural wind direction enhances its ability to clear smoke and heat quickly, improving visibility and conditions for both firefighters and any occupants that may still be inside.

9. What does the abbreviation "gpm" stand for in firefighting water flow?

A. Gallons per minute

B. Gallons per measure

C. Gauges per minute

D. Gas per minute

The abbreviation "gpm" stands for "gallons per minute" in firefighting water flow. This term is crucial in understanding and measuring the flow rate of water used in firefighting operations. It indicates the volume of water that is discharged from a fire hose or other water-delivery systems over a specific period of time, which is essential for effective firefighting. Knowing the flow rate allows firefighters to calculate how much water they can apply to a fire, ensuring they have enough resources to combat it effectively. This information also helps in determining the necessary pump capabilities and hose sizes needed for various firefighting situations.

10. What is one major factor that affects convection currents during natural ventilation?

A. The size of the building

B. Humidity levels in the air

C. Wind speed and direction

D. Floor plan of the structure

Convection currents play a crucial role in natural ventilation by moving warm air upwards and allowing cooler air to replace it. One major factor that influences these currents is the wind speed and direction. When wind flows over and around a building, it can create pressure differences that enhance the upward movement of warm air inside the structure. Increased wind speed can intensify the movement of air, helping to draw out hot air from the upper levels while pulling in cooler air from outside at lower levels. Additionally, the direction of the wind can determine how effectively air enters and exits the building, impacting the overall effectiveness of natural ventilation. While factors such as the size of the building, humidity levels, and the floor plan may influence ventilation in various ways, they do not have the same direct and immediate impact on the convection currents generated by the wind as wind speed and direction do.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://osfmbfomodb.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE