OSHA 30 HOUR CONSTRUCTION PROGRAM PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://osha-30hourcontructionprogram.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following is an example of Type A soils?

A. Sandy soil

B. Clay loam

C. Granular soil

D. Loose fill dirt

2. What factors determine the severity of an electric shock?

A. The type of machinery used

B. The path of current through the body

C. The voltage used

D. The weather conditions

3. Which scaffold type is commonly hung from an overhead support?

A. Scissor scaffold

B. Float scaffold

C. Wall scaffold

D. Frame scaffold

4. Which of the following is NOT an associated medical problem with lead poisoning?

A. Kidney failure

B. High blood pressure

C. Airway obstruction

D. Anemia

5. The maximum arresting force of 900 lbs in a PFAS is meant to minimize what?

A. Injury to the worker

B. Damage to equipment

C. Time for recovery

D. Cost of inspections

SAMPLE

6. What is the breaking strength of a vertical life line?

A. 2,500 lbs
B. 5,000 lbs
C. 7,500 lbs
D. 10,000 lbs

7. What describes an obstructed space in the context of confined spaces?

A. A space that is completely unobstructed
B. A space that is fully sealed
C. A permit space with some type of obstruction
D. A designated emergency exit path

8. What type of life line connects at both ends to stretch horizontally?

A. Vertical life line
B. Horizontal life line
C. Retractable life line
D. Fixed life line

9. What are two major hazards involved in handling and storing materials?

A. Height and temperature
B. Bulkiness and weight
C. Volume and visibility
D. Stability and placement

10. What is the primary concern when dealing with organic peroxides?

A. They have lengthy shelf lives
B. They can cause allergic reactions
C. They behave as fire and explosion hazards
D. They often have pleasant odors

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. C
5. A
6. B
7. C
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following is an example of Type A soils?

A. Sandy soil

B. Clay loam

C. Granular soil

D. Loose fill dirt

Type A soils are characterized as cohesive soils with higher strength and stability, which typically include clay or clay loam. Clay loam specifically has a mixture of clay and silt and exhibits properties that make it more stable and less prone to collapse under load, which is crucial for safe excavations and construction work. In contrast, sandy soil tends to drain quickly and can be more susceptible to shifting, while granular soil has lower cohesion and can also be less stable. Loose fill dirt usually consists of a mixture of different soils and can vary in stability based on its composition and moisture content. Thus, understanding these characteristics helps ensure proper safety measures are implemented in construction practices, especially in excavation work.

2. What factors determine the severity of an electric shock?

A. The type of machinery used

B. The path of current through the body

C. The voltage used

D. The weather conditions

The severity of an electric shock is primarily determined by the path of the current through the body. When an electrical current passes through the human body, it can affect various organs and systems depending on the route it takes. For instance, if the current flows through the heart, it can disrupt cardiac function and potentially lead to fatal arrhythmias. Alternatively, if the current travels through less critical areas, the effects may be less severe. Additionally, the specific characteristics of the current, such as its intensity and duration, can also play a significant role in the severity of the shock, but the pathway through which it travels is a critical factor that dictates potential injury. Understanding the routes that electrical current may take through the body enables safety professionals and workers to assess risks and implement adequate safety measures to prevent electric shock incidents.

3. Which scaffold type is commonly hung from an overhead support?

A. Scissor scaffold

B. Float scaffold

C. Wall scaffold

D. Frame scaffold

The float scaffold is specifically designed to be suspended or hung from an overhead support, allowing it to be positioned safely above ground level. This type of scaffold is advantageous in situations where the work needs to be carried out in areas that are difficult to access from below or where ground space is limited. By being suspended, float scaffolds can provide an efficient workspace at various heights, while ensuring the stability required for construction tasks. This makes them particularly suitable for applications such as bridge construction or maintenance on elevated structures. The unique nature of a float scaffold allows workers to navigate safely and effectively in these elevated scenarios. The other types of scaffolds listed, such as scissor, wall, and frame scaffolds, are not designed to be suspended in this manner, emphasizing the specialized application and functionality of the float scaffold in construction.

SAMPLE

4. Which of the following is NOT an associated medical problem with lead poisoning?

A. Kidney failure

B. High blood pressure

C. Airway obstruction

D. Anemia

Lead poisoning is a serious health concern that primarily affects multiple body systems, and it is well-documented that certain health conditions are associated with elevated lead levels in the body. Kidney failure, high blood pressure, and anemia are all recognized medical issues that can arise from lead exposure. Kidney failure can occur because lead can accumulate in the kidneys, which may damage these organs over time and result in impaired function. High blood pressure is often linked to lead exposure as well, as lead can interfere with the regulation of blood pressure and contribute to hypertension. Anemia is another common condition associated with lead poisoning. Lead can interfere with the body's ability to produce hemoglobin, leading to a reduced capacity for red blood cells to carry oxygen effectively. In contrast, airway obstruction is not typically associated with lead poisoning. While lead exposure poses risks primarily related to the cardiovascular, renal, and hematologic systems, airway obstruction is more commonly related to conditions like asthma, chronic obstructive pulmonary disease (COPD), or other pulmonary disorders. Thus, airway obstruction stands out as the condition that does not have a direct connection with lead poisoning, making it the correct choice for this question.

5. The maximum arresting force of 900 lbs in a PFAS is meant to minimize what?

A. Injury to the worker

B. Damage to equipment

C. Time for recovery

D. Cost of inspections

The maximum arresting force of 900 lbs in a Personal Fall Arrest System (PFAS) is designed primarily to minimize injury to the worker. This specification is established to limit the amount of force exerted on a worker's body during a fall. The rationale behind this limit is to ensure that, in the event of a fall, the forces transmitted through the body are kept within safe limits to prevent serious injuries, such as spinal cord or internal organ damage. When a fall occurs, the PFAS engages to catch the worker, but the dynamics of the fall and the mechanism of arrest include a sudden stop, which can generate significant forces. Therefore, maintaining the arresting force at or below 900 lbs is a crucial safety feature aimed at protecting the worker's physical health. In the context of this question, understanding the role of arresting forces is vital for fall protection planning and implementation in accordance with OSHA standards, which prioritize worker safety as the foremost concern in construction environments.

SAMPLE

6. What is the breaking strength of a vertical life line?

A. 2,500 lbs

B. 5,000 lbs

C. 7,500 lbs

D. 10,000 lbs

The breaking strength of a vertical lifeline is established at 5,000 pounds. This specification is based on safety standards set forth by OSHA to ensure that lifelines used in construction and other industries can support the weight of a worker, alongside any additional forces that may occur during a fall. This requirement reflects the need for robust safety measures in fall protection systems, as lifelines play a crucial role in preventing injuries during working at heights. It's important to recognize that this strength is determined with a factor of safety in mind, ensuring that the equipment can bear unexpected changes in load, such as sudden falls or additional loads due to gear. Upholding this standard helps safeguard the health and safety of workers in construction environments, adhering to OSHA regulations, and preventing accidents that could lead to severe injury or fatality.

7. What describes an obstructed space in the context of confined spaces?

A. A space that is completely unobstructed

B. A space that is fully sealed

C. A permit space with some type of obstruction

D. A designated emergency exit path

An obstructed space in the context of confined spaces refers to a permit space that has some type of obstruction. This might include physical barriers or equipment that can hinder access or egress, affecting ventilation or the ability to maneuver within the space. Understanding this concept is crucial for safety procedures, as obstructions can create additional hazards, making it essential to evaluate and mitigate these risks before entry. The other choices do not accurately describe an obstructed space. A space that is completely unobstructed merely indicates there are no obstacles present, and a fully sealed space does not allow for entry or exit, which does not align with the definition of an obstructed space. A designated emergency exit path is not related to the physical characteristics of the space itself, but rather to the means of escape from it. Recognizing the characteristics of confined spaces assists in implementing safety measures to protect workers.

8. What type of life line connects at both ends to stretch horizontally?

A. Vertical life line

B. Horizontal life line

C. Retractable life line

D. Fixed life line

A horizontal life line is specifically designed to connect at both ends to stretch horizontally. This type of life line is essential for providing fall protection for workers who are exposed to fall hazards while working on elevated surfaces or in situations where they need to move across different points in a horizontal plane. When properly anchored, a horizontal life line system allows workers to securely attach their safety harnesses or lanyards to the line as they navigate the work area, effectively minimizing the risk of falling. This system can be used in various settings, such as construction sites, maintenance work on roofs, and other scenarios where personnel access elevated locations. Other options, such as a vertical life line, typically run straight up and down, which is not suitable for horizontal movement. A retractable life line involves a mechanism that can extend and retract, providing some degree of freedom of movement but is not specifically designed as a horizontal connection. A fixed life line, while providing support, may not necessarily mean it runs horizontally unless specified. Thus, the choice of a horizontal life line clearly defines its purpose and application in fall protection plans.

SAMPLE

9. What are two major hazards involved in handling and storing materials?

A. Height and temperature

B. Bulkiness and weight

C. Volume and visibility

D. Stability and placement

Handling and storing materials in the construction environment presents numerous hazards, with bulkiness and weight being two of the most significant factors that contribute to injuries and accidents. When materials are bulky, they often require multiple workers or specialized equipment to manage them safely. Bulky items can hinder visibility, making it challenging for workers to navigate around them, which can lead to tripping or collisions. Moreover, heavy materials pose risks associated with lifting and transporting; these activities can result in musculoskeletal injuries such as strains or sprains if proper lifting techniques and tools are not utilized. Weight directly correlates with the potential for injury. Heavy materials can fall, slide, or roll if not secured or stored properly, creating risk for workers nearby. Furthermore, the effort involved in lifting heavy objects can lead to fatigue, increasing the likelihood of accidents. Considering these factors, bulkiness and weight are indeed critical components that highlight the hazards associated with material handling and storage in construction settings.

10. What is the primary concern when dealing with organic peroxides?

A. They have lengthy shelf lives

B. They can cause allergic reactions

C. They behave as fire and explosion hazards

D. They often have pleasant odors

Organic peroxides are compounds that contain a peroxide functional group and are known for their reactive nature. The primary concern when dealing with these substances is their potential to behave as significant fire and explosion hazards. Organic peroxides can undergo exothermic decomposition, which can lead to rapid release of oxygen and heat, triggering combustion or explosions if not handled correctly. The reactivity of organic peroxides makes them particularly dangerous under certain conditions, such as exposure to heat, light, or contaminants. This characteristic requires stringent safety measures during storage and handling to prevent accidents. Understanding this risk is critical for maintaining a safe working environment and ensuring that proper protocols are followed to mitigate fire and explosion hazards associated with these chemicals. While the other concerns listed, such as possible allergic reactions or pleasant odors, may be relevant in different contexts, they do not capture the primary safety issues that professionals encounter with organic peroxides in a construction or industrial setting.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://osha-30hourcontructionprogram.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE